



JOHANNESBURG
 72, 5th Street, Wynberg
 P.O. Box 590, Highlands North, 2037
 South Africa
 Tel:+27 (0)11 386 0000

DURBAN
 Talksure House
 62 Umhlanga Ridge Boulevard
 Parkside, Umhlanga, Durban
 South Africa
 Tel:+27 (0)31 263 0096

CAPE TOWN
 9 Racecourse Road
 Milnerton, South Africa
 Tel:+27 (0)21 521 2500

www.radiant.co.za

LIGHTING CATALOGUE 2019

www.radiant.co.za



A Information

B Downlights

C Spotlights

D Track mounting

E Floor & table lamps

F Wall lights

G Ceiling lights

H Pendants

I Chandeliers

J Foot lights


K Outdoor lighting

L Accessories

M Special application


N Electrical

CLASS I




Luminaires are electrically insulated and provided with an earth connection. Exposed metal that could become live in the event of basic insulation failure, is protected by earthing.

CLASS II




Luminaires are constructed so that protection against electric shock does not rely on basic insulation only, but also by providing additional safety precautions such as reinforced or double insulation. No provision for earth is provided.

CLASS III




Protection against electric shock relies on supply at safe extra-low voltage (SELV) and in which voltages higher than those of SELV are not generated.

F MARK




Luminaires are suitable for direct mounting on normally flammable surfaces.

Minimum distance




Minimum distance from the luminaire to the illuminated object to avoid overheating.

KEY TO SYMBOLS



Denotes: Go to page



Denotes: For coastal use

IP DEGREE OF PROTECTION (Characterised by the letters IP followed by two numerals)			
FIRST NUMBER (I) Protection of persons against contact with live / moving parts inside the enclosure and protection of equipment against entry of solid foreign bodies.		SECOND NUMBER (P) Protection of equipment against entry of liquid	
0	No protection.	0	No protection
1	Protection against entry of large solid foreign bodies. Protection against accidental contact with live / moving parts inside the enclosure by a large surface of the human body e.g. a hand, but not against deliberate access to such parts.	1	Protection against drops of condensed water. Drops of condensed water falling on the enclosure shall have no harmful effect.
2	Protection against entry of medium size solid foreign bodies. Protection against contact with live / moving parts inside the enclosure by fingers.	2	Protection against drops of liquid. Drops of falling liquid shall have no harmful effect when the enclosure is tilted at any angle up to 15° from the vertical.
3	Protection against entry of small solid foreign bodies. Protection against contact with live / moving parts inside enclosure by tools, wires or such objects of thickness greater than 2.5mm.	3	Protection against rain. Water or rain falling at an angle equal to or smaller than 60° with respect to the vertical shall have no harmful effect.
4	Protection against entry of small solid foreign bodies. Protection against contact with live / moving parts inside enclosure by tools, wires or such objects of thickness greater than 1mm.	4	Protection against splashing. Liquid splashing from any direction shall have no harmful effect.
5	Protection against harmful deposits of dust. Complete protection against contact with live / moving parts inside the enclosure. The entry of dust is not totally prevented, but dust cannot enter in an amount sufficient to interfere with satisfactory operation of the equipment enclosed.	5	Protection against water jets. Water projected by a nozzle from any direction under stated conditions shall have no harmful effect.
6	Protection against entry of dust. Complete protection against contact with live / moving parts inside the enclosure.	6	Protection against conditions on ship decks (deck watertight equipment). Water from heavy seas shall not enter the enclosure under prescribed conditions.
		7	Protection against immersion in water. It shall not be possible for water to enter the enclosure under stated conditions of pressure and time.
		8	Protection against indefinite immersion in water under specified pressure. It shall not be possible for water to enter the enclosure.

QC QUALITY RATING GUIDELINE SYSTEM FOR RADIANT LIGHTING PRODUCTS An easy way to check if the product you buy will perform as you expect it to. The QC system covers two aspects of quality, MATERIAL and CORROSION, and used in conjunction with the IP Rating system, can tell you a lot about a luminaire.				
Q	QUALITY OF LUMINAIRE		C	CORROSION RESISTANCE
0	Basic	Recommended burning period of 4 hours per 24 hour cycle. Defined as budget quality disposable item, designed to last as long as the lamp.	0	None Recommended for indoor use mainly, with exceptions No Protection Raw steel or aluminium body or accessories
1	DIY	Recommended burning period of 6 hours per 24 hour cycle. Defined as an item for Domestic use and DIY installation.	1	Low Recommended for indoor use mainly Painted or plated metals, with painted or galvanised fasteners or accessories.
2	Commercial	Recommended burning period of 12 hours per 24 hour cycle. Defined as an item for use in a commercial application.	2	Medium Recommended for indoor or outdoor use, except in corrosive environments. Epoxy coated aluminium, or hard plated metals with galvanised fasteners or accessories.
3	Industrial	Recommended for luminaires used for 24 hours a day. Defined as a quality item using the best materials and finishes, for use in commercial and industrial applications.	3	Good Recommended for outdoor use in coastal areas or damp environments Chromated/anodised aluminium or stainless steel, with stainless steel or brass fasteners or accessories.
			4	High Recommended for outdoor use in coastal areas and other corrosive environments Non corrosive materials such as plastic, fibreglass, GRP, acrylic, glass, with stainless steel or brass fasteners and accessories.

Please note that electrogalvanic corrosion may damage the best of materials in a short space of time. It is highly important to keep moisture away from all live conductors.

Luminaires must also be installed using the correct glands (and waterproof boxes where necessary). Failure to do so will invalidate any warranty.

Radiant Group reserves the right to discontinue, replace or modify products without prior notice. Radiant Group is not responsible for any errors or omissions in this catalogue. Due to the nature of the printing process colours are an indication only and may vary from the actual product. No part of this catalogue may be reproduced in any form without prior written permission by Radiant Lighting. © Copyright 2019 Radiant Lighting (Pty) Ltd. All rights reserved.

AA10	B48	CB15	B25	CO40115	N11	EX0002SCCH	C6	FA2CF250	N18
AA20	B49	CB17	B30	CO4014	N11	EX0002WHCH	C6	FA2EX200	N18
AA30	B49	CB18	B31	CO4018	N11	EX0003SCCH	C6	FA2EX250	N18
AC10	B51	CB24	B25	CO4120	N10	EX0003WHCH	C6	FA2EX300	N18
AC42	B51	CB27	B38	CO4123	N10	EX0004SCCH	C7	FH4G10	N26
AF10	B50	CB34	B24	CO4126	N10	EX0004WHCH	C7	FH4G13	N26
AF30	B50	CB36	B24	CO4126/1	N10	EX0005SCCH	C7	FH4START	N26
AJ10	B45	CB42	B35	CO41265	N10	EX0006BL	C5	FS0001	N23
AJ20	B46	CB43	B36	CO4130	N11	EX0007AC	C9	FS8FSU	N23
AJ52	B38	CB44	B33	CO41305	N11	EX0007CH	C8	FS8RT111	N23
AJ61	B43	CB51	B28	CO41307	N11	EX0008AC	C9	FT30	N30
AJ61	B44	CB61	B28	CO4140	N11	EX0008CH	C8	FT33N	N30
AJ62	B43	CB62	B28	CO4145	N11	EX0009AC	C9	FT60	N30
AJ62	B44	CB63	B29	CO4150	N11	EX0009CH	C8	GA206	N26
AJ63	B43	CB71	B37	CO4150S	N11	EX0010AC	C9	GA206P	N26
AJ63	B44	CB72	B37	CO4153	N11	EX0010CH	C8	GA208	N26
AK10	B45	CB73	B37	CO4155	N11	EX18	D6	HD0001W	N22
AK20	B46	CB76	B34	CO61503/1	N9	EX31	C13	HD140SSTM	N20
AM02	B42	CB77	B34	CO61505	N9	EX32B	C13	HD140SSTP	N20
BA20	B52	CC10	B31	CO61510	N9	EX33B	C14	HD141SSTM	N20
BB20F	N12	CC18	B32	CO61512	N9	EX34B	C14	HD141SSTP	N20
BB20M	N12	CC21	B30	CO63012	N9	EX43	C18	HD142SSTM	N21
BB25F	N12	CC24	B30	CO6MID	N9	EX43/1	C18	HD142SSTP	N21
BB25M	N12	CC32	B31	CO6NOR	N9	EX43/2	C18	HD143SSTM	N22
BB32F	N12	CC39	B33	CO7003	N7	EX43/3	C18	HD143SSTP	N22
BB32M	N12	CC41	B32	CO8003P#	N7	EX51	C15	HE0001	N17
BG31	B55	CC42	B35	CO8005	N7	EX510B	N9	HE0002	N17
BG40	B55	CC43	B36	CO80055	N7	EX510W	N9	HE2037	N17
BG42	B55	CC44	B33	CO8010	N7	EX52	C15	HG11	B56
BG60	B54	CC45	B35	CO80105	N7	EX53	C15	HH100	L7
BG62	B54	CC51	B26	CO8015	N7	EX54	C15	HH200	L7
BG84	B53	CC77	B34	CO80155	N7	EX61	C16	HH201	L7
BG86	B54	CD21	B26	CO8020	N7	EX610B	N9	HH900	L8
BJ13	C3	CH2892	N2	CO80205	N7	EX610W	N9	HH901	L8
BK61	B47	CL20	B5	CO916P	N8	EX62	C16	HL60	N29
BK62	B47	CL61	B9	CO916R	N8	EX63	C16	ICB15	B39
BK70	B42	CO4001	N10	EG01B	C11	EX65	C17	ICB17	B40
BO100E#	N28	CO40015	N10	EG01R	C10	EX66	C17	ICB18	B41
BO100Z	N28	CO4002	N10	EG02B	C11	EX710	N9	ICC10	B41
BO2160	N27	CO40025	N10	EG02R	C10	EX710F	N9	ICC21	B40
BO2160S	N27	CO4002A	N10	EG03B	C11	FA201	G31	ICC51	B39
BO2200	N27	CO4002U	N10	EG03R	C10	FA204	G31	JC0001GYC	H84
BO2200S	N27	CO4003	N11	EH01R	C12	FA2080	N27	JC0002GYC	H84
BO300E#	N28	CO40035	N11	EH02R	C12	FA2100	N27	JC0003BL	H54
CA10	B23	CO4004	N11	EH03R	C12	FA2140	N27	JC0003CP	H54
CA20	B23	CO40045	N11	EX0001SCCH	C6	FA2CE200	N18	JC01	H46
CB04	B27	CO4011	N11	EX0001WHCH	C6	FA2CF200	N18	JC06	H41

Product code index

JC07.....H41	JC17.....H68	JE0001G.....G49	JF0002WH.....E10	JH122.....G89
JC08.....H42	JC176W.....H51	JE0001SC.....G49	JF0003GY.....E11	JH123.....G89
JC102.....H55	JC177W.....H50	JE0001W.....G49	JF0003WH.....E11	JH124.....G90
JC103.....H56	JC178W.....H50	JE0002G.....G49	JF0004GR.....E12	JH131.....G88
JC105.....H57	JC179GY.....H83	JE0002SC.....G49	JF0004GY.....E12	JH132.....G88
JC106.....H58	JC180GY.....H83	JE0002W.....G49	JF0004WH.....E12	JH134.....H44
JC107.....H58	JC25.....H53	JE0003G.....G50	JF015.....E16	JH148.....H108
JC108.....H58	JC26/01.....H26	JE0003SC.....G50	JF259.....E13	JH149.....H108
JC109.....H59	JC26/22.....H26	JE0003W.....G50	JF269.....E14	JH155.....G87
JC112.....H60	JC28/01.....H27	JE0004G.....G50	JF369.....F6	JH166.....H51
JC113.....H60	JC28/04.....H27	JE0004SC.....G50	JF371.....F6	JH17.....F42
JC116.....H61	JC300/01.....H47	JE0004W.....G50	JF380.....E1	JH18.....F42
JC117.....H62	JC302.....H47	JE0005G.....G54	JF383.....E16	JH181.....F25
JC118.....H62	JC51.....H43	JE0005S.....G54	JF400.....E15	JH184.....H106
JC119.....H62	JC52.....H42	JE0006G.....G54	JF401.....E15	JH185.....H104
JC120.....H63	JC56.....H40	JE0006S.....G54	JF410.....E17	JH186.....H105
JC121.....H63	JC83.....H52	JE0007G.....F41	JF411.....E6	JH187.....H106
JC122.....H64	JC94.....H54	JE0007S.....F41	JF412.....E6	JH189.....H105
JC124.....H64	JD10.....G82	JE0008.....F41	JF413.....E4	JH19.....F42
JC125.....H68	JD12.....G83	JE0009.....G54	JF414.....E18	JH190.....H107
JC135.....H91	JD13.....G83	JE0010.....G54	JF415.....E18	JH200.....H66
JC139.....H92	JD16.....G84	JE0017CH.....G55	JF416.....E4	JH201.....H66
JC141.....H92	JD17.....G84	JE0018CH.....G55	JF418.....E7	JH210.....F45
JC142.....H85	JD24.....F37	JE0019CH.....G56	JF419.....E8	JH42.....F36
JC143.....H95	JD25.....F37	JE0020CH.....G56	JF421.....E17	JH45.....H65
JC146.....H86	JD32.....F43	JE11.....F10	JG09.....H96	JH46.....H65
JC147.....H87	JD38.....G92	JE11.....F11	JG12.....H45	JH50.....F48
JC148.....H87	JD39.....G92	JE12.....G51	JG13.....H45	JH65.....H53
JC149.....H85	JD65.....F44	JE13.....G52,57	JG40.....G81	JH78.....F28
JC15.....H70	JD70.....F44	JE15.....G53,57	JG53.....G61	JH79.....F28
JC150.....H75	JD73.....G73	JE17.....G57	JG54.....G61	JH80.....I26
JC151.....H75	JD74.....G71	JE33.....G62	JG56.....G82	JH81.....I27
JC152.....F14	JD75.....G71	JE34.....G62	JG60.....G81	JH82.....I27
JC153.....H76	JD76.....G71	JE40.....F13	JG61.....G81	JJ06.....F29
JC154.....H76	JD77.....G72	JE41.....G64	JG90.....F43	JJ152.....G79
JC155.....H77	JD78.....G72	JE43.....H97	JH0001GY.....F18	JJ153.....G79
JC156.....H77	JD79.....G72	JE46.....G76	JH0001WH.....F18	JJ154.....G79
JC157.....H78	JD90.....G74	JE47.....G76	JH04.....F43	JJ157.....G80
JC158.....F14	JD91.....G74	JE49.....G76	JH100.....F25	JJ158.....G80
JC159.....F15	JD92.....G74	JE50.....G76	JH101.....F25	JJ159.....G80
JC16.....H70	JD93.....G74	JE52.....G67	JH102.....I54	JJ163.....G77
JC160.....F15	JD97.....G75	JE60.....G14	JH103.....I55	JJ164.....G77
JC161.....H24	JD98.....G75	JE61.....G14	JH104.....I55	JJ167.....G78
JC162.....H24	JDF0001.....I3	JE62.....G14	JH110.....I29	JJ168.....G78
JC166.....H91	JDF0002.....I3	JF0001GY.....E9	JH115.....G91	JJ169.....G78
JC167.....H19	JDF0003.....I4	JF0001W.....E9	JH116.....I23	JJ46.....G65
JC169.....H88	JDF0004.....I4	JF0002GY.....E10	JH121.....G88	JJ52.....G66

Product code index

JJ57.....G66	JP0015-BL.....I43	JP321.....G87	JQ12.....H69	KA15.....G38
JJ58.....G66	JP024.....I73	JP323.....F27	JQ13.....H69	KA18E.....G37
JJ60.....F13	JP026.....I73	JP326.....H24	JQ14.....H44	KA19E.....G37
JJ61.....G65	JP058.....I34	JP420.....F24	JR10.....F38	KA22.....G38
JJ62.....G65	JP059.....I34	JP421.....I46	JS02.....F11	KA22E.....G38
JJ64.....H97	JP070.....F20	JP422.....I47	JS04.....G58	KA23E.....G37
JJ94.....F12	JP071.....F20	JP423.....I47	JS06.....G58	KA24.....G38
JJ95.....G63	JP072.....I32	JP424.....F23	JX0001BL.....N19	KA24E.....G38
JJ96.....G63	JP073.....I32	JP425.....I44	JX0002BL.....N19	KA25.....G38
JJ97.....G63	JP074.....I33	JP426.....I45	JX0004RB.....G26	KA25E.....G38
JK20.....G69	JP075.....I33	JP427.....I45	JX0005SN.....G26	KA28E.....G37
JK25.....G69	JP091.....I72	JP428.....F26	JX0006SC.....G27	KA51.....H112
JL20.....G70	JP150.....F21	JP429.....F26	JX0007AL.....G27	KB12.....G41
JL25.....G70	JP151.....F21	JP430.....I24	JX01A.....G29	KB12E.....G41
JM04.....G46	JP152.....I35	JP431.....I25	JX04.....G25	KB14.....G41
JM07.....G46	JP153.....I36	JP432.....I25	JX05.....G25	KB15.....G41
JM22A.....G47	JP154.....I37	JP435.....F27	JX09.....G30	KB218E.....G39
JM22S.....G48	JP160.....F29	JP436.....I28	JX10.....G28	KB22.....G41
JM32A.....G47	JP161.....F29	JP437.....I28	JX12.....G30	KB236E.....G40
JM32S.....G48	JP162.....I56	JP440.....F23	JX17.....G29	KB24.....G41
JM40A.....G47	JP163.....I57	JP441.....I38	JX30.....G24	KB66.....G21
JM40S.....G48	JP164.....I57	JP442.....I39	JX31.....G24	KB67.....G21
JM60.....G59	JP171.....I59	JP443.....I39	JY0009.....G11	KB68.....G21
JM61.....G59	JP172.....I59	JP500.....I67	JY001.....G13	KB69.....G21
JM62.....G60	JP191.....F22	JP502.....I68	JY0010.....G11	KB70.....G21
JN0001.....F5	JP192.....F22	JP503.....I58	JY0011.....G11	KB71.....G21
JN0002CH.....F36	JP194.....I52	JP504.....F32	JY0012.....G12	KBL0001.....G5
JN28.....F38	JP195.....I52	JP505.....F31	JY0013.....G12	KBL0002.....G5
JN32.....F40	JP196.....I53	JP506.....I58	JY0014.....G12	KD18.....F46
JN33.....F40	JP197.....I53	JP508.....F31	JY0015.....G86	KD33.....F47
JN40.....F39	JP199.....H98	JP510.....F30	JY0016.....G86	KD34.....F47
JN41.....F39	JP210.....F34	JP512.....I48	JY0017.....G86	KD63.....H111
JN42.....F39	JP211.....I74	JP513.....I48	JY0018.....G9	KD64.....H111
JP0001-BLR.....H98	JP212.....I75	JP514.....I49	JY0019.....G9	KD65.....H114
JP0002-BLC.....H82	JP213.....I76	JP515.....F30	JY002.....G13	KD66.....H113
JP0003-BLC.....H81	JP217.....I71	JP516.....I50	JY0020.....G9	KD67.....H114
JP0004-BLC.....H82	JP240.....F19	JP517.....I50	JY0021.....G10	KE01.....G43
JP0005-BLC.....F16	JP241.....I30	JP519.....I51	JY0022.....G10	KE02.....G43
JP0006-BL.....I40	JP242.....I30	JP812.....F4	JY003.....F5	KE03.....G44
JP0007-BL.....I40	JP243.....I31	JP813.....H20	JY007.....G68	KE05.....G42
JP0008-BL.....I41	JP270.....F35	JP815.....I1	JY008.....G68	KE06.....G42
JP0009-BL.....F17	JP307.....I2	JPC001.....I65	KA11E.....G37	KE42.....G46
JP0010-BL.....I41	JP308.....I2	JPC002.....I65	KA12.....G38	KE80.....G45
JP0011-BL.....I42	JP315.....I69	JPC003.....I65	KA12E.....G38	KE81.....G45
JP0012-BL.....I42	JP316.....I69	JPC004.....I66	KA13E.....G37	KG02.....J7
JP0013-BL.....F17	JP317.....I70	JPC005.....I66	KA14.....G38	KG04.....J7
JP0014-BL.....I43	JP320.....F34	JQ11.....F24	KA14E.....G38	KG43.....J6

Product code index


























KG44.....J6	KR40E.....G34	LDL056/2.....B17	LHB003.....H2	LPL004.....G8
KH06.....J8	KR42E.....G35	LDL056/2.....B17	LHB004.....H2	LPN0003W.....H5
KH24.....J5	KR44E.....G35	LDL057/3.....B17	LHB008/A.....K26	LPN0004W.....H6
KH26.....J4	KR46E.....G34	LDL058.....B21	LHB009.....H1	LPN0005W.....H6
KH27.....J4	KTM001.....E3	LDL059.....B14	LHB010.....H1	LPN0006W.....H17
KH28.....J4	KTM003.....E3	LDL059/A.....B14	LHL0001.....N29	LPN0007CH.....H17
KH29.....J5	KTM004.....H109	LDL060/A.....B14	LIM0001.....G4	LPN0008RG.....H18
KJ34A.....J2	KTM005.....H110	LDL061.....D5	LIM0002.....G4	LPN0009CH.....H21
KJ34G.....J2	KTM006.....E5	LDL062.....B3	LIM0003.....G4	LPN0010SN.....H19
KJ35A.....J2	LBT001.....B2	LDL063.....B3	LIM01.....G1,2	LPN0014BL.....H13
KJ35G.....J2	LBT002.....B2	LDL065.....B13	LIM02.....G1,2	LPN0015SN.....H18
KJ36A.....J1	LBT003.....B2	LDL065-1.....B13	LIM03.....G2	LPN0016CH.....H11
KJ36G.....J1	LBT004.....G6	LDL065R.....B14	LIM03.....G4	LPN011.....H11
KJ37A.....J1	LBT005.....G6	LDL066.....B19	LJN0001ABZ.....F7	LPN012.....H20
KJ37G.....J1	LCH001.....H22	LDL068.....B19	LJN0001SC.....F7	LPN017.....H15
KJ38.....J3	LCH002.....H23	LDL069.....B19	LJN0002ABZ.....F7	LPN020.....H14
KJ40.....J3	LCH003.....H23	LDL070.....B19	LJN0002SC.....F7	LPN021.....H14
KKA0001.....G19	LD200042.....N16	LDL071.....B19	LJN0003.....F8	LPN022.....H4
KKA0002.....G19	LD2000DD5.....N16	LEDDIM04.....N1	LJN0004.....F8	LPN023.....H4
KKA0003.....G19	LDL0002W.....B1	LG001.....G17	LKD001.....F9	LPN024.....H16
KKA0004.....G19	LDL0003W.....B1	LG002.....G17	LKD002.....F9	LPN025.....H16
KKA0005.....G19	LDL0004W.....B1	LG003.....G17	LKD003.....F9	LPN027.....G15
KKA0006.....G19	LDL0006BL.....B4	LGL0002AL.....K16	LKE0001CH.....G16	LPN028.....H5
KKA12.....G22	LDL0006SC.....B4	LGL0003BL.....K16	LKE0002SN.....G16	LPN029.....F4
KKA14.....G22	LDL0007BL.....B4	LGX04RHX-SSNW.....C1	LKJ0001WH.....K5	LPN030.....G15
KKA15.....G22	LDL0007SC.....B4	LGX04RHX-WNW.....C1	LN100.....M3	LPN031.....G15
KKA22.....G23	LDL0008W.....B1	LGX04SX-SSNW.....C1	LN103.....M4	LS0001-SBK.....K61
KKA24.....G23	LDL001.....B8	LGX04SX-WNW.....C1	LN1756.....M2	LS0002-SBK.....K61
KKA25.....G23	LDL001/A.....B8	LGX05RHX-SSNW.....C1	LN20.....N12	LS0003-SBK.....K62
KKB12.....G20	LDL002.....B8	LGX05RHX-SSNW.....C2	LN25.....N12	LS0004-SBK.....K63
KKB14.....G20	LDL007.....B11	LGX05RHX-WNW.....C1	LN32.....N12	LS0005-SBK.....K64
KKB15.....G20	LDL015.....B10	LGX05RHX-WNW.....C2	LN346.....M2	LS0006-SBK.....K64
KKB22.....G20	LDL017.....B11	LH3BR2210.....N24	LN347.....M2	LS0007BL.....K6
KKB24.....G20	LDL020.....G3	LH3BR2210E.....N24	LN348/3.....B6	LS0008BL.....K6
KKB25.....G20	LDL025.....B8	LH3BR2212.....N24	LN349/3.....B6	LS0009BL.....K7
KKB60.....G18	LDL026.....B15	LH3BR2220.....N24	LN351/3.....B6	LS0010BL.....K7
KKB61.....G18	LDL027.....B15	LH3BR22CG.....N24	LN352-3.....B7	LS0011BL.....K72
KKB62.....G18	LDL028.....B16	LH3BRBAT53.....N24	LN353.....M1	LS0012BL.....K108
KKB63.....G18	LDL029.....B16	LH3BRBAT63.....N24	LN353-3.....B7	LS0013BL.....K66
KKB64.....G18	LDL030.....B12	LH3NY22.....N24	LN354.....M1	LS0014SST.....K58
KKB65.....G18	LDL031.....B12	LH3NYB22.....N24	LN355.....M1	LS0015SST.....K58
KR20.....G33	LDL032.....B12	LH3P22SKR.....N25	LN356.....M1	LS0016SST.....K98
KR22.....G33	LDL050.....B21	LH3P27USKR.....N25	LPL001.....G7	LS0017SST.....K98
KR26.....G32	LDL051.....B21	LH3P40UF.....N25	LPL001.....G7	LS102.....K120
KR28.....G32	LDL052.....B20	LHB0001ALBL.....H3	LPL001A.....G7	LS104.....K120
KR30.....G36	LDL053.....B20	LHB0002WHBL.....H3	LPL002.....G7	LS108.....K122
KR32.....G36	LDL054.....B20	LHB002.....H2	LPL002.....G7	LS118.....K117





































Product code index

LS119.....K118	LS378.....K49	LS726.....K21	LS871.....K60	LWL015.....K4
LS1701.....K4	LS379.....K49	LS727.....K21	LS885.....K54	LWT0001BL.....K1
LS1702.....K13	LS384.....K53	LS728.....K21	LS886.....K54	LWT0001W.....K1
LS174.....K119	LS385.....K53	LS729.....K22	LS887.....K55	LWT0002BL.....K1
LS176.....K121	LS386.....K50	LS730.....K22	LS888.....K55	LWT0002W.....K1
LS177.....K121	LS387.....K50	LS731.....K22	LS900.....K115	LWT0003BL.....K2
LS178.....K121	LS388.....K50	LS732.....K23	LS901.....K113	LWT0003W.....K2
LS1891.....K3	LS389.....K50	LS733.....K23	LS910.....K84	LWT0004BL.....K2
LS1893.....K3	LS406.....K101	LS734.....K23	LS911.....K76	LWT0004W.....K2
LS202.....K67	LS418.....K102	LS750.....K125	LSBOX2.....K132	MDY001.....H7
LS204.....K67	LS435.....K103	LS751.....K125	LSL0001BL.....K5	MDY002.....F3
LS208.....K92	LS436.....K103	LS751P.....K126	LSL0002BL.....K14	MDY003.....H7
LS210.....K87	LS450.....K99	LS755.....K128	LSL0003SST.....K8	MDY004.....H10
LS214.....K73	LS451.....K57	LS756.....K128	LSL0004SST.....K8	MDY005.....H10
LS216.....K73	LS452.....K57	LS780.....K19	LSL0005SST.....K9	MDY006.....H8
LS218.....K74	LS453.....K99	LS782.....K19	LSL0006SST.....K9	MDY007.....H8
LS220.....K74	LS454.....K104	LS784.....K20	LSL0007SST.....K12	MDY008.....H9
LS224.....K70	LS455.....K56	LS790.....K75	LSL0008SST.....K12	MDY009.....H9
LS225.....K70	LS460.....K59	LS792.....K91	LSL0009BL.....K15	MDY010.....H12
LS230.....K68	LS461.....K59	LS794.....K108	LSL0010BL.....K15	MDY011.....H12
LS232.....K68	LS462.....K105	LS802.....K83	LSL010.....C3	MDY012.....H13
LS234.....K109	LS481.....K89	LS810.....K124	LSL112+S.....K24	OFFICE SYSTEMS...N31,32
LS236.....K110	LS482.....K86	LS828.....K96	LSL114+S.....K25	PB12.....H48
LS238.....K110	LS483.....K86	LS829.....K97	LSL202.....K10	PB13.....H49
LS242.....K88	LS484.....K112	LS831.....K93	LSL248.....K10	PB15.....H48
LS271.....K69	LS485.....K112	LS832.....K94	LSL272.....K11	PB20.....H49
LS272.....K71	LS486.....K70	LS833.....K95	LSL273.....K11	PF0001CH.....F16
LS273.....K71	LS487.....K90	LS840.....K40	LSL751.....K18	PF0001RG.....F16
LS274.....K88	LS488.....K85	LS850.....K114	LSP0001BL.....K18	PF0001W.....F16
LS275.....K69	LS489.....K111	LS852.....K77	LSP0002BL.....K18	PF0002CH.....H90
LS280.....K72	LS506.....K127	LS853.....K77	LTL001.....E2	PF0002RG.....H90
LS282.....K87	LS511.....K128	LS854.....K78	LTL002.....E1	PF0002W.....H90
LS284.....K66	LS520.....K133	LS855.....K78	LTL003.....E1	PF0003CH.....H89
LS286.....K107	LS521.....K133	LS856.....K77	LTL005.....E2	PF0003RG.....H89
LS287.....K107	LS531.....K134	LS857.....K77	LTS002.....D5	PF0003W.....H89
LS300.....K123	LS533.....K134	LS858.....K78	LTS003.....D5	PF0004CH.....H89
LS322.....K129	LS535.....K136	LS859.....K78	LTS005.....C4	PF0004RG.....H89
LS323.....K129	LS536.....K136	LS860.....K81	LTS007.....C4	PF0004W.....H89
LS324.....K130	LS543/3.....K17	LS861.....K81	LWL004.....F2	PF0005CH.....H90
LS326.....K130	LS574.....K135	LS862.....K82	LWL005.....F1	PF0005RG.....H90
LS328.....K131	LS590.....K75	LS863.....K82	LWL006.....F1	PF0005W.....H90
LS333.....K127	LS591.....K100	LS864.....K81	LWL009.....F1	PF0006.....H40
LS373.....K51	LS600.....K65	LS864A.....K80	LWL010.....F2	PF0007BL.....H79
LS374.....K51	LS601.....K84	LS864E.....K79	LWL011.....F2	PF0008BL.....H79
LS375.....K51	LS602.....K106	LS864EPB.....K79	LWL012.....F3	PF0009BL.....H80
LS376.....K52	LS723.....K131	LS864P.....K80	LWL013.....F2	PF0012GY.....H29
LS377.....K52	LS724.....K21	LS865.....K81	LWL014.....K4	PF0012WH.....H29

PF0013GR.....H30	PF39.....I5	PRT0024.....B42	TB006.....D1	WQ07A.....K42
PF0013GY.....H30	PF40.....I18	PRT0025.....H94	TB008.....D1	WQ07G.....K41
PF0013WH.....H30	PF42.....I60	PRT0026.....H96	TB120.....D1	WQ08A.....K42
PF0014GR.....H31	PF47.....I9	PRT0029.....B18	TB240.....D1	WQ08G.....K41
PF0014GY.....H31	PF49.....I64	PRT0030.....B18	TC0001.....N29	WQ09A.....K42
PF0014WH.....H31	PF63.....H52	PS60.....K116	TP001.....D2	WQ09G.....K41
PF0015BL.....H32	PF65.....G85	PS76.....K116	TP003.....D2	WT0001W.....K32
PF0015GR.....H33	PF69.....H15	PT216A.....N8	TP004.....D2	WT0002BL.....K32
PF0015GY.....H32	PF71.....I62	PT216AR.....N8	TP005.....D2	WT13A.....K37
PF0015PK.....H34	PF72.....I62	PT2DED.....N8	TP006.....D2	WT13E.....K38
PF0015RST.....H34	PF73.....I63	RE31010.....N7	TP007.....D2	WT13G.....K38
PF0015WH.....H32	PF74.....I6	RE71010.....N7	TP008.....D2	WT16A.....K47
PF0015Y.....H33	PF76.....I11	SA220G.....N12	TP009.....D2	WT1A.....K33
PF0016BL.....H35	PF77.....I12	SA220GH.....N12	TP010.....D2	WT1E.....K33
PF0016GR.....H36	PF79.....I10	SA225G.....N12	TP011.....D2	WT1G.....K33
PF0016GY.....H35	PF80.....F33	SA225GH.....N12	TP100.....D2	WT20.....K44
PF0016PK.....H37	PF81.....I21	SA232G.....N12	TP200.....D2	WT22.....K44
PF0016RST.....H37	PF82.....I21	SA232GH.....N12	TP300.....D2	WT23.....K44
PF0016WH.....H35	PF83.....I22	SB01.....L4	TR21616.....N14	WT23E.....K45
PF0016Y.....H36	PF84.....I13	SB04.....L5	TR21616/2.....N14	WT2A.....K34
PF0017CHP.....H38	PF86.....I14	SB06.....L6	TR21625.....N14	WT2E.....K34
PF0017CHP.....H39	PF87.....I15	SC3843.....N29	TR22540.....N14	WT2G.....K34
PF0017SN.....H38	PF90.....H102	SC9962.....N29	TR240100.....N14	WT35.....K35
PF0017SN.....H39	PF91.....H102	SC9968.....N29	TR24040.....N14	WT36.....K35
PF100.....I19	PF92.....H103	SE06.....N4	WB40204E.....N13	WT37A.....K48
PF101.....I17	PF93.....I16	SE07.....N4	WB40204EC.....N13	WT37G.....K48
PF103.....I18	PF97.....I20	SE08.....N4	WB40204EP.....N13	WT42.....K39
PF104.....I18	PRT0001-BL.....D3	SE10.....N4	WB40404E.....N13	WT44.....K39
PF106.....I17	PRT0002-BL.....D3	SE76.....N4	WB40404EC.....N13	WT6A.....K36
PF107.....H67	PRT0003-W.....D3	SE90.....N5	WB40404EP.....N13	WT6E.....K36
PF110.....H21	PRT0004-W.....D3	SL01.....L4	WB41240G.....N13	WT7E.....K43
PF120.....H101	PRT0005-SG.....D3	SL04.....L5	WB41240P.....N13	WTT01.....K31
PF125.....H101	PRT0006-SG.....D3	SO2100.....N14	WB41404G.....N13	XE060/03.....L3
PF126.....H22	PRT0007-B.....D4	SP220.....N30	WB41404P.....N13	XLED06/3.....L1
PF127.....H25	PRT0008-B.....D4	SP225.....N30	WO1A.....K27	XLED09/2.....L1
PF128.....H25	PRT0009-W.....D4	SW0001.....N6	WO1E.....K27	XS050/01.....L2
PF17.....H95	PRT0010-W.....D4	SW0002.....N6	WO1G.....K27	
PF200.....H71	PRT0011-SG.....D4	SW0003.....N6	WO20A.....K29	
PF201.....H72	PRT0012-SG.....D4	SW2030.....N6	WO20G.....K29	
PF202.....H71	PRT0013-B.....B22	SW2DN06L.....N3	WO21A.....K30	
PF203.....H73	PRT0014-B.....B22	SW2DN06S.....N3	WO21G.....K30	
PF204.....H73	PRT0015-W.....B22	SW2DNLR100.....N3	WO2A.....K28	
PF205.....H74	PRT0016-W.....B22	SW2DNLR50.....N3	WO2E.....K28	
PF25.....I7	PRT0020.....H100	SW2DNLS15.....N3	WO2G.....K28	
PF300.....I16	PRT0021.....H100	SW2DNLS20.....N3	WO3E.....K31	
PF33.....I61	PRT0022.....H93	TA2020.....N15	WQ20.....K46	
PF34.....I61	PRT0023.....H99	TB004.....D1	WQ23.....K46	

Downlights

Page No.					
B 1-2	LDL0002W	LDL0003W	LDL0004W	LDL0008W	LBT001
B 2-4					
B 2-4	LBT002	LBT003	LDL062	LDL063	LDL0006
B 4-6					
B 4-6	LDL0007	CL20	LN348-3	LN349-3	
B 6-8					
B 6-8	LN351-3	LN352-3	LN353-3	LDL001	LDL001/A
B 8-10					
B 8-10	LDL002	LDL025	CL61	LDL015	
B 11-12					
B 11-12	LDL007	LDL017	LDL030	LDL031	LDL032
B 13-14					
B 13-14	LDL065-1	LDL065	LDL059	LDL059A/060A	

Page No.					
B 14-16	LDL065R	LDL026	LDL027	LDL028	LDL029
					
B 17-18	LDL056/2	LDL057/3	PRT0029	PRT0030	
					
B 19	LDL066	LDL069	LDL070	LDL068	LDL071
					
B 20-21	LDL052	LDL053	LDL054	LDL050	LDL051
					
B 21-22	LDL058	PRT0013-B	PRT0014-B	PRT0015-W	PRT0016-W
					
B 23-25	CA10	CA20	CB34	CB36	CB15
					
B 25-28	CB24	CD21	CC51	CB04	CB51
					
B 28-29	CB61	CB62	CB63		

Page No.					
B 30-31	CB17	CC21	CC24	CB18	CC10
					
B 31-33	CC32	CC18	CC41	CB44	CC39
					
B 33-35	CC44	CB76	CB77	CC77	CB42
					
B 35-37	CC42	CC45	CB43	CC43	CB71
					
B 37-39	CB72	CB73	AJ52	CB27	ICB15
					
B 39-41	ICC51	ICB17	ICC21	ICC10	ICB18
					
B 42-43	BK70	AM02	PRT0024	AJ61	AJ62
					
B 44-46	AJ63	AJ10	AK10	AJ20	AK20

Page No.					
B 47-49	BK61	BK62	AA10	AA20	AA30
					
B 50-51	AF10	AF30	AC42	AC10	
					
B 52-54	BA20	BG84	BG60	BG62	
					
B 54-56	BG86	BG31	BG40	BG42	HG11

Spotlights

Page No.					
C 1-2	LGX04SX-SSNW	LGX04SX-WNW	LGX04RHX-SSNW	LGX04RHX-WNW	LGX05RHX-SSNW
					
C 2-4	LGX05RHX-WNW	BJ13	LSL010	LTS005	LTS007
					
C 5-6	EX0006BL	EX0001SCCH	EX0001WHCH	EX0002SCCH	EX0002WHCH

Page No.					
C 6-7	EX0003SCCH	EX0003WHCH	EX0004SCCH	EX0004WHCH	EX0005SCCH
					
C 8	EX0007CH	EX0008CH	EX0009CH	EX0010CH	
					
C 9-10	EX0007AC	EX0008AC	EX0009AC	EX0010AC	EG01R
					
C 10-11	EG02R	EG03R	EG01B	EG02B	EG03B
					
C 12-13	EH01R	EH02R	EH03R	EX31	EX32B
					
C 14-15	EX33B	EX34B	EX51	EX52	EX53
					
C 15-17	EX54	EX61	EX62	EX63	EX65
					
C 17-18	EX66	EX43	EX43/1	EX43/2	EX43/3

Track mounting

Page No.					
D 1-3	TB track	TB006	TP010	PRT0001-BL	PRT0002-BL
D 3-4					
D 3-4	PRT0003-W	PRT0004-W	PRT0005-SG	PRT0006-SG	PRT0007-BL
D 4					
D 4	PRT0008-BL	PRT0009-W	PRT0010-W	PRT0011-SG	PRT0012-SG
D 5-6					
D 5-6	LTS002	LDL061	LTS003	EX18	









































Floor & table lamps

Page No.					
E 1-2	JF380	LTL002	LTL003	LTL001	LTL005
E 3-5					
E 3-5	KTM001	KTM003	JF413	JF416	KTM006










Page No.					
E 6-9	JF411	JF412	JF418	JF419	JF0001W
E 9-11					
E 9-11	JF0001GY	JF0002WH	JF0002GY	JF0003WH	JF0003GY
E 12-14					
E 12-14	JF0004WH	JF0004GY	JF0004GR	JF259	JF269
E 15-17					
E 15-17	JF401	JF400	JF015	JF383	JF421
E 17-18					
E 17-18	JF410	JF414	JF415		

Wall lights


























Page No.					
F 1-2	LWL005	LWL006	LWL009	LWL010	LWL011
F 2-4					
F 2-4	LWL013	LWL004	LWL012	MDY002	JP812








































Page No.					
F 4-6	LPN029	JY003	JN0001	JF369	JF371
					
F 7-8	LJN0001ABZ	LJN0002SC	LJN0001ABZ	LJN0002SC	LJN0003
					
F 8-10	LJN0004	LKD001-002-003	JE11 ZEBRA	JE11 STEM	JE11 DOTS
					
F 11-13	JE11	JS02	JJ94	JE40	JJ60
					
F 14-16	JC152	JC158	JC159	JC160	PF0001
					
F 16-18	JP0005-BLC	JP0009-BL	JP0013-BL	JH0001WH	JH0001GY
					
F 19-21	JP240	JP070	JP071	JP150	JP151
					
F 22-24	JP191	JP192	JP424	JP440	JP420

Page No.					
F 24-26	JQ11	JH181	JH100	JH101	JP428
					
F 26-28	JP429	JP323	JP435	JH78	JH79
					
F 29-30	JP160	JP161	JJ06	JP510	JP515
					
F 31-34	JP505	JP508	JP504	PF80	JP210
					
F 34-37	JP320	JP270	JN0002CH	JH42	JD24
					
F 37-39	JD25	JN28	JR10	JN40	JN41
					
F 39-41	JN42	JN32	JN33	JE0007G	JE0007S
					
F 41-43	JE0008	JH17	JH18	JH19	JG90







Page No.					
F 43-45	JD32	JH04	JD65	JD70	JH210
					
F 46-48	KD18	KD33	KD34	JH50	









Ceiling lights

Page No.					
G 1-2	LIM01	LIM02	LIM01	LIM02	LIM03
					
G 3-4	LDL020	LIM03	LIM0001	LIM0002	LIM0003
					
G 5-7	KBL0001	KBL0002	LBT004	LBT005	LPL001-LPL001A
					
G 7-9	LPL002	LPL004	JY0018	JY0019	JY0020
					
G 10-11	JY0021	JY0022	JY0009	JY0010	JY0011

Page No.					
G 12-13	JY0012	JY0013	JY0014	JY001	JY002
					
G 14-15	JE60	JE61	JE62	LPN027	LPN030
					
G 15-18	LPN031	LKE0001CH	LKE0002SN	LG001-002-003	KKB60-62-64
					
G 18-20	KKB61-63-65	KKA0001-0002-0003	KKA0004-0005-0006	KKB12-14-15	KKB22-24-25
					
G 21-22	KB66-68-70	KB67-69-71	KKA12	KKA14	KKA15
					
G 23-24	KKA22	KKA24	KKA25	JX30	JX31
					
G 25-27	JX04	JX05	JX0004RB	JX0005SN	JX0006SC
					
G 27-30	JX0007AL	JX10	JX01A	JX17	JX09

Page No.					
G 30-32	JX12	FA201	FA204	KR26	KR28
					
G 33-35	KR20	KR22	KR40E	KR46E	KR42E
					
G 35-37	KR44E	KR30	KR32	KA11E	KA13E
					
G 37-38	KA18E	KA19E	KA23E	KA28E	KA12-12E
					
G 38	KA14-14E	KA15	KA22-22E	KA24-24E	KA25-25E
					
G 39-41	KB218E	KB236E	KB12-12E	KB14-15	KB22-24
					
G 42-44	KE06	KE05	KE01	KE02	KE03
					
G 45-46	KE80	KE881	KE42	JM04	JM07

























Page No.					
G 47-48	JM22A	JM32A	JM40A	JM22S	JM32S
					
G 48-50	JM40S	JE0001W-0002W	JE0001G-0002G	JE0001SC-0002SC	JE0003W-0004W
					
G 50-52	JE0003G-0004G	JE0003SC-0004SC	JE12-13-15 CIRC	JE12-13-15 DOTS	JE12-13-15 LEAF
					
G 52-54	JE12-13-15 LINES	JE12-13-15 STEM	JE12-13-15 ZEBRA	JE12-13-15 FROST	JE0005G-0006G
					
G 54-56	JE0005S-0006S	JE0009-00010	JE0017CH	JE0018CH	JE0019CH
					
G 56-58	JE0020CH	JE13	JE15	JE17	JS04
					
G 58-61	JS06	JM60	JM61	JM62	JG53
					
G 61-63	JG54	JE33	JE34	JJ95	JJ96









































Page No.					
G 63-65	JJ97	JE41	JJ46	JJ61	JJ62
					
G 66-68	JJ52	JJ57	JJ58	JE52	JY007
					
G 68-70	JY008	JK20	JK25	JL20	JL25
					
G 71-72	JD74	JD75	JD76	JD77	JD78
					
G 72-74	JD79	JD73	JD90	JD91	JD92
					
G 74-76	JD93	JD97	JD98	JE46	JE47
					
G 76-78	JE49	JE50	JJ163	JJ164	JJ167
					
G 78-79	JJ168	JJ169	JJ152	JJ153	JJ154

Page No.					
G 80-81	JJ157	JJ158	JJ159	JG40	JG60
					
G 81-83	JG61	JD11	JG56	JD12	JD13
					
G 84-86	JD16	JD17	PF65	JY0015	JY0016
					
G 86-88	JY0017	JH155	JP321	JH121	JH131
					
G 88-91	JH132	JH122	JH123	JH124	JH115
					
G 92	JD38	JD39			









































Pendants

Page No.					
H 1-3	LHB009-010	LHB002	LHB004	LHB0001ALBL	LHB0002WHBL

Page No.					
H 4-6	LPN022	LPN023	LPN028	LPN0003W	LPN0004W
					
H 6-8	LPN0005W	MDY001	MDY003	MDY006	MDY007
					
H 9-11	MDY008	MDY009	MDY004	MDY005	LPN011
					
H 11-13	LPN0016CH	MDY010	MDY011	MDY012	LPN0014BL
					
H 14-16	LPN020	LPN021	PF69	LPN017	LPN024
					
H 16-18	LPN025	LPN0006W	LPN0007CH	LPN0008RG	LPN0015SN
					
H 19-21	JC167	LPN0010SN	LPN012	JP813	LPN0009CH
					
H 21-23	PF110	LCH001	PF126	LCH002	LCH003

Page No.					
H 24-26	JC161-162	JP326	PF127	PF128	JC26/22
					
H 27-30	JC28/22	PF0012WH	PF0012GY	PF0013WH	PF0013GY
					
H 30-32	PF0013GR	PF0014WH	PF0014GY	PF0014GR	PF0015WH
					
H 32-34	PF0015GY	PF0015BL	PF0015Y	PF0015GR	PF0015PK
					
H 34-36	PF0015RST	PF0016WH	PF0016GY	PF0016BL	PF0016Y
					
H 36-38	PF0016GR	PF0016PK	PF0016RST	PF0017CHP	PF0017SN
					
H 39-41	JC40	JC43	JC56	PF0006	JC06
					
H 41-44	JC07	JC08	JC52	JC51	JH134




















Page No.					
H 44-47	JQ14	JG12	JG13	JC01	JC300/01
					
H 47-49	JC302	PB12	PB15	PB13	PB20
					
H 50-52	JC177W	JC178W	JC176W	JH166	JC83
					
H 52-54	PF63	JC25	JH65	JC94	JC0003BL-0003CP
					
H 55-58	JC102	JC103	JC105	JC106	
					
H 58-60	JC107	JC108	JC109	JC112	JC113
					
H 61-63	JC116	JC118	JC119	JC120	JC121
					
H 64-66	JC122	JC124	JH45	JH46	JH200























Page No.					
H 66-69	JH201	PF107	JC17	JC125	JQ12
					
H 69-71	JQ13	JC15	JC16	PF200	PF202
					
H 72-75	PF201	PF203	PF204	PF205	JC150
					
H 75-77	JC151	JC153	JC154	JC155	JC156
					
H 78-81	JC157	PF0007BL	PF0008BL	PF0009BL	JP0003-BLC
					
H 82-84	JP0002-BLC	JP0004-BLC	JC179GY	JC180GY	JC0001GYC
					
H 84-87	JC0002GYC	JC142	JC149	JC146	JC147
					
H 87-90	JC148	JC169	PF0003	PF0004	PF0002

Page No.					
H 90-92	PF0005	JC135	JC166	JC139	JC141
					
H 93-96	PRT0022	PRT0025	JC143	PF17	PRT0026
					
H 96-98	JG09	JJ64	JE43	JP0001-BLR	JP199
					
H 99-101	PRT0023	PRT0020	PRT0021	PF125	PF120
					
H 102-105	PF90	PF91	PF92	JH185	JH186
					
H 105-108	JH189	JH184	JH187	JH190	JH148
					
H 108-111	JH149	KTM004	KTM005	KD63	KD64
					
H 112-114	KA51	KD66	KD65	KD67	




















Chandeliers

Page No.					
I 1-3	JP815	JP307	JP308	JDF0001	JDF0002
					
I 4-7	JDF0003	JDF0004	PF39	PF74	PF25
					
I 8-12	PF103	PF47	PF79	PF76	PF77
					
I 13-16	PF84	PF86	PF87	PF93	PF300
					
I 17-19	PF106	PF101	PF104	PF40	PF100
					
I 20-23	PF97	PF81	PF82	PF83	JH116
					
I 24-27	JP430	JP431	JP432	JH80	JH81

Page No.					
I 27-30	JH82	JP436	JP437	JH110	JP241
I 30-33					
I 33-36	JP242	JP243	JP072	JP073	JP074
I 33-36					
I 33-36	JP075	JP058	JP059	JP152	JP153
I 37-40					
I 37-40	JP154	JP441	JP442	JP443	JP0006-BL
I 40-42					
I 40-42	JP0007-BL	JP0008-BL	JP0010-BL	JP0011-BL	JP0012-BL
I 43-45					
I 43-45	JP0014-BL	JP0015-BL	JP425	JP426	JP427
I 46-48					
I 46-48	JP421	JP422	JP423	JP512	JP513
I 49-52					
I 49-52	JP514	JP516	JP517	JP519	JP194

Page No.					
I 52-55	JP195	JP196	JP197	JH102	JH103
I 55-58					
I 55-58	JH104	JP162	JP163	JP164	JP503
I 58-61					
I 58-61	JP506	JP171	JP172	PF42	PF33
I 61-64					
I 61-64	PF34	PF71	PF72	PF73	PF49
I 65-66					
I 65-66	JPC001	JPC002	JPC003	JPC004	JPC005
I 67-70					
I 67-70	JP500	JP502	JP315	JP316	JP317
I 71-74					
I 71-74	JP217	JP091	JP024	JP026	JP211
I 75-76					
I 75-76	JP212	JP213			

Foot lights

Page No.					
J 1-2	KJ36A	KJ36G	KJ37A	KJ37G	KJ34A
					
J 2-3	KJ34G	KJ35A	KJ35G	KJ38	KJ40
					
J 4-5	KH26	KH27	KH28	KH29	KH24
					
J 6-7	KG43	KG44	KG02	KG04	
J 8					
	KH06				









































Outdoor lighting

Page No.				
K 1-2	LWT0001BL-0002BL	LWT0001W-0002W	LWT0003BL-0004BL	LWT0003W-0004W

Page No.					
K 3-4	LS1891	LS1893	LWL014	LWL015	LS1701
					
K 5-7	LSL0001BL	LKJ0001WH	LS0007BL	LS0008BL	LS0009BL
					
K 7-9	LS0010BL	LSL0003SST	LSL0004SST	LSL0005SST	LSL0006SST
					
K 10-12	LSL202	LSL248	LSL272	LSL273	LSL0007SST
					
K 12-15	LSL0008SST	LS1702	LSL0002BL	LSL0010BL	LSL0009BL
					
K 16-18	LGL0002AL	LGL0003BL	LS543/3	LSP0001BL-0002BL	
					
K 18-21	LSL751	LS780	LS782	LS784	LS724-726
					
K 21-25	LS727-728	LS729-30-31	LS732-33-34	LSL112+S	LSL114+S

Page No.					
K 26-28	LHB008/A	WO1A	WO1E	WO1G	WO2A
					
K 28-29	WO2E	WO2G	WO20A	WO20G	
					
K 30-32	WO21A	WO21G	WTT01	WO3E	WT0001W
					
K 32-34	WT0002BL	WT1A	WT1E	WT1G	WT2A
					
K 34-36	WT2E	WT2G	WT35	WT36	WT6A
					
K 36-39	WT6E	WT13A	WT13E	WT13G	WT42
					
K 39-41	WT44	LS840	WQ07G	WQ08G	WQ09G
					
K 42-44	WQ07A	WQ08A	WQ09A	WT7E	WT20

Page No.					
K 44-46	WT22	WT23	WT23E	WQ20	WQ23
					
K 47-49	WT16A	WT37A	WT37G	LS378	LS379
					
K 50-51	LS386	LS387	LS388	LS389	LS373
					
K 51-53	LS374	LS375	LS376	LS377	LS384
					
K 53-55	LS385	LS885	LS886	LS887	LS888
					
K 56-58	LS455	LS451	LS452	LS0014SST	LS0015SST
					
K 59-61	LS460	LS461	LS871	LS0001-SBK	LS0002-SBK
					
K 62-65	LS0003-SBK	LS0004-SBK	LS0005-SBK	LS0006-SBK	LS600

Page No.					
K 66-68	LS284	LS0013BL	LS202	LS204	LS230
					
K 68-70	LS232	LS271	LS275	LS486	LS224
					
K 70-72	LS225	LS272	LS273	LS280	LS0011BL
					
K 73-75	LS214	LS216	LS218	LS220	LS590
					
K 75-77	LS790	LS911	LS852	LS853	LS856
					
K 77-78	LS857	LS854	LS855	LS858	LS859
					
K 79-81	LS864E	LS864EPB	LS864A	LS864P	LS864
					
K 81-82	LS860	LS861	LS865	LS862	LS863

Page No.					
K 83-86	LS802	LS601	LS910	LS488	LS482
					
K 86-88	LS483	LS210	LS282	LS242	LS274
					
K 89-92	LS481	LS487	LS792	LS208	
					
K 93-97	LS831	LS832	LS833	LS828	LS829
					
K 98-100	LS0016SST	LS0017SST	LS453	LS450	LS591
					
K 101-104	LS406	LS418	LS436	LS435	LS454
					
K 105-108	LS462	LS602	LS286	LS287	LS0012BL
					
K 108-111	LS794	LS234	LS238	LS236	LS489

Page No.					
K 112-115	LS485	LS484	LS901	LS850	LS900
					
K 117-120	LS118	LS119	LS174	LS102	LS104
					
K 121-123	LS176	LS177	LS178	LS108	LS300
					
K 124-127	LS810	LS750	LS751	LS751P	LS333
					
K 127-129	LS506	LS511	LS755-56	LS322	LS323
					
K 130-132	LS324	LS326	LS328	LS723	LSBOX2
					
K 133-135	LS520	LS521	LS531	LS533	LS574
					
K 136	LS535	LS536			

Accessories

Page No.					
L 1-4	XLED06/3	XLED09/2	XS050/01	XE060/03	SB01
					
L 4-7	SL01	SB04	SL04	SB06	HH100
					
L 7-8	HH200	HH201	HH900	HH901	









































Special application

Page No.					
M 1-2	LN353-354-355	LN356	LN346	LN347	LN1756
					
M 3-4	LN100	LN103			

Electrical


Page No.					
N 1-3	FA2LSW-FA2SSW	LEDDIM04	SW2TH	CH2892	SW2DN06L-06S
N 3-4					
N 3-4	SW2DNLR50	SW2DNLR100	SW2DNLS15	SW2DNLS20	SE06
N 4-5					
N 4-5	SE07	SE76	SE10	SE08	SE90
N 6-7					
N 6-7	SW2030	SW0001	SW0002	SW0003	CO7003
N 7-8					
N 7-8	CO8005	RE31010	RE71010	PT216A	CO916P
N 8-9					
N 8-9	CO916R	PT216AR	PT2DED	CO6NOR-MID	CONNECTOR STRIP
N 9-10					
N 9-10	EX510B-510W	EX610B-610W	EX710F	EX710	GL2PI

Page No.					
N 10	GL2UNI	CO4001-0015	CO4002A	CO4002-0025	CO4120-4123
N 10-11					
N 10-11	CO41265	CO4002U	CO4126-4126/1	CO4130-1305-1307	CO4140
N 11					
N 11	CO4150-153	CO4155	CO4003-0035	CO4145	CO4014-4018
N 11-12					
N 11-12	CO4011-0115	CO4004-0045	CO4150S	BB20F-25F-32F	BB20M-25M-32M
N 12					
N 12	LN20-25-32	SA220G	SA225G	SA232G	SA220GH
N 12-13					
N 12-13	SA225GH	SA232GH	WB40204E	WB40404EC	WB41240G
N 13					
N 13	WB40404E	WB40204EP	WB41404G	WB40204EC	WB40404EP
N 13-15					
N 13-15	WB41240P	WB41404P	SO2100	PVC TRUNKING	TA2020

Page No.					
N 16-17	LD200042	LD2000DD5	HE0001	HE0002	HE2037
N 18-19					
N 18-19	FA2CE200	FA2EX200	FA2CF200-250	FA2EX250-300	JX0001BL
N 19-22					
N 19-22	JX0002BL	HD140	HD141	HD142	HD143
N 22-24					
N 22-24	HD0001W	FS0001	FS8RT111	FS8FSU	LH3BR2210-12-20
N 24					
N 24	LH3BRBAT53-63	LH3NY22	LH3BR2210E	LH3BR22PB	LH3NYB22
N 24-26					
N 24-26	LH3BR22CG	LH3P22SKR	LH3P27USKR	LH3P40UF	FH4G10
N 26					
N 26	FH4START	GA208	FH4G13	GA206	GA206P
N 27-28					
N 27-28	BO2160-2200	BO2160S-2200S	FA2100	FA2140	BO100Z


Page No.					
N 28-29	BO300E#	BO100E#	SC9962	SC9968	LHL0001
N 29-30					
N 29-30	SC3843	HL60	TC0001	SP220-225	FT30-60
N 30-32					
N 30-32	FT33N	OFFICE SYSTEMS			

DOWNLIGHTS






LDL0002W



LDL0002W




LDL0003W • LDL0004W



LDL0003W • LDL0004W



LDL0008W




LDL0008W


Plastic body									
Code	Class	IP	QC	Lamp/s		Lumen	Cutout	Colour/s	
				LED (Factory fitted)			(mm)	White	
				3000K	4000K				
LDL0002W	II	20	21	6w		470	Ø 75	•	
LDL0003W	II	20	21		12w	920	Ø 120	•	
LDL0004W	II	20	21	12w		920	Ø 120	•	
LDL0008W	II	20	21	6w		470	Ø 75	•	




LBT001 • LBT002 • LBT003



LBT001



LBT002




LBT003

Aluminium body										
Code	Class	IP	QC	Lamp/s		Lighting effects	Lumen	Cutout	Colour/s	
				LED	Dimmable	RGB		(mm)	White	
				(Factory fitted)						
				2500K-6000K						
LBT001	II	20	22	6w	•	•	300	Ø 108	•	
LBT002	II	20	22	12w	•	•	600	Ø 155	•	
LBT003	II	20	22	18w	•	•	900	Ø 210	•	




LDL062 • LDL063



LDL062 • LDL063



LDL0006SC • LDL0007SC







LDL0006SC • LDL0007SC
LDL0006BL • LDL0007BL









LDL0006BL • LDL0007BL

12 per kit




LDL062 • LDL063 Die-cast aluminium body								
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Cutout  (mm)	Colour/s  White	Backup 3 hours
LDL062	I	20	21	15w	1840	Ø 125	•	
LDL063	I	20	21	15w	1840	Ø 125	•	•

Die-cast aluminium body							
Code	Class	Lamp/s  LED (Factory fitted) 5000K 3000K	Lumen 	Cutout  (mm)	Colour/s  Satin chrome  Black		
LDL0006SC	II	12 x 0.2w	72	12	•	•	
LDL0006BL	II	12 x 0.2w	72	12	•	•	
LDL0007SC	II	12 x 0.2w	72	12	•	•	
LDL0007BL	II	12 x 0.2w	72	12	•	•	




CL20



CL20




LN348-3



LN348-3




LN349-3



LN349-3



LN351-3




LN351-3

CNC aluminium body								
Code	Class	IP	QC	Lamp/s	Cutout	Feature/s	Colour/s	
				LED (Factory fitted) 4000K Driver required (Current 700mA) L1	(mm)	Beam angle	Aluminium body	
CL20	III	20	32	3w	Ø 38	15°	•	

ABS/Aluminium body (LN351/3)							
Code	Class	Lamp/s	Feature/s		Lumen	Colour/s	
		LED (Factory fitted) 4000K	Beam angle	Tilt		Matt white	Silver
LN348/3	II	3x1.5w		30°/60°	240	•	•
LN349/3	II	3x1.5w	120°		300	•	
LN351/3	II	3x1.5w	38°		270	•	




LN352-3








LN352-3



LN353-3



LN353-3

Zinc alloy and PC						
Code	Class	Lamp/s  LED (Factory fitted) 4000K	Cutout  (mm)	Feature/s  Beam angle	Lumen 	Colour/s  Satin silver
LN352-3	II	3x1.5w	Ø 55	90°	360-390	•
LN353-3	II	3x1.5w	Ø 55	90°	360-390	•



LDL001




LDL001/A




LDL002




LDL025




LDL001










LDL001/A



LDL002




LDL025

Die-cast aluminium body										
Code	Class	IP	QC	Lamp/s		Cutout  (mm)	Feature/s  Tilt	Lumen 	Colour/s	
				 LED (Factory fitted) 3000K	 Dimmable 3500K				 Satin silver	 White
LDL001	II	20	22		6.5w	•	Ø 80	352.40	•	•
LDL001/A	III	20	21	6.5w	6.5w	•	Ø 82	298.1		•
LDL002	II	20	22		15w	•	Ø 150	750.80	•	•
LDL025	II	20	22		25w	•	Ø 175	1473.7	•	•



CL61




CL61






Lengths: A = 1080mm, B = 220mm, C = 800mm







LDL015




LDL015

Polycarbonate body									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6500K	Cutout  (mm)	Feature/s	Battery  Included	Lumen 	Colour/s  White body Cool white LED
CL61	II	20	21	1 x 3w	Ø 90	3 hour emergency operation LED charge display Deep discharge display Test switch with self-test function Complete with cable and plug Easy installation Non-maintained Intelligent automatic recharge function Constant current mode	Ni-Cd 4.8v 2.5Ah	230Lm	.

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Cutout  (mm)	Lumen 	Colour/s  White
LDL015	II	20	22	10w	Ø 68	576	.




LDL007



LDL007



LDL017




LDL017

Die-cast aluminium body								
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 3500K 6400K	Cutout (mm)	Lumen	Colour/s White	
LDL007	I	20	21	36w	Ø 173	3961.1	.	
LDL017	II	44	22	6.5w	Ø 72	388	.	




LDL030



LDL030




LDL031



LDL031



LDL032




LDL032

Die-cast aluminium body with acrylic lens										
Code	Class	IP	QC	Lamp/s		Dimmable	Cutout (mm)	Lumen		Colour/s White
				LED (Factory fitted) 3000K	6000K			3000K	4000k	
LDL030	II	44	22	8w	8w	.	Ø 92	680Lm	700Lm	.
LDL031	II	44	22	22w	22w	.	Ø 170	1900Lm	2000Lm	.
LDL032	II	44	22	35w	35w	.	Ø 195	2900Lm	3000Lm	.




LDL065-1 • LDL065



LDL065-1 • LDL065




LDL059
LDL059A • LDL060A







LDL059
LDL059A • LDL060A










LDL065R




LDL065R

Metal body									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)		Cutout  (mm)	Lumen 	Colour/s  Black body white frame	
				3000K	4000K				
LDL065-1	II	20	21	26w		150x150	2700	•	
LDL065	II	20	21		26w	150x150	2700	•	

Die-cast aluminium body											
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)		Cutout  (mm)	Feature/s  Beam angle  Tilt		Lumen 	Colour/s  Black  White	
				2500K	3000K						
LDL059	II	20	22	35w		Ø 152	24°	40°	320	•	
LDL059/A	II	20	22	35w		Ø 152	24°	40°	320	•	
LDL060/A	II	20	22		35w	Ø 152	24°	40°	550	•	
LDL065R	II	44	21		18w	Ø 125					•




LDL026



LDL026




LDL028



LDL028




LDL027







LDL027







LDL029




LDL029

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Cutout  (mm)	Lumen 	Colour/s  White
LDL026	II	20	22	1 x 10w	Ø 85 x 70	609	•
LDL027	II	20	22	2 x 10w	Ø 145 x 85	1654	•

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Cutout  (mm)	Lumen 	Colour/s  White
LDL028	II	20	22	3 x 10w	Ø 225 x 85	2491	•
LDL029	II	20	22	4 x 10w	Ø 155 x 150	3245	•




LDL056/2



LDL056/2




PRT0029



PRT0029




LDL057/3



LDL057/3



PRT0030




PRT0030

Aluminium body								
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s		
				LED (Factory fitted) 4000K	Dimmable		Satin silver/black	White
LDL056/2	II	20	21	2 x 25.5w	2900	•	•	
LDL056/2	II	20	21	2 x 25.5w	2900	•	•	•
LDL057/3	II	20	21	3 x 25.5w	3100	•	•	

Die-cast aluminium and iron							
Code	Class	IP	QC	Lamp/s	Cutout (mm)	Lumen	Colour/s
				LED (Factory fitted) 4000K			Black body/white frame
PRT0029	II	20	24	2 x 30w	320 x 160	4900	•
PRT0030	II	20	24	2 x 25w	256 x 120	3400	•




LDL066 • LDL069



LDL066 • LDL069




LDL070



LDL070




LDL068 • LDL071



LDL068 • LDL071




LDL052



LDL052




LDL053







LDL053








LDL054




LDL054

Metal body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Cutout  (mm)	Lumen 	Colour/s  Black body/ white frame
LDL066	II	20	21	9w	97 x 97	720	•
LDL069	II	20	21	9w	97 x 97	720	•
LDL068	II	20	21	3 x 9w	183 x 97	2300	•
LDL070	II	20	21	2 x 9w	273 x 97	1500	•
LDL071	II	20	21	3 x 9w	273 x 97	2300	•

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Feature/s  Tilt  Beam angle	Lumen 	Colour/s  White
LDL052	I	20	21	25w	60° (-15°~+45°) 30°	2800	•
LDL053	I	20	21	32w	60° (-15°~+45°) 30°	3600	•
LDL054	I	20	21	32w	60° 30°	3600	•




LDL050



LDL050




LDL051



LDL051




LDL058



LDL058



PRT0013-B • PRT0014-B



PRT0013-B • PRT0014-B
PRT0015-W • PRT0016-W




PRT0015-W • PRT0016-W

LDL050 - LDL051 Die-cast aluminium body									
LDL058 Aluminium body									
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Feature/s Beam angle	Lumen 	Black 	White 	Satin silver
LDL050	I	20	21	32w		3600		•	•
LDL051	I	20	21	34w		3800		•	•
LDL058	I	20	21	19.5w	40°	1800	•	•	•

Aluminium allow with plastic gear box and PC reflector						
Code	CRI	Lamp/s LED (Factory fitted) 3000K 4000K	Lumen 	Colour/s Black White		
PRT0013-B	>80	10w	600	•		
PRT0014-B	>80	10w	600	•		
PRT0015-W	>80	10w	600		•	
PRT0016-W	>80	10w	600		•	




CA10



CA10




CB34



CB34




CA20



CA20



CB36




CB36

CA10 Steel body											
CA20 Aluminium body											
Code	Class	IP	QC	Lamp/s		Cutout (mm)	Colour/s				Accessories
				12v G4	Transformer required		Chrome	Satin chrome	Satin silver	White	
CA10	III	20	21	10w	•	Ø 40	•	•	•	•	•
CA20	III	20	21	10w	•	Ø 25		•	•	•	•

CB34 Steel and die-cast aluminium body with glass lens											
CB36 Die-cast aluminium body and heat sink, anodised aluminium reflector with glass lens											
Code	Class	IP	QC	Lamp/s		Cutout (mm)	Clearance Height (mm)	Colour/s			Accessories
				12v GU5,3 MR16	Transformer required			Satin chrome	Chrome	White	
CB34	III	30	22	50w	•	Ø 75	84	•		•	•
CB36	III	30	32	50w	•	Ø 105	88	•	•	•	•




CB15



CB15




CD21



CD21




CB24



CB24



CC51



CC51


CB15 Steel body														
CB24 Steel body, die-cast aluminium ring and heat sink														
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Black	Chrome	Gold	Gunmetal	Satin chrome	White	Accessories
				12v GU5,3 MR16										Conversion bracket B 56, Slab box & Slab lid L 4-6
CB15	III	20	21	50w	•	Ø 60	68	•	•	•	•	•	•	HG11
CB24	III	20	32	50w	•	Ø 98	98							

Steel body																
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Tilt	Rotate	Chrome	Gold	Gunmetal	Satin chrome	Black	White	Accessories
				12v GU5,3 MR16												Slab box & Slab lid L 4-6, Conversion bracket B 56
CD21	III	20	21	50w	•	Ø 80	48	30°	340°	•	•	•	•	•	•	HG11
CC51	III	20	21	50w	•	Ø 85	65	18°		•	•	•	•	•	•	HG11



CB04


Anti-glare



CB04




CB51



CB51




CB61



CB61



CB62




CB62

Steel body with anodised aluminium reflector									
Code	Class	IP	QC	Lamp/s	Cutout	Clearance	Colour/s	Accessories	
				12v GU5,3 MR16	(mm)	Height (mm)	White body/Silver reflector	Slab box & Slab lid	
				Transformer required				L 4-6	
CB04	III	20	21	50w	•	Ø 100	96	•	•

CB51 Steel body									
CB61 • CB62 Steel and die-cast aluminium body									
Code	Class	IP	QC	Lamp/s	Cutout	Feature/s	Colour/s	Accessories	Options
				12v GU5,3 MR16	(mm)	Outer tilt	Inner tilt	Satin chrome	Satin silver
				Transformer required				Slab box & Slab lid	230v versions
								L 4-6	B 43
CB51	III	20	21	1 x 50w	•	72 x 82		•	•
CB61	III	20	21	1 x 50w	•	115 x 115	90°	45°	
CB62	III	20	21	2 x 50w	•	115 x 220	90°	45°	




CB63



CB63




CB17



CB17



CC21 • CC24



CC21


CC24

Steel and die-cast aluminium body										
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Feature/s		Colour/s	Options
				12v GU5,3 MR16			Outer tilt	Inner tilt	Satin silver	230v versions
CB63	III	20	21	3 x 50w	•	115 x 325	90°	45°	•	AJ63

Die-cast aluminium body																	
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Feature/s	Colour/s						Accessories		
				12v GU5,3 MR16				Tilt	Rotate	Chrome	Gold	Gunmetal	Satin brass	Satin chrome	White	Conversion bracket	Slab box & Slab lid
CB17	III	20	22	50w	•	Ø 62	64			•	•	•	•	•	•	HG11	•
CC21	III	20	22	50w	•	Ø 75	62	30°		•	•	•	•	•	•	HG11	•
CC24	III	20	22	50w	•	Ø 75	64	30°	340°						•	HG11	•




CB18



CB18




CC10



CC10




CC32



CC32




CC18



CC18



CC41




CC41

Die-cast aluminium body with twist off ring														
Code	Class	IP	QC	Lamp/s		Cutout	Clearance	Feature/s	Colour/s				Accessories	
				12v GU5,3 MR16	Transformer required	(mm)	Height (mm)	Tilt	Chrome	Brass	Satin chrome	White	Conversion bracket B 56	Slab box & Slab lid L 4-6
CB18	III	20	22	50w	•	Ø 70	63		•	•	•	•	HG11	•
CC10	III	20	22	50w	•	Ø 83	60	20°	•	•	•	•	HG11	•
CC32	III	20	22	50w	•	Ø 92	66	40°				•	HG11	•

Die-cast aluminium body with twist off ring														
Code	Class	IP	QC	Lamp/s		Cutout	Clearance	Feature/s	Colour/s				Accessories	
				12v GU5,3 MR16	Transformer required	(mm)	Height (mm)	Tilt	Rotate	Brass	Satin chrome	White	Conversion bracket B 56	Slab box & Slab lid L 4-6
CC18	III	20	22	50w	•	Ø 85	63	32°			•	•	HG11	•
CC41	III	20	22	50w	•	Ø 110	80	72°	340°	•	•	•		•




CB44



CB44




CB76



CB76




CC39



CC39




CB77



CB77




CC44



CC44



CC77




CC77

CC39 Die-cast aluminium body with twist-off ring												
CB44 - CC44 Die-cast aluminium body												
Code	Class	IP	QC	Lamp/s	Cutout	Clearance	Feature/s	Colour/s		Accessories		
				12v GU5,3 MR16 Transformer required	(mm)	Height (mm)	Tilt	Satin chrome	White	Conversion bracket B 56	Slab box & Slab lid L 4-6	
CB44	III	20	22	50w	•	Ø 63	60	•	•	HG11	•	
CC39	III	20	22	50w	•	Ø 82	65	20°	•	HG11	•	
CC44	III	20	22	50w	•	Ø 72	60	35°	•	HG11	•	


CNC aluminium body												
Code	Class	IP	QC	Lamp/s	Cutout	Clearance	Feature/s	Colour/s	Accessories			
				12v GU5,3 MR16 Transformer required	(mm)	Height (mm)	Tilt	Aluminium	Conversion bracket B 56	Slab box & Slab lid L 4-6		
CB76	III	20	32	50w	•	Ø 60	70	•	HG11	•		
CB77	III	20	32	50w	•	Ø 60	70	•	HG11	•		
CC77	III	20	32	50w	•	Ø 67	70	43°	HG11	•		




CB42



CB42




CB43



CB43




CC42



CC42




CC43



CC43



CC45




CC45

CNC aluminium body										
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Feature/s	Colour/s	Accessories
				12v GU5,3 MR16		(mm)	Height (mm)	Tilt	Rotate	Aluminium
CB42	III	20	32	50w	•	Ø 70	62			•
CC42	III	20	32	50w	•	Ø 82	60	18°	350°	•
CC45	III	20	32	50w	•	Ø 72	55	18°		•

CNC aluminium body										
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Feature/s	Colour/s	Accessories
				12v GU5,3 MR16		(mm)	Height (mm)	Tilt	Rotate	Aluminium
CB43	III	20	32	50w	•	Ø 70	62			•
CC43	III	20	32	50w	•	Ø 82	60	18°	350°	•




CB71



CB71




CB72



CB72



CB73



CB73

Related products for CB71 • CB72 • CB73



B 34




CB76 • CB77 • CC77

CNC aluminium body											
Code	Class	IP	QC	Lamp/s	Transformer required	Cutout (mm)	Clearance Height (mm)	Feature/s	Colour/s	Accessories	
				12v GU5,3 MR16				Tilt	Aluminium	Conversion bracket	Slab box & Slab lid
										B 56	L 4-6
CB71	III	20	32	1 x 50w	•	Ø 80	70	43°	•	HG11	•
CB72	III	20	32	2 x 50w	•	80 x 157	70	43°	•	HG11	
CB73	III	20	32	3 x 50w	•	80 x 242	70	43°	•	HG11	



AJ52




AJ52



CB27

Anti-glare




CB27

CB27 Die cast aluminium - anti glare adjustable											
AJ52 Steel body											
Code	Class	IP	QC	Lamp/s	Cutout (mm)	Feature/s	Colour/s	Accessories			
				230v GU10 PAR16		Inner tilt	Satin chrome/Black	White	Bright white	Polished aluminium	Slab box & Slab lid
											L 4-6
AJ52	I	20	21	1 x 50w	80 x 80	30°	•				•
CB27	I	20	22	1 x 50w	Ø76			•	•	•	



ICB15

Empty body only
Lampholder required




ICB15



ICB17

Empty body only
Lampholder required




ICB17



ICC51

Empty body only
Lampholder required




ICC51



ICC21

Empty body only
Lampholder required



ICC21


Steel body												
Code	Class	IP	QC	Lamp/s		Transformer required (for 12v)	Cutout (mm)	Colour/s		Accessories		
				12v GU5,3 MR16	230v GU10 PAR16			Satin chrome	White	Lampholder	Conversion bracket	Slab box & Slab lid
ICB15	III	20	21	50w	50w	•	Ø 60	•	•	HH900 • HH901	HG11	•
ICC51	III	20	21	50w	50w	•	Ø 85	•	•	HH900 • HH901	HG11	•

Die-cast aluminium body												
Code	Class	IP	QC	Lamp/s		Transformer required (for 12v)	Cutout (mm)	Colour/s		Accessories		
				12v GU5,3 MR16	230v GU10 PAR16			Satin chrome	White	Lampholder	Conversion bracket	Slab box & Slab lid
ICB17	III	20	21	50w	50w	•	Ø 62	•	•	HH900 • HH901	HG11	•
ICC21	III	20	21	50w	50w	•	Ø 75	•	•	HH900 • HH901	HG11	•



ICC10

Empty body only
Lampholder required




ICC10



ICB18


Empty body only
Lampholder required



ICB18




BK70



BK70




AM02



AM02



PRT0024




PRT0024

Die-cast aluminium body												
Code	Class	IP	QC	Lamp/s		Transformer required (for 12v)	Cutout (mm)	Colour/s		Accessories		
				12v GU5,3 MR16	230v GU10 PAR16			Satin chrome	White	Lampholder	Conversion bracket	Slab box & Slab lid
ICC10	III	20	22	50w	50w	•	Ø 85	•	•	HH900 • HH901	HG11	•
ICB18	III	20	22	50w	50w	•	Ø 70	•	•	HH900 • HH901	HG11	•

BK70 Steel body									
AM02 Stainless steel body									
PRT0024 Aluminium body with PC lens									
Code	Class	IP	QC	Lamp Base		Feature/s	Colour/s		
				GU10 PAR16	E27		Inner tilt	Matt black	Black
BK70	I	20	21	2 x 50w		30°	•		
AM02	I	20	23	50w					•
PRT0024	I	20	21		60w			•	




AJ61



AJ61




AJ62








AJ62








AJ63




AJ63

Steel and die-cast aluminium body									
Code	Class	IP	QC	Lamp/s  230v GU10 PAR16	Cutout  (mm)	Feature/s 		Colour/s  Satin silver	Options 12v versions  B 28-29
					Outer tilt	Inner tilt			
AJ61	I	20	21	1 x 50w	115 x 115	90°	45°	•	CB61
AJ62	I	20	21	2 x 50w	115 x 220	90°	45°	•	CB62
AJ63	I	20	21	3 x 50w	115 x 325	90°	45°	•	CB63

Steel and die-cast aluminium body									
Code	Class	IP	QC	Lamp/s  230v GU10 PAR16	Cutout  (mm)	Feature/s 		Colour/s  Satin silver	Options 12v versions  B 28-29
					Outer tilt	Inner tilt			
AJ61	I	20	21	1 x 50w	115 x 115	90°	45°	•	CB61
AJ62	I	20	21	2 x 50w	115 x 220	90°	45°	•	CB62
AJ63	I	20	21	3 x 50w	115 x 325	90°	45°	•	CB63




AJ10



AJ10




AJ20



AJ20




AK10












AK10













AK20




AK20

Steel body											
Code	Class	IP	QC	Lamp/s  230v GU10 PAR16	Cutout  (mm)	Feature/s  Tilt	Colour/s				Accessories
											 Slab box & Slab lid 
AJ10	I	20	21	50w	Ø 65	
AK10	I	20	21	50w	Ø 74	18°

Die-cast aluminium body with twist off ring												
Code	Class	IP	QC	Lamp/s  230v GU10 PAR16	Cutout  (mm)	Feature/s  Tilt	Colour/s				Options 12v versions	Accessories
											 CB18	 Slab box & Slab lid 
AJ20	I	20	22	50w	Ø 70		CB18	.
AK20	I	20	22	50w	Ø 85	18°	CC10	.




BK61



BK61




AA10











AA10








BK62



BK62


Steel body												
Code	Class	IP	QC	HID lamp/s  230v G12		Gear  Required	Cutout  (mm)	Feature/s  Outer tilt  Inner tilt  Beam angle*			Colour/s  Satin silver  White	
BK61	I	20	31	1 x 35w	1 x 70w	•	170 x 175	17°	30°	24°	•	
BK62	I	20	31	2 x 35w	2 x 70w	•	170 x 315	17°	30°	24°	•	•

* Optional beam angle available on request

Steel body											
Code	Class	IP	QC	Lamp/s 			Cutout  (mm)	Colour/s  Chrome  Satin chrome  White			
AA10	I	20	21	40w	230v E14 R50	230v E27 R63	230v E27 R80	Ø 65	•	•	•




AA20



AA20




AF10



AF10




AA30



AA30



AF30




AF30

Steel body										
Code	Class	IP	QC	Lamp/s		Cutout (mm)	Colour/s			
				230v E27 R63	230v E27 R80					
AA20	I	20	21	60w		Ø 80		.	.	.
AA30	I	20	21		100w	Ø 100	.	.		

Steel body										
Code	Class	IP	QC	Lamp/s		Cutout (mm)	Feature/s		Colour/s	
				230v E14 R50	230v E27 R80					
AF10	II	20	21	40w		Ø 100	35°	340°		.
AF30	II	20	21		100w	Ø 140	35°	340°	.	.




AC42



AC42




AC10



AC10



BA20




BA20

Steel body with anodised aluminium reflector							
Code	Class	IP	QC	Lamp		Cutout (mm)	Colour/s
				Base E27	Type		
AC42	I	20	21	100w	Gen	Ø 157	•
AC10	I	20	21	60w	Gen	Ø 110	•

Steel body with anodised aluminium reflector									
Code	Class	IP	QC	Lamp/s			Ballast Included	Cutout (mm)	Colour/s
				230v CFL	2 x 13w	2 x 18w			
BA20	I	20	31	•	•	•	•	Ø 210	•




BG84



BG84




BG60 • BG62



BG60 • BG62



BG86




BG86

Steel body, aluminium body, anodised aluminium reflector with glass lens									
Code	Class	IP	QC	HID lamp/s		Cutout	Feature/s	Colour/s	
				230v G12	Gear required	(mm)	Beam angle	White body	Silver reflector
BG84	I	20	31	70w	150w	•	Ø 150	Narrow	•

Die-cast aluminium body, anodised aluminium reflector with glass lens														
Code	Class	IP	QC	Lamp/s		HID lamp/s		Cutout (mm)	Feature/s		White body Silver reflector	Colour/s		
				230v R7s	G12 Metal halide	230v R7s	Gear required		Tilt	Rotate		Black	Satin silver	White
BG60	I	20	32	150w		70w	•	Ø 207			•			
BG62	I	20	32			150w	•	Ø 207			•			
BG86	I	21	31		1 x 35w 1 x 70w		•	Ø 164	70°	355°		•	•	•




BG31



BG31



BG40 • BG42




BG40 • BG42



HG11

Conversion bracket



HG11

Die-cast aluminium body, anodised aluminium reflector with glass lens										
Code	Class	IP	QC	Lamp/s 230v R7s QI 118mm	HID lamp/s 230v Rx7s	Gear required	Cutout (mm)	Feature/s Tilt	Colour/s Satin silver body Silver reflector White body Silver reflector	
BG31	I	20	32	200w	70w	•	125 x 210	60°		•
BG40	I	20	32	200w	70w	•	130 x 220	60°	•	
BG42	I	20	32		150w	•	130 x 220	60°	•	

Steel conversion bracket with lampholder and terminal box				
Code	Class	IP	Function	Lamp/s 230v GU10 PAR16
HG11	I	20	Conversion bracket for fixed and adjustable downlights	50w




SPOTLIGHTS






LGX04SX-SSNW
LGX04SX-WNW



LGX04SX-SSNW
LGX04SX-WNW




LGX04RHX-SSNW
LGX04RHX-WNW



LGX04RHX-SSNW
LGX04RHX-WNW



LGX05RHX-SSNW
LGX05RHX-WNW




LGX05RHX-SSNW
LGX05RHX-WNW

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s LED Factory fitted 4000K	Lumen 	Colour/s Satin silver White	
LGX04SX-SSNW	II	20	21	4 x 10w	3260	•	
LGX04SX-WNW	II	20	21	4 x 10w	3260		•
LGX04RHX-SSNW	II	20	21	4 x 10w	3260	•	
LGX04RHX-WNW	II	20	21	4 x 10w	3260		•
LGX05RHX-SSNW	II	20	21	4 x 10w	3260	•	
LGX05RHX-WNW	II	20	21	4 x 10w	3260		•

Die-cast aluminium body							
Code	Class	IP	QC	Lamp/s LED Factory fitted 4000K	Lumen 	Colour/s Satin silver White	
LGX05RHX-SSNW	II	20	21	4 x 10w	3260	•	
LGX05RHX-WNW	II	20	21	4 x 10w	3260		•




BJ13



BJ13




LTS005



LTS005




LSL010



LSL010



LTS007




LTS007

BJ13 Die-cast aluminium body										
LSL010 Metal body and aluminium shade										
Code	Class	IP	QC	Lamp/s		Feature/s	Lumen	Colour/s		
				LED (Factory fitted) 3000K	4000K			Dimmable	Beam angle	
BJ13	I	20	22	13w		24°	1100	•		
LSL010	I	20	22		7w		700		•	

Aluminium body with plastic gear box and PC reflector										
Code	Class	IP	QC	CRI	Lamp/s		Lumen	Colour/s		
					LED (Factory fitted) 4000K			Black	White	Silver
LTS007	II	20	22	>80	12w		700	•	•	•
LTS005	II	20	22	>80	12w		700	•	•	•




EX0006BL



EX0006BL




EX0001SCCH
EX0001WHCH



EX0001SCCH
EX0001WHCH




EX0002SCCH
EX0002WHCH





EX0002SCCH
EX0002WHCH





EX0003SCCH
EX0003WHCH




EX0003SCCH
EX0003WHCH

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX0006BL	I	20	20	 GU10 PAR16	50w	 Black

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 White/chrome	 Satin chrome/ chrome
EX0001SCCH	I	20	20	GU10 PAR16	50w		•
EX0001WHCH	I	20	20	GU10 PAR16	50w	•	
EX0002SCCH	I	20	20	GU10 PAR16	2 x 50w		•
EX0002WHCH	I	20	20	GU10 PAR16	2 x 50w	•	
EX0003SCCH	I	20	20	GU10 PAR16	3 x 50w		•
EX0003WHCH	I	20	20	GU10 PAR16	3 x 50w	•	




EX0004SCCH
EX0004WHCH



EX0004SCCH
EX0004WHCH




EX0007CH



EX0007CH




EX0008CH



EX0008CH




EX0005SCCH



EX0005SCCH




EX0009CH



EX0009CH




EX0010CH



EX0010CH

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White/chrome	Satin chrome/chrome
EX0004SCCH	I	20	20	GU10 PAR16	3 x 50w		•
EX0004WHCH	I	20	20	GU10 PAR16	3 x 50w	•	
EX0005SCCH	I	20	20	GU10 PAR16	4 x 50w		•

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX0007CH	I	20	20	G9	2.5w	•
EX0008CH	I	20	20	G9	2 x 2.5w	•
EX0009CH	I	20	20	G9	3 x 2.5w	•
EX0010CH	I	20	20	G9	4 x 2.5w	•




Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s Antique copper
				Base	Max	
EX0007AC	I	20	20	G9	2.5w	•
EX0008AC	I	20	20	G9	2 x 2.5w	•
EX0009AC	I	20	20	G9	3 x 2.5w	•
EX0010AC	I	20	20	G9	4 x 2.5w	•



Metal body and shade/s								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Chrome	Satin chrome	White
EG01R	I	20	21	GU10 PAR16	1 x 50w	•	•	•
EG02R	I	20	21	GU10 PAR16	2 x 50w	•	•	•
EG03R	I	20	21	GU10 PAR16	3 x 50w	•	•	•




EG01B



EG01B




EH01R / NOX



EH01R




EG02B



EG02B




EH02R / NOX



EH02R




EG03B



EG03B



EH03R / NOX




EH03R

Metal body and shade/s								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Chrome	Satin chrome	White
EG01B	I	20	21	GU10 PAR16	1 x 50w	•	•	•
EG02B	I	20	21	GU10 PAR16	2 x 50w	•	•	•
EG03B	I	20	21	GU10 PAR16	3 x 50w	•	•	•

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EH01R	I	20	21	GU10 PAR16	1 x 50w	•
EH02R	I	20	21	GU10 PAR16	2 x 50w	•
EH03R	I	20	21	GU10 PAR16	3 x 50w	•




EX31 / INTRO



EX31




EX33B / INTRO



EX33B




EX32B / INTRO



EX32B



EX34B / INTRO




EX34B

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX31	I	20	21	GU10 PAR16	1 x 50w	•
EX32B	I	20	21	GU10 PAR16	2 x 50w	•

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX33B	I	20	21	GU10 PAR16	3 x 50w	•
EX34B	I	20	21	GU10 PAR16	4 x 50w	•




EX51 / TRIO



EX51




EX52 / TRIO



EX52




EX53 / TRIO



EX53




EX54 / TRIO



EX54




EX61 / ZOOM



EX61




EX62 / ZOOM



EX62



EX63 / ZOOM




EX63

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX51	I	20	21	GU10 PAR16	1 x 50w	•
EX52	I	20	21	GU10 PAR16	2 x 50w	•
EX53	I	20	21	GU10 PAR16	3 x 50w	•
EX54	I	20	21	GU10 PAR16	4 x 50w	•

Aluminium body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX61	I	20	22	GU10 PAR16	1 x 50w	•
EX62	I	20	22	GU10 PAR16	2 x 50w	•
EX63	I	20	22	GU10 PAR16	3 x 50w	•




EX65



EX65



EX66



EX66




EX43



EX43/1

Set of 5 spots




EX43/1



EX43/2

Set of 5 spots




EX43/2



EX43/3

Set of 5 spots



EX43/3



Metal body and glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
EX65	I	20	21	GU10 PAR16	1 x 35w	•
EX66	I	20	21	GU10 PAR16	2 x 35w	•

EX43 230v 2.5 metre Metal and plastic flexible track - only										
EX43/1 • EX43/2 • EX43/3 Metal body - set of 5										
Code	Class	IP	QC	Lamp/s		Colour/s		Accessories		
				Base	Max	Satin chrome body Glass shade	Satin chrome	Spot head EX43/1	Spot head EX43/2	Spot head EX43/3
EX43	I	20	21				•	•	•	•
EX43/1		20	21	GU10 PAR16	5 x 50w	•				
EX43/2		20	21	GU10 PAR16	5 x 50w		•			
EX43/3		20	21	GU10 PAR16	5 x 50w		•			

Note: Accessories sold separately



TRACK MOUNTING






TB track TB TB006

230v TB track and accessories							
Code	Class	IP	QC	Description	Colour/s		
					Black	Satin silver	White
TB004	I	20	22	Connector • straight • 230v	•		•
TB006	I	20	22	Adaptor • 230v	•	•	•
TB008	I	20	22	Connector • 90° joint • 230v	•		•
TB120	I	20	22	Track • 1.2 metre • 230v 16amp 3 wire with power feed and end cap	•	•	•
TB240	I	20	22	Track • 2.4 metre • 230v 16amp 3 wire with power feed and end cap	•	•	•




TP010





230v TP track and accessories								
Code	Class	IP	QC	Description	Colour/s			
					Black	Satin silver	Silver	White
TP001	I	20	32	Adaptor • electrical and mechanical with 3 circuit position options • 230v	•	•		•
TP003	I	20	32	End cap	•		•	•
TP004	I	20	32	Connector • straight • 230v	•		•	•
TP005	I	20	32	Connector • 90° joint • 230v	•		•	•
TP006	I	20	32	Connector • T joint • 230v	•		•	•
TP007	I	20	32	Connector • X joint • 230v	•		•	•
TP008	I	20	32	TP track - 3 circuit - live end	•		•	•
TP009				Power cord and cup	•		•	•
TP010		20		TP track - 3 circuit - cable suspension kit - 3metre	•		•	•
TP011	I	20	32	Connector • flexible joint • 230v	•		•	•
TP100	I	20	32	Track • 1 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•
TP200	I	20	32	Track • 2 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•
TP300	I	20	32	Track • 3 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•







PRT0001-BL • PRT0002-BL
PRT0003-W • PRT0004-W
PRT0005-SG • PRT0006-SG



PRT0007-B • PRT0008-B
PRT0009-W • PRT0010-W
PRT0011-SG • PRT0012-SG


Aluminium alloy with plastic gear box and PC reflector							
Code	CRI	Lamp/s		Lumen	Colour/s		
		 LED (Factory fitted)					
		3000K	4000K				
PRT0001-BL	>80	10w		600	•		
PRT0002-BL	>80		10w	600	•		
PRT0003-W	>80	10w		600		•	
PRT0004-W	>80		10w	600		•	
PRT0005-SG	>80	10w		600			•
PRT0006-SG	>80		10w	600			•

Aluminium alloy with plastic gear box and PC reflector							
Code	CRI	Lamp/s		Lumen	Colour/s		
		 LED (Factory fitted)					
		3000K	4000K				
PRT0007-B	>80	2 x 10w		1200	•		
PRT0008-B	>80		2 x 10w	1200	•		
PRT0009-W	>80	2 x 10w		1200		•	
PRT0010-W	>80		2 x 10w	1200		•	
PRT0011-SG	>80	2 x 10w		1200			•
PRT0012-SG	>80		2 x 10w	1200			•



LTS002


TB Track compatible



LTS002




LDL061



LDL061




LTS003



LTS003



EX18 / MINI KNUCKLE



EX18

LTS002 Aluminium body, metal bracket, plastic adaptor												
LDL061 Die-cast aluminium body												
LTS003 Aluminium body, metal bracket, plastic adaptor												
Code	Class	IP	QC	Lamp/s		Feature/s Beam angle	Lumen	Colour/s			Options	
				LED (Factory fitted)				Black	Silver	White	TP Track & accessories D2	TB Track & accessories D1
LTS002	I	20	22	3000K	4000K	7w	700
LDL061	I	20	21	35w		24°	1911
LTS003	I	20	22		32w		3600


Die-cast aluminium body											
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s			Options	
				Base	Max		Satin silver	White	TP Track & accessories D2	TB Track & accessories D1	
EX18	II	20	21	GU10 PAR16	50w	Surface mount (Sold separately)	.	.	.	TP001	TB006

FLOOR AND TABLE LAMPS






JF380



JF380




LTL002



LTL002




LTL003



LTL003




LTL001










LTL001









LTL005




LTL005

Metal and plastic body										
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s				
				5000K						
JF380	II	20	11	1 x 4.8w	340	•				
LTL002	II	20	21	3w	200		•	•	•	
LTL003	II	20	21	3w	200					•

Metal and plastic body										
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s				
				5000K						
LTL001	II	20	21	3w	200	•	•			
LTL005	II	20	21	3w	200	•	•	•	•	




KTM001



KTM001




JF413



JF413




KTM003



KTM003



JF416




JF416

Aluminium body						
Code	Class	IP	QC	Lamp		Colour/s
				Base	Max	
KTM001	II	20	21	E27	40w	•
KTM003	II	20	21	E27	40w	•

Metal body									
Code	Class	IP	QC	Lamp		Colour/s			
				Base	Max	Antique bronze	White	Cream	Black
JF413	II	20	21	E14	40w			•	•
JF416	II	20	21	E14	40w	•	•		



KTM006




KTM006

Steel body with pulley						
Code	Class	IP	QC	Lamp		Colour/s
				Base	Max	
KTM006	II	20	21	E27	40w	.




JF411

JF412



JF411




JF412



Metal body with marble base						
Code	Class	IP	QC	Lamp		Colour/s
				Base	Max	
JF411	II	20	21	E14	40w	.
JF412	II	20	21		E27	40w




JF418




JF418

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JF418	II	20	21		25w	 Black




JF419



Floor and table lamp,
sold as a set



JF419 - TABLE



JF419 - FLOOR


Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JF419	II	20	21		40w	 Chrome body/ white shade



JF0001W



JF0001GY



JF0001W • JF0001GY




JF0002WH

JF0002WH
JF0002GY
F 18



JH0001WH • JH0001GY



JF0002WH • JF0002GY



JF0002GY

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White	Grey
JF0001W	II	20	21	E27	40w	•	
JF0001GY	II	20	21	E27	40w		•

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White/ Satin nickel	Grey/ copper
JF0002WH	II	20	21	E27	40w	•	
JF0002GY	II	20	21	E27	40w		•




JF0003WH


JF0003WH
JF0003GY
F 18



JH0001WH - JH0001GY



JF0003WH • JF0003GY



JF0003GY




JF0004WH



JF0004GY




JF0004GR




JF0004WH • JF0004GY
JF0004GR

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White/ Satin nickel	Grey/ copper
JF0003WH	II	20	21	E27	40w	•	
JF0003GY	II	20	21	E27	40w		•

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White/ Satin nickel	Grey/ copper	Green/ copper
JF0004WH	II	20	21	E27	40w	•		
JF0004GY	II	20	21	E27	40w		•	
JF0004GR	II	20	21	E27	40w			•



JF259 / STUDIO




JF259

Metal lamp with marble base						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JF259	I	20	21	E27	100w	• Satin chrome body Black marble



JF269 / STUDIO



JF269





Metal lamp						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JF269	I	20	21	E27	60w	• Chrome

JF259 - JF269

H 46



JC01




Metal body with fabric shade							
Code	Class	IP	QC	Lamp/s		Max	Colour/s
				Base	Max		
JF401	II	20	21			60w	•
JF400	II	20	21	E14		40w	•

JF015 Metal body with glass shade									
JF383 Metal base with fabric shade									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max				
JF015	II	20	21	E14	40w	•	•		
JF383	II	20	11		40w			•	•




JF421



JF421




JF414



JF414




JF410



JF410



JF415



JF415

JF421 Metal body with glass shade							
JF410 Resin body with fabric shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White	Rose gold body Clear shade
JF421	II	20	21		40w		•
JF410	II	20	11		60w	•	


Metal body with fabric shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White	Copper
JF414	II	20	11		60w	•	
JF415	II	20	11		40w		•

WALL LIGHTS






LWL005



LWL005




LWL006



LWL006




LWL009



LWL009




LWL010



LWL010




LWL011



LWL011



LWL013




LWL013













LWL004


LWL004 light effect




LWL004

Aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White body  Satin silver body	
LWL005	II	20	21	4.5w	300	•	•
LWL006	II	20	21	4.5w	300	•	•
LWL009	II	20	21	4.5w	300	•	•

LWL010 - LWL011 - LWL013 Aluminium body										
LWL004 Metal body										
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White body  Satin silver body  Aluminium  White				
LWL010	II	20	21	1 x 4.5w	380	•	•			•
LWL011	II	20	21	2 x 4.5w	1000	•	•			•
LWL013	II	20	21	1 x 4.5w	380	•	•			•
LWL004	I	20	21	6 x 1w	480				•	•



LWL012




LWL012








MDY001 - MDY003



MDY002



MDY002

LWL012 Die-cast aluminium body								
MDY002 Metal body with acrylic lens								
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black outside/ Gold inside	 White	 Satin silver
LWL012	I	20	21	1 x 9w	1000	.	.	.
MDY002	I	20	21	2 x 6w	2680	.	.	.




JP813



JP815




JP812







JP812




LPN029





LPN029


JP812 Metal body with acrylic crystal shades							
LP029 Aluminium and acrylic body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  White	 Chrome body/ Clear acrylic crystal shades
				3200K	4000K		
JP812	I	20	21	2 x 5w	800	.	.
LPN029	I	20	21	1 x 11w	840	.	.




JY003



JF369



JN0001




JF371

JY003 Rectangle patterned glass shade with crystals							
JN0001 Metal and glass body with clear crystal							
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s	
				LED (Factory fitted) 4000K		Chrome/white glass	Chrome/clear
JY003	I	20	21	11w	540	•	•
JN0001	I	20	21	18w	1440		•


Aluminium and plated body								
Code	Class	IP	QC	Lamp/s	Feature/s	Lumen	Colour/s	
				LED (Factory fitted) 4000K	Beam angle		Black	Aluminium
JF369	II	20	21	3w	36°	158	•	•
JF371	II	20	21	5w	36°	347	•	•




LJN0001ABZ • LJN0002SC



LJN0001ABZ • LJN0001SC




LJN0003




LJN0003




LJN0001ABZ • LJN0002SC







LJN0002ABZ • LJN0002SC






LJN0004




LJN0004

Metal body						
Code	Class	IP	QC	Lamp/s  LED Factory fitted (4000K)	Lumen 	Colour/s  Antique bronze  Satin chrome
LJN0001ABZ	I	20	21	9w	450	•
LJN0001SC	I	20	21	9w	450	•
LJN0002ABZ	I	20	21	14w	600	•
LJN0002SC	I	20	21	14w	600	•

Metal body with frosted acrylic lens						
Code	Class	IP	QC	Lamp/s  LED Factory fitted (4000K)	Lumen 	Colour/s  Aluminium body/ frosted lens
LJN0003	I	44	21	9w	360	•
LJN0004	I	44	21	12w	480	•




LKD001 • LKD002 • LKD003



LKD001 • LKD002 • LKD003



JE11 / ZEBRA



JE11



JE11 / STEM



JE11 / DOTS







JE11








JE12 • JE13 • JE15
CIRC • DOTS • LEAF • LINES • STEM • ZEBRA • FROST



JE13 • JE15 • JE17

Plastic body										
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Dimensions (mm)			Feature  Can interconnect	Lumen 	Colour/s  White
					Length	Width	Height			
LKD001	I	20	21	10w (3500K)	600	20	35	•	750	•
LKD002	I	20	21	14w (3500K)	900	20	35	•	1150	•
LKD003	I	20	21	20w (3500K)	1200	20	35	•	1750	•

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s  Chrome clips
				Base 	Max	
JE11	I	20	20	E27	1 x 42w	•



JE11 Metal body with alabaster glass shade							
JS02 Metal body with opal glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JE11	I	20	21	E27	60w		•
JS02	I	20	21	E27	60w	•	•

Metal body with frosted and painted glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JJ94	I	20	21	E27	60w	•	•



JE40 / MALAGA

G 64




JE41

H 97



JE43



JE40



JJ60 / ISIS

G 65




JJ61 • JJ62

H 97



JJ64




JJ60

Metal body with alabaster glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Antique bronze body White glass	Antique bronze body Amber glass
JE40	I	20	21	E27	60w	•	
JJ60	I	20	21	E27	60w		•



JC152



JC152

JC152 • JC158


H 75



JC150 • JC151



JC158



JC158

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC152	I	20	21	E27	40w	•
JC158	I	20	21	E27	40w	•


Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040



JC159




JC159




PF0001CH • PF0001RG
PF0001W

H 89-90




PF0002 - PF0005



PF0001CH • PF0001RG
PF0001W



JC160



JC160




JP0005-BLC

H 76




JC153

H 82



JP0004-BLC



JP0005-BLC


Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC159	I	20	21	E27	40w	•
JC160	I	20	21	E27	40w	•

Recommended décor lamps to compliment above fittings:





CFL003 CFL004 CFL006 LED0035 LED0040

Metal body										
Code	Class	IP	QC	Lamp/s			Colour/s			
				Base	Max	White	Chrome	Rose gold	Black/chrome	
PF0001CH	I	20	21	E14		2 x 40w		•		
PF0001RG	I	20	21	E14		2 x 40w			•	
PF0001W	I	20	21	E14		2 x 40w	•			
JP0005-BLC	I	20	21		E27	1 x 40w				•



JH0001WH
JH0001GY
E 10-11



Metal body							
Code	Class	IP	QC	Lamp/s		Max	Colour/s
				Base	Max		
JP0009-BL	I	20	21		E27	1 x 28w	• Black
JP0013-BL	I	20	21			1 x 28w	•

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White/ Satin nickel	Grey/ copper
JH0001WH	I	20	21		E27	40w	•
JH0001GY	I	20	21		E27	40w	•




JP240 / BALI

↗ I 30-31



JP241 • JP242 • JP243



JP240

Wrought iron body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Antique bronze
JP240	I	20	21	E14	2 x 60w	•



JP070 / REAL

↗ JP070 • JP071

↗ G 65



JJ46

↗ JP070 • JP071


↗ I 32-33




JP072 • JP073 • JP074 • JP075



JP071 / REAL











JP070





JP071

Metal and polyresin body, alabaster glass shade with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Bronze body Amber glass Clear crystal
JP070	I	20	21	E27	1 x 60w	•
JP071	I	20	21	E27	2 x 60w	•



Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						
				E27		Antique bronze body Cream glass
JP150	I	20	21	E27	1 x 60w	•
JP151	I	20	21	E27	2 x 60w	•

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						
				E27		Charcoal body White shade
JP191	I	20	21	E27	1 x 60w	•
JP192	I	20	21	E27	2 x 60w	•




I 44-45



JP425 • JP426 • JP427

JP424 / BEAU



JP424




I 46-47



JP421 • JP422 • JP423

JP420 / ALBERTO



JP420




I 38-39



JP441 • JP442 • JP443


JP440 / EBELE



JP440



JQ11 / LANTERN



JQ11

JP424 Metal body with alabaster glass shades												
JP440 Metal body with glass shade/s												
Code	Class	IP	QC	Lamp/s		Colour/s						
				Base	Max							
						<table border="0"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>French white body White glass shades</td> <td>Antique bronze body White glass shades</td> <td>Black body Cream glass</td> </tr> </table>				French white body White glass shades	Antique bronze body White glass shades	Black body Cream glass
French white body White glass shades	Antique bronze body White glass shades	Black body Cream glass										
JP424	I	20	21	E27	1 x 60w	•						
JP440	I	20	21	E27	1 x 60w	•						


JP420 Metal body with clear glass shades										
JQ11 Metal body with frosted glass shade										
Code	Class	IP	QC	Lamp/s		Colour/s				
				Base	Max					
						<table border="0"> <tr> <td></td> <td></td> </tr> <tr> <td>Brown body Clear glass</td> <td>Antique copper body White glass</td> </tr> </table>			Brown body Clear glass	Antique copper body White glass
Brown body Clear glass	Antique copper body White glass									
JP420	I	20	21	E14	1 x 60w	•				
JQ11	I	20	11	E14	1 x 40w	•				



H 106-107



JH184 • JH187 • JH190




JH181

JH181 / ISLAND




JP428 / MADLYN



JP428



JH100 / SCROLL



JH100

JP428 • JP429

I 24-25




JP430 • JP431 • JP432

JH100 • JH101

I 54-55



JH102 • JH103 • JH104




JH101



JH101 / SCROLL



JP429 / MADLYN




JP429

JH181 Chrome body and patterned glass shade							
JH100 • JH101 Chrome body with crackle glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body White glass	Chrome body Chrome/clear glass
JH181	I	20	21	E27	1 x 40w		•
JH100	I	20	21	E14	1 x 60w	•	
JH101	I	20	21	E14	2 x 60w	•	

Metal body with white glass shades							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body White glass	
JP428	I	20	21	E14	1 x 60w	•	
JP429	I	20	21	E14	2 x 60w	•	




JP323 / GRANDE



JP323



JH78 / TULIP



JH78


I 28



JP436 - JP437




JP435 / SASHA



JP435

JH78 - JH79


I 26-27



JH80 - JH81 - JH82



JH79 / TULIP




JH79

Metal body with glass shade/s							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP323	I	20	20	E14	2 x 40w		•
JP435	I	20	21	E14	1 x 40w	•	

Metal body with opal glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH78	I	20	11	E14	1 x 40w	•
JH79	I	20	11	E14	2 x 40w	•



JP160 / CALICE



JP160


JP160 • JP161
I 56-57



JP162 • JP163 • JP164




JP161 / CALICE



JP161



JJ06 / EMI ROUND



JJ06




JP510

I 48-49



JP512 • JP513 • JP514




JP510

I 50-51



JP516 • JP517 • JP519



JP515



JP515

JP160 • JP161 Metal body with alabaster glass							
JJ06 Metal and glass body with fabric shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body cream shade	Satin chrome body White glass
JP160	I	20	21	E27	1 x 60w		•
JP161	I	20	21	E27	2 x 60w		•
JJ06	I	20	11		E14	•	

Metal body with clear glass shade/s						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP510	I	20	21	E27	40w	•
JP515	I	20	21	E27	40w	•




I 58



JP503

JP505



JP505




I 58



JP506

JP508



JP508




I 58






JP503



JP504




JP504

Metal body with K9 crystal drops							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP505	I	20	31	E14	2 x 40w	•	
JP508	I	20	31	E14	2 x 40w		•

Metal body with K9 crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP504	I	20	31	E14	40w	•



PF81 • PF82 • PF83



PF80

PF80 / ARBRE

Metal body with crystal shade and beads							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Transformer included	Transformer Not dimmable
PF80	I	20	21	G4	3 x 20w	•	•




JP210 / TOLEDO



JP024 • JP026



JP211 • JP212 • JP213




JP210



JP320 / CHIMES



JP321




JP320

JP210 Crystal body with metal trim						JP320 Metal and aluminium body with crystal droplets			
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	Chrome body Black crystal	Chrome body Clear crystal	Chrome body Red crystal	Chrome body Clear crystal
JP210	I	20	31	E14	2 x 40w	•	•	•	
JP320	I	20	20	E14	2 x 40w				•




JP270 / TUSK



JP270




JN0002CH



JN0002CH



JH42




JH42

Metal body with fabric shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP270	I	20	20	E14	2 x 11w	•

JN0002CH Metal body							
JH42 Wood and metal body with frosted glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JN0002CH	I	20	21	E27	42w	•	
JH42	I	20	21		E14		•




JD24 / TAG



JD24




JN28 / JENNI



JN28




JD25 / TAG



JD25



JR10 / INCA




JR10

Metal body with frosted glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome knobs White glass	Brass knobs White glass
JD24	I	20	22	E14	2 x 40w	•	•
JD25	I	20	22	E14	3 x 40w	•	

JN28 Metal body with frosted glass shade							
JR10 Metal body with opal glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body White glass	Satin chrome body White glass
JN28	I	20	22	E14	2 x 60w		•
JR10	I	20	22	E14	1 x 60w	•	




JN40 / HOME



JN40




JN32 / VIA



JN32




JN41 / HOME



JN41




JN33 / VIA



JN33



JN42 / HOME




JN42

Metal body, clear glass trim with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JN40	I	20	21	E14	2 x 60w	•
JN41	I	20	21	E14	3 x 60w	•
JN42	I	20	21	E14	4 x 60w	•

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JN32	I	20	21	E14	2 x 60w	•
JN33	I	20	21	E14	3 x 60w	•




JE0007G



JE0007G • JE0007S



JH17 / PAX



JH17



JE0007S


JE0007 • JE0008
G 54



JE0005 • JE0006
JE0009 • JE0010




JH18 / PAX



JH18




JE0008



JE0008



JH19 / PAX




JH19

Metal body with glass shade								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Gold	Silver	White
JE0007G	I	20	24	E27	60w	•		
JE0007S	I	20	24	E27	60w		•	
JE0008	I	20	24	E27	60w			•

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	Chrome knobs White glass
JH17	I	20	21	E14	60w	•
JH18	I	20	21	E14	60w	•
JH19	I	20	21	E14	60w	•




JG90 / WAX



JG90




JD65 / JUD



JD65




JD32 / GAP



JD32




JD70 / JUD



JD70



JH04 / CZECH




JH04

Metal body with frosted glass shade								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Chrome knobs White glass	Chrome brackets White glass	Mahogany brown body White glass
JG90	I	20	21	E27	2 x 60w			•
JD32	I	20	21	E14	1 x 40w	•		
JH04	I	20	21	E27	1 x 60w		•	

Metal body with frosted glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JD65	I	20	21	R7s QI 78mm	1 x 100w	•
JD70	I	20	21	R7s QI 78mm	1 x 100w	•




JH210



JH210



KD18




KD18

Metal body with crystal shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH210	I	20	21	G9	2 x 40w	•

Plastic body										
Code	Class	IP	QC	Lamp/s			Dimensions			Colour/s
				Base	Max	Ballast included	(mm)			
				Fluorescent tube			Length	Depth	Width	
KD18	II	20	31	T8	18w	•	636	48	30	•




KD33



KD33



KD34




KD34



Colour options



JH50 / DECOR



JH50

Aluminium and plastic body with 125mm power cord												
Code	Class	IP	QC	Lamp/s		Ballast		Dimensions			Colour/s	Accessories
				Base	Max	Included	Not dimmable	Length	Depth	Width		
KD33	I	20	21	T5	28w	•	•	1172	37	24	•	•
KD34	I	20	21	T5	35w	•	•	1472	37	24	•	•


Metal and rippled glass body										
Code	Class	IP	QC	Lamp/s		Colour/s				
				Base	Max	Silver/chrome	Orange/chrome			
JH50	I	20	21	G9	50w	•	•			

CEILING LIGHTS






LIM01



LIM01




LIM01



LIM01




LIM02



LIM02




LIM02



LIM02



LIM03




LIM03

Metal body with plastic shade											
Code	Class	IP	QC	Configuration	Lamp/s		Life (hours)	Battery (hours)	Lumen		Colour/s
					LED (4500K) (Factory fitted)	Backup			Normal	Backup	White/silver
LIM01	I	20	21	Backup	6w	3w	35 000	±2-3hrs	420	210	•
LIM02	I	20	21	Backup	10w	5w	35 000	±2-3hrs	700	350	•

Metal body with plastic shade											
Code	Class	IP	QC	Configuration	Lamp/s		Life (hours)	Battery (hours)	Lumen		Colour/s
					LED (4500K) (Factory fitted)	Backup			Normal	Backup	White
LIM01	I	20	21	Backup	6w	3w	35 000	±2-3hrs	420	210	•
LIM02	I	20	21	Backup	10w	5w	35 000	±2-3hrs	700	350	•
LIM03	I	20	21	Backup	20w	6w	35 000	±2-3hrs	1400	420	•




LDL020



LDL020




LIM03




LIM03




LIM0001 • LIM0002 • LIM0003



LIM0001




LIM0002




LIM0003

Die-cast aluminium body, acrylic shade											
Code	Class	IP	QC	Configuration	Lamp/s		Life (hours)	Battery (hours)	Lumen		Colour/s
					LED (Factory fitted) 4500K	LED Backup 4500K			Normal	Backup	White
LDL020	II	20	22	Backup	11w	3w	35 000	±2-3hrs	770	210	•

LIM03 Metal body with plastic shade							
LIM0001 • LIM0002 • LIM0003 PMMA							
Code	Class	IP	QC	Lamp/s	Feature/s	Lumen	Colour/s
				 LED (Factory fitted) 6000K	 Beam angle		 White
LIM03	I	20	21	20w		1700	•
LIM0001	I	44	21	14w	120°	900	•
LIM0002	I	44	21	18w	120°	1150	•
LIM0003	I	44	21	24w	120°	1650	•




KBL0001



KBL0001



KBL0002




KBL0002

Aluminium body and plastic lens						
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s
				LED (Factory fitted) 4000K	1700	White
KBL0001	I	20	31	20w	1700	•
KBL0002	I	20	31	38w	3300	•




LBT004



LBT004



LBT005




LBT005

Aluminium body								
Code	Class	IP	QC	Lamp/s	Lighting effects	Lumen	Colour/s	
				LED (Factory fitted) 2500K-6000K	Dimmable	RGB	900	White
LBT004	II	20	22	18w	•	•	900	•
LBT005	II	20	22	24w	•	•	1200	•



LPL001 • LPL001A


Backup options available



LPL001 • LPL001A




LPL002



LPL002



LPL004




LPL004

Aluminium body with opal diffuser								
Code	Class	IP	QC	Lamp/s			Lumen	Colour/s
				4000K	5000K	65000K		
LPL001	II	20	21	40w			4000	•
LPL001	II	20	21			40w	4000	•
LPL001A	II	20	21		25w		2500	•
LPL002	II	20	21	60w			6000	•
LPL002	II	20	21			60w	6000	•

Steel body						
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s
				LED (Included)		
LPL004	II	20	21	36W	4140	•




JY0018



JY0018




JY0021



JY0021




JY0019



JY0019




JY0022







JY0022






JY0020




JY0020

Metal and glass body with clear crystal							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Chrome/ silver  Silver grey/ clear	
JY0018	I	20	21	12w	950	•	
JY0019	I	20	21	24w	1300	•	
JY0020	I	20	21	18w	900		•

Metal and glass body with clear crystal							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Silver grey/ clear	
JY0021	I	20	21	12w	950	•	
JY0022	I	20	21	18w	1160	•	




JY0009



JY0009




JY0012



JY0012




JY0010



JY0010




JY0013



JY0013




JY0011






JY0011






JY0014




JY0014

JY0009 Metal and glass body with clear crystal						
JY0010 - JY0011 Glass body with clear crystal						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Chrome/ clear
JY0009	I	20	21	18w	1440	•
JY0010	I	20	21	18w	1440	•
JY0011	I	20	21	18w	1440	•

JY0012 Metal and glass body with clear crystal						
JY0013 - JY0014 Glass body with clear crystal						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Chrome/ clear
JY0012	I	20	21	18w	1440	•
JY0013	I	20	21	18w	1440	•
JY0014	I	20	21	18w	1440	•



JY001



JY001


JY001 - JY002




JY003




JY002




JY002




JE60



JE60




JE61



JE61




JE62



JE62

JY001 Rectangle patterned glass shade with crystals						
JY002 Square patterned glass shade with crystals						
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Lumen 	Colour/s Chrome/ white glass
JY001	I	20	21	39w	3510	•
JY002	I	20	21	17w	1530	•

Metal body with plastic lens						
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 3500K	Lumen 	Colour/s Silver/ white
JE60	I	20	21	24w	1100	•
JE61	I	20	21	40w	1700	•
JE62	I	20	21	24w	1400	•




LPN027

H 5



LPN028



LPN027




LPN030

LPN030
LPN031
F 4




LPN029






LPN030



LPN031




LPN031

LPN027 Aluminium and silicone body						
LPN030 - LPN031 Aluminium and acrylic body						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White
LPN027	I	20	21	48w	3000	•
LPN030	I	20	21	30w	2400	•
LPN031	I	20	21	51w	3900	•




LKE0001CH







LKE0001CH



LKE0002SN




LKE0002SN


Iron and aluminium + PC							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 5000K	Lumen 	Colour/s  Satin nickel  Chrome	
LKE0001CH	II	20	21	40w	1680	•	•
LKE0002SN	II	20	21	20w	1300	•	•




LG001 • LG002 • LG003






LG001



LG002




LG003


PC Housing					
Code	Class	IP	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White/clear
LG001	II	65	20w	1 800	•
LG002	II	65	40w	3 600	•
LG003	II	65	50w	4 500	•




KKB60 • KKB62 • KKB64



KKB60



KKB62




KKB64




KKB61 • KKB63 • KKB65





KKB61



KKB63



KKB65

Polycarbonate body and diffuser						
Code	Class	IP	QC	Lamp/s		Colour/s  White
				Base  LED tube T8	Max	
KKB60	II	65	34	G13	1 x 9w	•
KKB61	II	65	34	G13	2 x 9w	•
KKB62	II	65	34	G13	1 x 18w	•
KKB63	II	65	34	G13	2 x 18w	•
KKB64	II	65	34	G13	1 x 24w	•
KKB65	II	65	34	G13	2 x 24w	•


EMPTY BODIES ONLY.




KKA0001 • KKA0002 • KKA0003




KKA0004 • KKA0005 • KKA0006



KKA0001 • KKA0004



KKA0002 • KKA0005




KKA0003 • KKA0006

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base LED tube T8	Max	
KKA0001	I	20	31	G13	9w	•
KKA0002	I	20	31	G13	18w	•
KKA0003	I	20	31	G13	24w	•
KKA0004	I	20	31	G13	2 x 9w	•
KKA0005	I	20	31	G13	2 x 18w	•
KKA0006	I	20	31	G13	2 x 24w	•


EMPTY BODIES ONLY.




KKB12 • KKB14 • KKB15



KKB12




KKB14




KKB15




KKB22 • KKB24 • KKB25



KKB22



KKB24




KKB25

Metal body with plastic cover						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base LED tube T8	Max	
KKB12	I	20	31	G13	9w	•
KKB14	I	20	31	G13	18w	•
KKB15	I	20	31	G13	24w	•
KKB22	I	20	31	G13	2 x 9w	•
KKB24	I	20	31	G13	2 x 18w	•
KKB25	I	20	31	G13	2 x 24w	•

EMPTY BODIES ONLY.




KB66 • KB68 • KB70



KB66 • KB68 • KB70




KB67 • KB69 • KB71



KB67 • KB69 • KB71




KKA12



KKA12




KKA14



KKA14



KKA15



KKA15


ABS base, prismatic polycarbonate diffuser with stainless steel mounting bracket												
Code	Class	IP	QC	Lamp/s		Ballast options	Dimensions (mm)			Feature	Colour/s	Accessories
				Base	Max		Length	Depth	Width			
KB66	I	65	24	G5	2ft 1 x 14w	•	610	79	74	•	•	•
KB67	I	65	24	G5	2ft 2 x 14w	•	610	79	106	•	•	•
KB68	I	65	24	G5	4ft 1 x 28w	•	1210	79	74	•	•	•
KB69	I	65	24	G5	4ft 2 x 28w	•	1210	79	106	•	•	•
KB70	I	65	24	G5	5ft 1 x 35w	•	1510	79	74	•	•	•
KB71	I	65	24	G5	5ft 2 x 35w	•	1510	79	106	•	•	•

One side powered T8 LED tube (wired for LED tubes only)							
Code	Class	IP	QC	Voltage	Base	Colour/s	Box Qty
KKA12	I	20	31	230	G13	•	9
KKA14	I	20	31	230	G13	•	9
KKA15	I	20	31	230	G13	•	9

EMPTY BODIES ONLY.




KKA22



KKA22




KKA24



KKA24



KKA25




KKA25

One side powered T8 LED tube (wired for LED tubes only)							
Code	Class	IP	QC	Voltage	Base	Colour/s	Box Qty
						White	
KKA22	I	20	31	230	G13	•	9
KKA24	I	20	31	230	G13	•	9
KKA25	I	20	31	230	G13	•	9

EMPTY BODIES ONLY.




JX30 / HEATER



JX30



JX31 / HEATER




JX31

Steel and plastic body														
Code	Class	IP	QC	Lamp/s				Cutout (mm)	Feature/s				Switch control Included (Surface mount) (mm)	Colour/s White
				Base	Max	Light	Heat		Extractor fan	Extractor fan air flow				
JX31	I	20	14	1 x 60w	4 x 275w	Softtone	R125	As per template supplied	•	•	•	140m³/h	85 x 85	•
JX30	I	20	14	1 x 40w	2 x 275w	Gen	R125	As per template supplied	•	•	•	70m³/h	85 x 85	•



JX04 / ZÉPHYR

80W Motor




JX04



JX0004RB

52W Motor




JX0004RB



JX05 / ZÉPHYR

60W Motor




JX05



JX0005SN

60W Motor




JX0005SN

Wooden body with wooden blades						
Code	Class	IP	QC	Feature/s		Colour/s
				3 Speed	Adjusts for sloped ceiling	Antique brown body Dark wood blades
JX04	I	20	21	•	•	•
JX05	I	20	21	•	•	•

Metal body with wooden blades										
Code	Class	IP	QC	Lamp/s		Feature/s		Remote control (included)	Colour/s	
				Base	Max	3 Speed	Adjusts for sloped ceiling		Chrome	Satin nickel
JX0004RB	I	20	21	E27	2 x 60w	•	•	•	•	•
JX0005SN	I	20	21	E27	2 x 60w	•	•	•	•	•




JX0006SC



JX0006SC



JX0007AL




JX0007AL

Metal body with plywood blades										
Code	Class	IP	QC	Lamp/s		Feature/s			Colour/s	
				Base	Max	3 Speed	6 Speed	Adjusts for sloped ceiling	Satin chrome/light wood	Chrome/aluminium
JX0006SC	I	20	21	E27	2 x 60w	•		•	•	
JX0007AL	I	20	12				•			•



JX10 / MIKRO

50W Motor



JX10


Metal body, opal glass shade with wooden reversible blades											
Code	Class	IP	QC	Lamp/s		Feature/s			Remote control	Colour/s	
				Base	Max	3 Speed	Dual cycle (forward/reverse)	Adjusts for sloped ceiling		Satin silver body Satin silver blades/ White glass	White body White blades White glass
JX10	I	20	21	E27	60w	•	•	•	•	•	•



JX01A / MACH ONE

75W Motor

Dimmable and non-dimmable version available in white




JX01A



JX09 / KITWE

50W Motor




JX09



JX17 / LANCER

55W Motor




JX17



JX12 / SWIFT

75W Motor - Industrial



JX12

WHITE AVAILABLE IN A 3PACK


JX01A Metal body, opal glass shade with plastic blades														
JX17 Metal body with wooden blades and glass shade														
Code	Class	IP	QC	Lamp/s	Feature/s				Switch control	Remote control	Colour/s			
				Base R7s Q1 78mm	3 Speed	Dual cycle (forward/ reverse)	Adjusts for sloped ceiling	(Surface mount) (mm) Included	(For speed control & dimming) Available on request	Satin chrome body Satin silver blades White glass	Satin titanium body Satin titanium blades White glass	Satin chrome body Wooden blades White glass	White body White blades White glass	
JX01A	I	20	21	1 x 60w	.	.	.		Included	
JX17	I	20	21	1 x 60w	.	.	.	114 x 65		

JX09 Metal body, opal glass shade with wooden reversible blades																	
JX12 Metal body and blades with plastic cup																	
Code	Class	IP	QC	Lamp/s	Max	Feature/s				Switch control	Remote control	Colour/s					
				Base E27		3 Speed	5 Speed	Dual cycle (forward/ reverse)	Adjusts for sloped ceiling	(Surface mount) (mm) Included	Available on request	Satin silver body Satin silver/ Black blades White glass	White	Black	Chrome	Satin chrome	
JX09	I	20	21	2 x 60w	Gen
JX12	I	20	21			.	.			132 x 90	



FA201


65W Motor



FA201



KR26




KR26



FA204


65W Motor



FA204



KR28




KR28

FA201 Metal body, opal glass shade, wooden blades with rattan inlay										
FA204 Metal body, frosted glass shades, wooden blades with rattan inlay										
Code	Class	IP	QC	Lamp/s		Feature/s			Colour/s	
				Base	Max	3 Speed	Dual cycle (forward/reverse)	Adjusts for sloped ceiling	Antique brass body Brown blades White glass	White body White blades White glass
FA201	I	20	21	E27	1 x 60w	•	•	•	•	•
FA204	I	20	21	E27	4 x 40w	•	•	•	•	•

Cold steel and aluminium body							
Code	Class	IP	QC	Lamp/s		Gear included	Colour/s
				Base	Max		
KR26	I	20	31	G13 Fluorescent tube T8	3 x 18w	•	• White body Aluminium reflector
KR28	I	20	31	G13	3 x 36w	•	•




KR20



KR20




KR40E



KR40E




KR22



KR22



KR46E




KR46E

Cold steel and aluminium body							
Code	Class	IP	QC	Base Fluorescent tube T8	Lamp/s Max	Gear included	Colour/s White body Aluminium reflector
KR20	I	20	31	3 x 18w	G13	•	•
KR22	I	20	31	3 x 36w	G13	•	•

Cold steel and aluminium body							
Code	Class	IP	QC	Base Fluorescent tube T5	Lamp/s Max	Gear included	Colour/s White body Aluminium reflector
KR40E	I	20	31	3 x 14w	G5	•	•
KR46E	I	20	31	3 x 28w	G5	•	•




KR42E



KR42E




KR30



KR30




KR44E



KR44E



KR32




KR32

Cold steel and aluminium								
Code	Class	IP	QC	Base	Lamp/s	Gear included	Cutout	Colour/s
				Fluorescent tube T5	Max		(mm)	White
KR42E	I	20	31	G5	4 x 14w	•	585 x 585	•
KR44E	I	20	31	G5	2 x 28w	•	1185 x 285	•

Cold steel and aluminium body								
Code	Class	IP	QC	Base	Lamp/s	Gear included	Colour/s	
				Fluorescent tube T8	Max		White body/opal diffuser	
KR30	I	20	31	G13	3 x 18w	•	•	
KR32	I	20	31	G13	3 x 36w	•	•	




KA11E • KA13E • KA18E



KA11E • KA13E • KA18E




KA19E • KA23E • KA28E



KA19E • KA23E • KA28E




KA12 • KA12E • KA14 • KA14E • KA15



KA12 • KA12E • KA14 • KA14E • KA15



KA22 • KA22E • KA24 • KA24E • KA25 • KA25E




KA22 • KA22E • KA24 • KA24E • KA25 • KA25E

Metal body										
Code	Class	IP	QC	Lamp/s		Gear Included	Dimensions (mm)			Colour/s White
				Base Fluorescent tube T5	Max		Length	Width	Depth	
KA11E	I	20	31	G5	2ft 1 x 14w	•	580	37	62	•
KA13E	I	20	31	G5	4ft 1 x 28w	•	1175	37	62	•
KA18E	I	20	31	G5	4ft 1 x 54w	•	1175	37	62	•
KA19E	I	20	31	G5	2ft 2 x 14w	•	580	62	62	•
KA23E	I	20	31	G5	4ft 2 x 28w	•	1175	62	62	•
KA28E	I	20	31	G5	4ft 2 x 54w	•	1175	62	62	•

Metal body												
Code	Class	IP	QC	Lamp/s		Gear included		Dimensions (mm)			Colour/s White	Accessories XBACKUP/FT Emergency backup available
				Base Fluorescent tube T8	Max	Magnetic	Electronic	Length	Width	Depth		
KA12	I	20	31	G13	2ft 1 x 20w	•		620	52	80	•	•
KA12E	I	20	31	G13	2ft 1 x 20w		•	620	52	80	•	•
KA14	I	20	31	G13	4ft 1 x 40w	•		1230	52	80	•	•
KA14E	I	20	31	G13	4ft 1 x 40w		•	1230	52	80	•	•
KA15	I	20	31	G13	5ft 1 x 58w	•		1519	52	80	•	•
KA22	I	20	31	G13	2ft 2 x 20w	•		620	99	72	•	•
KA22E	I	20	31	G13	2ft 2 x 20w		•	620	99	72	•	•
KA24	I	20	31	G13	4ft 2 x 40w	•		1230	99	72	•	•
KA24E	I	20	31	G13	4ft 2 x 40w		•	1230	99	72	•	•
KA25	I	20	31	G13	5ft 2 x 58w	•		1519	91	62	•	•
KA25E	I	20	31	G13	5ft 2 x 58w		•	1519	91	62	•	•




KB218E






KB218E






KB236E




KB236E

Aluminium body with plastic lens							
Code	Class	IP	QC	Base	Lamp/s Max	Ballast included (Electronic)	Colour/s
				 Fluorescent tube T8		 Ballast included (Electronic)	 White
KB218E	I	20	31	G13	2 x 18w	•	•

Aluminium body with plastic lens							
Code	Class	IP	QC	Base	Lamp/s Max	Ballast included (Electronic)	Colour/s
				 Fluorescent tube T8		 Ballast included (Electronic)	 White
KB236E	I	20	31	G13	2 x 36w	•	•




KB12 • KB12E • KB14 • KB15



KB12 • KB12E • KB14 • KB15



KB22 • KB24




KB22 • KB24

Metal body with perpeX diffuser												
Code	Class	IP	QC	Lamp/s		Ballast		Dimensions (mm)			Colour/s	Accessories
				Base	Max	included	Electronic	Length	Width	Depth	White body Prismatic diffuser	XBACKUP/FT Emergency backup available
KB12	I	20	31	G13	2ft 1 x 18w	•		645	100	87	•	•
KB12E	I	20	31	G13	2ft 1 x 18w		•	645	100	87	•	•
KB14	I	20	31	G13	4ft 1 x 36w	•		1256	100	87	•	•
KB15	I	20	31	G13	5ft 1 x 58w	•		1570	72	92	•	•
KB22	I	20	31	G13	2ft 2 x 18w	•		645	175	65	•	•
KB24	I	20	31	G13	4ft 2 x 36w	•		1256	175	65	•	•




KE06



KE06




KE05




KE05


Plastic body with acrylic insert							
Code	Class	IP	QC	Lamp/s		Ballast	Colour/s
				Base	Max		Chrome
KE06	I	20	31	G5	2 x 14w	•	•
KE05	I	20	31	G5	2 x 28w	•	•



KE01




KE02




KE03

Metal body							
Code	Class	IP	QC	Base Fluorescent tube T8	Lamp/s Max	Ballast included (electronic)	Colour/s Satin chrome
KE01	I	20	21	G13	4ft 2 x 36w	•	•
KE02	I	20	21	G13	2ft 2 x 18w	•	•

Metal body								
Code	Class	IP	QC	Base Fluorescent tube T5	Lamp/s Max	Ballast included (electronic)	Ballast not dimmable	Colour/s Chrome Satin chrome body
KE03	I	20	31	G5	2 x 54w	•	•	•




KE80



KE80



KE81




KE81

Plastic body with glass cover						
Code	Class	IP	QC	Base Fluorescent tube T5	Lamp/s Max	Colour/s Chrome
KE80	I	20	21	G5	2 x 24w	•
KE81	I	20	21	G5	2 x 54w	•




KE42 / UFO



KE42




JM04 / LEE



JM04



JM07 / MIRAGE




JM07

KE42 Metal body									
JM04 Plastic body and shade									
JM07 Metal and plastic body with plastic shade									
Code	Class	IP	QC	Lamp/s			Colour/s		
				Base	Max	Ballast Included (electronic)	Satin silver body White shade	Satin chrome	White
KE42	I	20	31	Circline T5	55w	•		•	
JM04	I	54	31		22w	•			•
JM07	I	20	31	Circline T6	83w	•	•		




JM22A / PRO



JM22A




JM22S / STAR



JM22S




JM32A / PRO



JM32A




JM32S / STAR



JM32S




JM40A / PRO



JM40A



JM40S / STAR




JM40S

Metal body with plain plastic shade							
Code	Class	IP	QC	Base G10q	Lamp/s Max	Ballast included (electronic)	Colour/s White
JM22A	I	20	21	Circline T5	22w	•	•
JM32A	I	20	21	Circline T5	32w	•	•
JM40A	I	20	21	Circline T5	40w	•	•

Metal body with star-mould plastic shade							
Code	Class	IP	QC	Base G10q	Lamp/s Max	Ballast included (electronic)	Colour/s White
JM22S	I	20	21	Circline T5	22w	•	•
JM32S	I	20	21	Circline T5	32w	•	•
JM40S	I	20	21	Circline T5	40w	•	•




JE0001W • JE0002W



JE0001W • JE0001G
JE0001SC



JE0001G • JE0002G




JE0002W • JE0002G
JE0002SC



JE0001SC • JE0002SC




JE0003W • JE0004W



JE0003W • JE0003G
JE0003SC



JE0003G • JE0004G



JE0004W • JE0004G
JE0004SC




JE0003SC • JE0004SC

Metal body with glass shade								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White	Gold	Satin chrome
JE0001W	I	20	20	E27	2 x 60w	•		
JE0001G	I	20	20	E27	2 x 60w		•	
JE0001SC	I	20	20	E27	2 x 60w			•
JE0002W	I	20	20	E27	3 x 60w	•		
JE0002G	I	20	20	E27	3 x 60w		•	
JE0002SC	I	20	20	E27	3 x 60w			•

Metal body with glass shade								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White	Gold	Satin chrome
JE0003W	I	20	20	E27	2 x 60w	•		
JE0003G	I	20	20	E27	2 x 60w		•	
JE0003SC	I	20	20	E27	2 x 60w			•
JE0004W	I	20	20	E27	3 x 60w	•		
JE0004G	I	20	20	E27	3 x 60w		•	
JE0004SC	I	20	20	E27	3 x 60w			•




JE12 / CIRC



JE12



JE13 / CIRC



JE13



JE11



JE11 DOTS - STEM - ZEBRA



JE13 - JE15 - JE17



JE11



JE11 DOTS - STEM - ZEBRA



JE13 - JE15 - JE17



JE12 / DOTS



JE12 / LEAF



JE12 / LINES



JE12 / STEM



JE12 / ZEBRA



JE12 / FROST



JE13 / DOTS



JE13 / LEAF



JE13 / LINES



JE13 / STEM



JE13 / ZEBRA




JE13 / FROST

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JE12	I	20	20	E27	1 x 60w	•

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JE13	I	20	20	E27	2 x 60w	•



JE15 / CIRC




JE15



JE0005G • JE0006G



JE0005S • JE0006S



JE0009 • JE0010

JE0005 • JE0006
JE0009 • JE0010
F 41



JE0007 • JE0008



JE15 / DOTS



JE15 / LEAF



JE15 / LINES



JE15 / STEM



JE15 / ZEBRA



JE15 / FROST

F 11



JE11

F 10




JE11 DOTS • STEM • ZEBRA


G 57




JE13 • JE15 • JE17




JE0005G • JE0005S



JE0006G • JE0006S



JE0009




JE0010

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JE15	I	20	20	E27	3 x 60w	•

Metal body with glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Gold	Silver
JE0005G	I	20	24	E27	2 x 60w	•	
JE0005S	I	20	24	E27	2 x 60w		•
JE0006G	I	20	24	E27	3 x 60w	•	
JE0006S	I	20	24	E27	3 x 60w		•
JE0009	I	20	24	E27	2 x 60w		•
JE0010	I	20	24	E27	3 x 60w		•




JE0017CH



JE0017CH




JE0019CH



JE0019CH




JE0018CH



JE0018CH



JE0020CH



JE0020CH

Metal body with glass shade					
Code	Class	IP	QC	Lamp/s	
				Base	Max
JE0017CH	I	20	21	E27	2 x 60w
JE0018CH	I	20	21	E27	2 x 60w

Metal body with glass shade					
Code	Class	IP	QC	Lamp/s	
				Base	Max
JE0019CH	I	20	21	E27	2 x 60w
JE0020CH	I	20	21	E27	2 x 60w




JE13 / STREET

JE13 • JE15 • JE17
 F11




JE11



JE13




JE15 / STREET



JE15




JS04 / GYM



JS04



JE17 / STREET



JE17


JS04 • JS06
 F11



JS02



JS06 / GYM




JS06

Metal body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JE13	I	20	21	E27	2 x 60w	•
JE15	I	20	21	E27	3 x 60w	•
JE17	I	20	21	E27	4 x 60w	•

Metal body with white glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JS04	I	20	11	E27	1 x 60w	• • •
JS06	I	20	11	E27	2 x 60w	• • •




JM60 / MONTE



JM60




JM61 / MONTE



JM61



JM62 / MONTE




JM62

Aluminium body and PMMA Diffuser						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JM60	I	20	21	E27	1 x 15w	•
JM61	I	20	21	E27	2 x 15w	•

Aluminium body and PMMA Diffuser						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JM62	I	20	21	E27	3 x 15w	•




JG53 / URA



JG53




JE33 / TEX



JE33




JG54 / URA



JG54



JE34 / TEX




JE34

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JG53	I	20	21	E27	1 x 60w	•
JG54	I	20	21	E27	2 x 60w	•

Metal body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JE33	I	20	11	E27	2 x 60w	•
JE34	I	20	11	E27	3 x 60w	•




JJ95 / DANTE



JJ95



JJ96 / DANTE



JJ96


JJ95 • JJ96 • JJ97





JJ94



JJ97 / DANTE



JJ97

Metal body with frosted and painted glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 Gunmetal clips White glass/ Black trim	 Gold clips White/amber trim
JJ95	I	20	21	E27	1 x 60w	•	•
JJ96	I	20	21	E27	2 x 60w	•	•
JJ97	I	20	21	E27	3 x 60w	•	•




JE40




JE43



JE41 / MALAGA



JE41

Metal body with alabaster glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 Antique bronze body Alabaster glass	•
JE41	I	20	21	E27	2 x 60w	•	•




JJ46 / REAL

F 20




JP070 - JP071



JJ46



JJ52 / KLIP




JJ52

I 32-33



JP072 - JP073 - JP074 - JP075




JJ61



JJ61 / ISIS



JJ57 / TERA



JJ57

JJ61 - JJ62

H 97

JJ61 - JJ62


F 13



JJ60



JJ64




JJ62





JJ62 / ISIS





JJ58 / TERA




JJ58

JJ46 Metal and polyresin body with amber glass shade							
JJ61 - JJ62 Metal body with amber glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JJ46	I	20	21	E27	2 x 60w		•
JJ61	I	20	21	E27	3 x 60w	•	
JJ62	I	20	21	E27	4 x 60w	•	

Metal and polyresin body with alabaster glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JJ52	I	20	21	E27	2 x 60w		•
JJ57	I	20	21	E27	3 x 60w	•	
JJ58	I	20	21	E27	5 x 60w	•	




JE52



JE52




JY007



JY007



JY008




JY008

Metal base with PS diffuser and frame								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	Silver	White
JE52	I	20	21	E27	1 x 15w	•	•	•

Round patterned glass shade with crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JY007	I	20	21	E27	2 x 11w	•
JY008	I	20	21	E27	3 x 11w	•




JK20 / CHEESECAKE




JK20




JL20 / CHEESECAKE



JL20




JK25 / CHEESECAKE



JK25



JL25 / CHEESECAKE




JL25

Metal body with opal bayonet lock-on glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JK20	I	20	21	E27	60w	•
JK25	I	20	21	E27	60w	•

Metal body with opal bayonet lock-on glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JL20	I	20	21	E27	60w	•
JL25	I	20	21	E27	60w	•




JD74 / PUCK



JD74




JD77 / PUCK



JD77




JD75 / PUCK



JD75




JD78 / PUCK



JD78




JD76 / PUCK






JD76






JD79 / PUCK




JD79

Metal body with frosted bayonet lock-on glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JD74	I	20	21		1 x 40w	•	
JD75	I	20	21		1 x 60w	•	
JD76	I	20	21		2 x 60w	•	

Metal body with frosted glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JD77	I	20	21		1 x 40w	•	
JD78	I	20	21		1 x 60w	•	
JD79	I	20	21		2 x 60w	•	




JD73 / TRIM



JD73




JD90 / FLAT



JD90




JD91 / FLAT



JD91




JD92 / BEVEL



JD92



JD93 / BEVEL




JD93

Metal body with opal bayonet lock-on glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JD73	I	20	21	E27	1 x 60w	• Satin chrome body White glass

Metal body with opal bayonet lock-on glass							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Satin chrome body White glass	Satin silver body White glass
JD90	I	20	21	E27	1 x 60w	•	•
JD91	I	20	21	E27	2 x 60w	•	•
JD92	I	20	21	E27	1 x 60w	•	•
JD93	I	20	21	E27	2 x 60w	•	•




JD97 / LINX



JD97



JD98 / LINX




JD98

Metal body with opal bayonet lock-on glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Chrome/ Satin chrome body White glass
JD97	I	20	21	E14	1 x 60w	•
JD98	I	20	21	E14	2 x 60w	•




JE46



JE46




JE47



JE47




JE49



JE49



JE50




JE50

Metal body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 French white/ Gold body Alabaster glass
JE46	I	20	21	E27	2 x 60w	•
JE47	I	20	21	E27	3 x 60w	•
JE49	I	20	21	E27	2 x 60w	•
JE50	I	20	21	E27	3 x 60w	•




JJ163 / LACE-C



JJ163




JJ167 / LACE-D



JJ167




JJ168 / LACE-D



JJ168




JJ164 / LACE-C





JJ164





JJ169 / LACE-D




JJ169

Polyresin body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 French white body Alabaster glass
JJ163	I	20	21	E27	2 x 60w	•
JJ164	I	20	21	E27	3 x 60w	•

Polyresin body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Antique gold body Alabaster glass
JJ167	I	20	21	E27	1 x 60w	•
JJ168	I	20	21	E27	2 x 60w	•
JJ169	I	20	21	E27	3 x 60w	•




JJ152 / LACE-A



JJ152




JJ157 / LACE-A



JJ157




JJ153 / LACE-A



JJ153




JJ158 / LACE-A



JJ158




JJ154 / LACE-A



JJ154



JJ159 / LACE-A




JJ159

Polyresin body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JJ152	I	20	21	E27	1 x 60w	•
JJ153	I	20	21	E27	2 x 60w	•
JJ154	I	20	21	E27	3 x 60w	•

Polyresin body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JJ157	I	20	21	E27	1 x 60w	•
JJ158	I	20	21	E27	2 x 60w	•
JJ159	I	20	21	E27	3 x 60w	•




JG40 / MILAN



JG40




JD11 / FRAME



JD11




JG60 / ZOOT



JG60




JG61 / ZOOT



JG61



JG56 / CASA




JG56

Metal body with frosted glass shade								
Code	Class	IP	QC	Lamp/s			Colour/s	
				Q1 78mm	Base	Max	Satin chrome body White glass	Chrome/ Satin chrome body Alabaster glass
JG40	I	20	21	R7s		150w	•	
JG60	I	20	21		E14	1 x 40w		•
JG61	I	20	21		E27	2 x 60w		•

JD10 Metal body with frosted glass shade								
JG56 Metal body with patterned frosted glass shade								
Code	Class	IP	QC	Lamp/s			Colour/s	
				Base	Max	Satin chrome body Frosted glass		
JD10	I	20	21		E14	1 x 60w		•
JG56	I	20	21	E27		3 x 60w		•




JD12 / STONE



JD12




JD16 / FROST



JD16




JD13 / STONE



JD13



JD17 / FROST




JD17

Metal body with patterned frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JD12	I	20	21	E27	1 x 60w	•
JD13	I	20	21	E27	2 x 60w	•

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JD16	I	20	21	E27	1 x 60w	•
JD17	I	20	21	E27	2 x 60w	•





PF63




PF65

PF65 / LOTUS

Metal body with glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Chrome body White glass
PF65	I	20	21	G9	6 x 40w	•




JY0015



JY0015




JY0016





JY0016



JY0017




JY0017

Metal body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Chrome/clear
JY0015	I	20	24	G9	3 x 40w	•
JY0016	I	20	24	G9	4 x 40w	•
JY0017	I	20	24	E27	1 x 60w	•




JH155 / NOVA



JH155



JH121 / ELTHAM




JH121



JP321 / CHIMES




JP320



JP321




JH131 / CUBOID





JH131








JH132 / CUBOID




JH132

JH155 Metal body with glass tubes and crystal droplets							
JP321 Metal and aluminium body with crystal droplets							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 Chrome body Clear crystal	 Chrome body Glass and crystal droplets
JH155	I	20	20	G9	6 x 40w		•
JP321	I	20	20	G9	6 x 40w	•	

Metal body with crystal droplets								
Code	Class	IP	QC	Base	Lamp/s	 Transformer included (not dimmable)	 Included	Colour/s
					Max			 Chrome body Clear crystal
JH121	I	20	20	G4	12 x 20w	•		•
JH131	I	20	20	G4	9 x 20w	•		•
JH132	I	20	20	G4	17 x 20w	•	•	•




JH122 / ELTHAM



JH122




JH124 / ELTHAM



JH124



JH123 / ELTHAM




JH123

Metal body with crystal droplets							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Transformer included (not dimmable)	Chrome body Clear crystal
JH122	I	20	20	G4	9 x 20w	•	•
JH123	I	20	20	G4	18 x 20w	•	•

Metal body with crystal droplets							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Transformer included (not dimmable)	Chrome body Clear crystal
JH124	I	20	20	G4	24 x 20w	•	•




JH115 / DUFF



JH115




JD38 / ROMA ROUND



JD38



JD39 / ROMA SQUARE



JD39

Metal body with crystal droplets							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included (not dimmable)	Colour/s
JH115	I	20	20	G4	21 x 20w	•	• Chrome body Clear crystal


Metal body with crystal glass shade							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included (electronic)	Colour/s
JD38	I	20	21	G4	3 x 20w	•	• Chrome/ Aluminium body Clear crystal
JD39	I	20	21	G4	4 x 20w	•	•

PENDANTS





LHB009 • LHB010




LHB009 • LHB010




LHB002 / GEAR

Reflector sold separately



LHB002

LHB003 / REFLECTOR




LHB003




LHB004 / GEAR

Reflector sold separately









LHB004

LHB003 / REFLECTOR




LHB004

Cold-forging and pure aluminium						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 2700K - 6500K	Lumen 	Colour/s  Black body/ Clear diffuser
LHB009	I	65	21	50w	5000-6000	•
LHB010	I	65	21	100w	10000-12000	•

LHB002 • LHB004 Die-cast aluminium body only						
LHB003 Aluminium reflector only						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Lumen 	Colour/s  Aluminium
LHB002	I	23	21	1 x 150w	10500	•
LHB003			31			•
LHB004	I	23	21	1 x 200w	14000	•




LHB0001ALBL




LHB0001ALBL




LPN022



LPN022




LHB0002WHBL







LHB0002WHBL






LPN023



LPN023

Aluminium and plastic body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Aluminium/ black  White/ black	
LHB0001ALBL	I	20	21	15w	1300	•	
LHB0002WHBL	I	20	21	50w	4250		•

Aluminium body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3000K = 8w + 4000K = 12w	Lumen 	Colour/s  White
LPN022	I	20	21	20w	1040	•
LPN023	I	20	21	45w	2100	•




LPN028



G 15




LPN027




LPN028




LPN0004W



LPN0004W




LPN0003W






LPN0003W






LPN0005W




LPN0005W

LPN028 Aluminium and silicone body						
LPN0003W Aluminium body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White
LPN028	I	20	21	112w	4900	•
LPN0003W	I	20	21	20w 33w	3500	•

Aluminium body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White
LPN0004W	I	20	21	20w	1120	•
LPN0005W	I	20	21	33w	2380	•



MDY001



MDY001


MDY001
MDY003
F3






MDY002




MDY003




MDY003

Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black outside/ Gold inside
MDY001	I	20	21	13 x 6w	8710	•
MDY003	I	20	21	7 x 6w	4690	•




MDY006






MDY006



MDY007




MDY007

Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Matt white
MDY006	I	20	21	28.8w	1730	•
MDY007	I	20	21	3 x 10.8w	1944	•




MDY008



MDY008




MDY004



MDY004




MDY009







MDY009








MDY005




MDY005

Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Matt white  Matt black/ frosted acrylic lens
MDY008	I	20	21	35 x 2.4w	6300	•
MDY009	I	20	21	35 x 2.4w	6300	•

Metal ceiling cup with glass shade						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black metal  Clear glass Red cable  Copper Clear glass Orange cable
MDY004	I	20	21	12 x 3w	3600	•
MDY005	I	20	21	12 x 3w	3600	•




LPN011






LPN011



LPN0016CH




LPN0016CH

LPN011 Aluminium body and metal base with acrylic lens/s						
LPN0016CH Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Chrome
LPN011	I	20	21	4 x 2.4w	450.40	•
LPN0016CH	I	20	21	5.5w	380	•




MDY010






MDY010











MDY011





MDY011

Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Lumen 	Colour/s  Chrome
MDY010	I	20	21	3x5w	1200	•
MDY011	I	20	21	5x5w	2000	•




MDY012 Metal body with acrylic lens							
LPN0014BL Acrylic and aluminium							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Lumen 	Colour/s  Chrome  Black	
MDY012	I	20	21	3x5w	1200	•	
LPN0014BL	I	20	21	45w	1650		•

Metal body with plastic lens					
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Colour/s  White
LPN020	I	20	21	75w	•
LPN021	I	20	21	24w	•




PF69 / MYRIAD




PF69




LPN024



LPN024




LPN017



LPN017



LPN025




LPN025

PF69 Metal body with decorative glass balls									
LPN017 Aluminium and metal body									
Code	Class	IP	QC	Lamp/s		Feature/s	Lumen	Colour/s	
				LED (Included)	LED (Factory fitted)			White	Chrome/white
PF69	I	20	20	8 x 1w (white)	30 x 0.06w (RGB)	•			•
LPN017	II	20	21				45w	•	

Metal body with acrylic lens						
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s
				LED (Factory fitted)		
LPN024	I	20	21	84w	4980	•
LPN025	I	20	21	96w	5180	•







LPN0006W



LPN0006W • LPN0007CH




LPN0007CH

Aluminium body with acrylic lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White  Chrome	
LPN0006W	I	20	21	60w	2800	•	
LPN0007CH	I	20	21	60w	2800		•




LPN0008RG







LPN0008RG



LPN0015SN




LPN0015SN

LPN0008RG Aluminium body with acrylic lens							
LPN0015SN Iron and aluminium + PC							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K 6000K	Lumen 	Colour/s  Rose gold  Satin nickel	
LPN0008RG	I	20	21	60w	2800	•	
LPN0015SN	I	20	21	30W	2880		•




JC167



JC167




LPN012



LPN012



LPN0010SN



LPN0010SN



F4



JP812


T1



JP815



JP813




JP813

JC167 Metal body with clear crystals				
LPN0010SN Iron and aluminium + glass				
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K
JC167	I	20	20	128w
LPN0010SN	I	20	21	60w

LPN012 Metal body with acrylic lens				
JP813 Metal body with acrylic crystal shades				
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 3200K
LPN012	I	20	21	6 x 4.2w
JP813	I	20	21	6 x 5w




LPN0009CH



LPN0009CH




LCH001 / AVA



LCH001




PF110



PF110



PF126




PF126

LPN0009CH Crystal and stainless steel										
PF110 Metal body with glass shade and crystal drops										
Code	Class	IP	QC	Lamp			Lumen	Feature/s	Colour/s	
				E14	Base LED Factory fitted (colour temperature switching) 4000K/6500K	LED (factory fitted) RGB Colour changing			Dimmable	Chrome
LPN0009CH	I	20	24		20W		1600	•	•	
PF110	I	20	20	3 x 40w		48 x 0.1w		•		•

LCH001 Metal body with K9 crystal droplets										
PF126 Metal body with acrylic shade										
Code	Class	IP	QC	Lamp/s		Lumen	Colour/s		Remote included	Dimmable
				LED (Factory fitted) 4000K	36 x 2w		Chrome body clear crystal	White		
LCH001	I	20	21		36 x 2w	8640	•			
PF126	I	20	21	36 x 2w		8640				•




LCH002 / AVA






LCH002



LCH003 / AVA




LCH003


Metal body with K9 crystal droplets						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Chrome body clear crystal
LCH002	I	20	21	14 x 2w	1540	•
LCH003	I	20	21	9 x 2w	990	•




JC161 • JC162




JC161








JC162



JP326




JP326

JC161 • JC162 Aluminium body									
JP326 Metal body									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Remote control  Included	Lumen 	Colour/s  White  Grey		
JC161	I	20	21	60w	•	3800	•	•	•
JC162	I	20	21	25w	•	1600	•	•	•
JP326	I	20	21	36w		3960	•		




PF127






PF127



PF128




PF128

Metal body with acrylic shade						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White
PF127	I	20	21	9 x 2w	2610	•
PF128	I	20	21	12 x 2w	3120	•




JC26/22 / CUP







JC26/01 / REFLECTOR 12"




JC26/22




JC26/01

JC26/01 Prismatic acrylic reflector									
JC26/22 Metal body with plastic ceiling cup									
Code	Class	IP	QC	 E27	 Lamp/s Compact fluorescent	 Ballast Included	 Clear	 Black body Black cord and cup	 Satin chrome body Black cord and cup
JC26/01			32				•		
JC26/22	I	20	32	100w	26w	•		•	•




JC28/22




JC28/01




JC28/04 DROP LENS



JC28/24 GEAR



JC28/04




JC28/24

JC28/01 Prismatic acrylic reflector		
JC28/04 Prismatic acrylic lens with metal ring		
Code	JC28/01	JC28/04
QC	32	32
Colour/s		
Clear lens		•
Chrome ring		•
Clear	•	
Specifications	250w HID	250w HID
MAX		


JC28/22 Metal housing with plastic ceiling cup		
Code	JC28/22	JC28/24
Class	I	I
IP	20	20
QC	32	32
230v lamp/s		
230v E40 ESL	65w	65w
HID lamp/s		
230v HPS E27	70w	70w
E40	150w	150w
	250w	250w
	400w	400w
230v Metal halide E27	70w	70w
	150w	150w
E40	250w	250w
	400w	400w
230v Mercury vapour E27	80w	80w
	125w	125w
E40	250w	250w
	400w	400w
Gear Included	•	•
Required	•	
Colour/s		
Satin chrome body Black cord and cup	•	
Satin chrome/grey body Black cord and cup		•



PF0012WH



PF0012GY



PF0012WH • PF0012GY

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	White	Grey
PF0012WH	I	20	21	E27	40w	•	
PF0012GY	I	20	21	E27	40w		•




PF0013WH



PF0013GY



PF0013GR



PF0013WH • PF0013GY • PF0013GR

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White/ Satin nickel	Grey/ copper	Green/ copper
PF0013WH	I	20	21	E27	40w	•		
PF0013GY	I	20	21	E27	40w		•	
PF0013GR	I	20	21	E27	40w			•




PF0014WH



PF0014GY



PF0014GR



PF0014WH • PF0014GY
PF0014GR




PF0015WH



PF0015GY



PF0015BL




PF0015WH • PF0015GY
PF0015BL

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White/ Satin nickel	Grey/ copper	Green/ copper
PF0014WH	I	20	21	E27	40w	•		
PF0014GY	I	20	21	E27	40w		•	
PF0014GR	I	20	21	E27	40w			•

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White	Grey	Black
PF0015WH	I	20	21	E27	40w	•		
PF0015GY	I	20	21	E27	40w		•	
PF0015BL	I	20	21	E27	40w			•



PF0015Y




PF0015Y • PF0015GR



PF0015GR



PF0015PK



PF0015PK • PF0015RST



PF0015RST

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Yellow	Green
PF0015Y	I	20	21	E27	40w	•	
PF0015GR	I	20	21	E27	40w		•

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Pink	Rust
PF0015PK	I	20	21	E27	40w	•	
PF0015RST	I	20	21	E27	40w		•




PF0016WH



PF0016GY



PF0016BL



PF0016WH • PF0016GY • PF0016BL


Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	White	Grey	Black
PF0016WH	I	20	21	E27	40w	•		
PF0016GY	I	20	21	E27	40w		•	
PF0016BL	I	20	21	E27	40w			•



PF0016Y



PF0016GR



PF0016Y • PF0016GR


Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Yellow	Green	
PF0016Y	I	20	21	E27	40w	•		
PF0016GR	I	20	21	E27	40w			•







PF0016PK



PF0016RST



PF0016PK • PF0016RST


Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
PF0016PK	I	20	21		40w	•	
PF0016RST	I	20	21		40w		•







PF0017CHP



PF0017SN




PF0017CHP • PF0017SN

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
PF0017CHP	I	20	24		40w	•	
PF0017SN	I	20	24		40w		•




JC40





JC40



JC43




JC43

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC40	II	20	21	 E27	60w	•
JC43	II	20	11	 E27	60w	•




JC56





JC56



PF0006




PF0006

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC56	II	20	11	 E27	60w	•
PF0006	II	20	11	 E27	60w	•




JC06



JC06




JC08



JC08




JC07





JC07





JC52




JC52

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC06	II	20	21		60w	•
JC07	II	20	11		60w	•



Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC08	II	20	21		60w	•
JC52	II	20	21		60w	•



JC51




JC51

Metal body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC51	II	20	21		60w	 Satin chrome body/glass lens




JH134 / ORB






JH134



JQ14




JQ14

JH134 Metal body with aluminium shade						
JQ14 Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH134	I	20	21		40w	 Chrome
JQ14	I	20	21	E27	8w	 Rose gold




JG12 / GEMINI



JG12



JG13 / GEMINI



JG13




JC01 / STUDIO

E 13-14



JF259 - JF269




JC01

Metal body with reflective/clear glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body Chrome/clear shade	Gold body Gold/clear shade
JG12	I	20	32	E27	60w	•	
JG13	I	20	32	E27	60w		•

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	Satin chrome
JC01	I	20	21	E27	60w	•




JC300/01
Lamps not included
Length: 1m



JC300/01




JC302
Lamps not included



JC302




PB12 / FIESTA



PB12



PB15 / FINE




PB15

JC300/01 Metal body						JC302 Aluminium + oxidation cup and cord					
Code	Class	IP	QC	Lamp/s		Colour/s					
				Base	Max	White	Copper	Matt black	Black	Matt gold	Matt silver
JC300/01	II	20	22	E27	40w	•	•	•	•	•	•
JC302	I	20	21	E27	40w				•		

Metal body with frosted glass shade										
Code	Class	IP	QC	Lamp/s		Colour/s				
				Base	Max	Satin silver body Red glass	Satin silver body White glass	Satin chrome body Amber glass	Satin chrome body White glass	
PB12	I	20	21	E27	60w			•	•	
PB15	I	20	21	G9	40w	•	•			




PB13 / MOCCA





PB13



PB20




PB20

PB13 Metal body with frosted or opal glass shade.							
PB20 Metal body with glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 Satin chrome body Frosted white glass	 Chrome body White shade
PB13	I	20	21	E27	60w	•	
PB20	I	20	20	E27	60w		•




JC177W



JC177W



JC178W




JC178W

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC177W	I	20	21	E27	28w	•
JC178W	I	20	21	E27	28w	•




JC176W



JC176W




JC83 / WEDGE



JC83



JH166 / CAS



JH166




PF63 / LOTUS

G 85



PF65




PF63

JC176W Metal body					JH166 Metal body with acrylic shade				
Code	Class	IP	QC	Lamp/s		Colour/s		White	Chrome body Frosted shade
				Base	Max				
JC176W	I	20	21	E27	28w	•			
JH166	I	20	21	E27	60w				•

JC83 Metal cup with plastic shade					PF63 Metal body with glass shades				
Code	Class	IP	QC	Lamp/s		Colour/s		Satin chrome body White shade	Chrome body White glass
				Base	Max				
JC83	I	20	21	E27	3 x 60w	•			
PF63	I	20	21		G9 8 x 40w				•




JC25



JC25




JC94




JC94




JH65 / ANAYA







JH65







JC0003BL • JC0003CP




JC0003BL • JC0003CP

JC25 Metal body and shade									
JH65 Metal body with metal, embossed polyresin and glass shade									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max				
JC25	I	20	20	E27	60w	•	•		
JH65	I	20	21	E27	40w			•	•

JC94 Metal body with opal glass shade									
JC0003CP • JC0003BL Metal body									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max				
JC94	I	20	21	E27	1 x 60w				•
JC0003CP	I	20	20	E27	4 x 60w	•			
JC0003BL	I	20	20	E27	4 x 60w		•		




JC102





JC102






JC103




JC103

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC102	I	20	21	 E14	40w	 Grey

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC103	I	20	21	 E14	40w	 Sand grey



JC105




JC105

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC105	I	20	21	E14	40w	•




JC106



JC106




JC107



JC107



JC108




JC108

Metal ceiling plate with concrete shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JC106	I	20	21	E14	40w	•	
JC107	I	20	21	E14	40w		•
JC108	I	20	21	E14	40w		•




JC109



JC109




JC112



JC112



JC113




JC113

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC109	I	20	21	E14	3 x 40w	• Grey



Metal ceiling plate with concrete shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Grey	Sand grey
JC112	I	20	21	E14	40w	•	•
JC113	I	20	21	E14	40w	•	•



JC116




JC116

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Sand grey
JC116	I	20	21	E14	40w	•




JC118





JC118



JC119




JC119

Metal ceiling plate with concrete shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	 Grey	 Sand grey
JC117	I	20	21	E14	40w	•	
JC118	I	20	21	E14	40w		•
JC119	I	20	21	E14	40w		•




JC120



JC120



JC121




JC121

Metal ceiling plate with concrete shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC120	I	20	21	E14	40w	•
JC121	I	20	21	E14	40w	•




JC122



JC122



JC124




JC124

Metal ceiling plate with concrete shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Grey	Sand grey
JC122	I	20	21	E14	3 x 40w	•	
JC124	I	20	21	E14	4 x 40w		•




JH45





JH45



JH46




JH46

Aluminium body with frosted glass lens							
Code	Class	IP	QC	Base	Lamp/s	Ballast included	Colour/s
				 G10q	Max		 Aluminium
JH45	I	20	21	Circline T9	1 x 32w	•	•
JH46	I	20	21	Circline T9	32w + 40w	•	•




JH200 / RAE




JH200



JH201 / RAI




JH201

Stainless steel body							
Code	Class	IP	QC	Lamp/s		Ballast included	Colour/s
				Base	Max		 Stainless steel
JH200	I	20	21	E27	60w	•	•
JH201	I	20	21	E27	60w	•	•



PF107 / HELIX



PF107


Metal body							
Code	Class	IP	QC	Base	Lamp/s Max	Driver included	Colour/s
PF107	I	20	21	G4	16 x 20w	•	• Chrome




JC17




JF400 • JF401



JC17



JC125




JC125

Metal body with fabric shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body Grey shade	White
JC17	I	20	21	E27	60w	•	•
JC125	I	20	20	E27	60w		•




JQ12






JQ12



JQ13




JQ13

JQ12 Metal body with grid cover				JQ13 Metal body and glass shade with grid cover				
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JQ12	I	20	21	E27	40w	•		
JQ13	I	20	21	E27	40w		•	•




JC15





JC15



JC16




JC16

JC15 Metal body with glass shade				JC16 Metal body				
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JC15	I	20	21	E27	60w	•		
JC16	I	20	21	E27	60w		•	




PF200



PF200




PF202



PF202



PF201



PF201

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF200	I	20	21	E27	40w	•
PF202	I	20	21	E27	40w	•

Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF201	I	20	21	E27	40w	•


Recommended décor lamps to compliment above fitting:



CFL003 CFL004 CFL006 LED0035 LED0040




PF203



PF203




PF204



PF204



PF205



PF205

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF203	I	20	21	E27	40w	•
PF204	I	20	21	E27	40w	•

Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF205	I	20	21	E27	60w	•


Recommended décor lamps to compliment above fitting:



CFL003 CFL004 CFL006 LED0035 LED0040



JC150




JC150

JC150
JC151
F 14



JC152 · JC158



JC151



JC151

Metal body and shade with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC150	I	20	21	E27	1 x 40w	•
JC151	I	20	21	E14	2 x 40w	•

Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040




JC153

F 16




JP0005-BLC



JC153



JC154



JC154

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC153	I	20	21	E27	40w	•
JC154	I	20	21	E27	40w	•


Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040




JC155



JC155




JC156



JC156



JC157



JC157

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC155	I	20	21	E27	40w	•
JC156	I	20	21	E27	40w	•

Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC157	I	20	21	E27	3 x 40w	•


Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040




PF0007BL



PF0007BL



PF0008BL




PF0008BL

Metal body + rope						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF0007BL	I	20	24	E27	60w	•
PF0008BL	I	20	24	E27	60w	•



PF0009BL



PF0009BL

Metal body + glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF0009BL	I	20	24	E27	60w	•



JP0003-BLC

F 16




JP0005-BLC

H 76




JC153



JP0003-BLC



JP0002-BLC



JP0002-BLC

JP0002-BLC
JP0004-BLC

F 16



JP0005-BLC

JP0002-BLC
JP0004-BLC


H 76



JC153



JP0004-BLC



JP0004-BLC

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP0003-BLC	I	20	21	E27	40w	• Black/ chrome

Recommended décor lamps to compliment above fitting:



CFL003 CFL004 CFL006 LED0035 LED0040

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP0002-BLC	I	20	21	E27	3 x 40w	•
JP0004-BLC	I	20	21	E27	3 x 40w	•


Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040




JC179GY



JC179GY




JC0001GYC



JC0001GYC




JC180GY



JC180GY



JC0002GYC




JC0002GYC

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC179GY	I	20	21	E27	28w	•
JC180GY	I	20	21	E27	28w	•

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC0001GYC	I	20	21	E27	28w	•
JC0002GYC	I	20	21	E27	28w	•




JC142




JC142




JC149



JC149



JC146



JC146

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC142	I	20	21	E27	40w	•
JC149	I	20	21	E27	40w	•

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Glass colour options		
JC146	I	20	21	E27	40W	•	•	•


Recommended décor lamps to compliment above fitting:



CFL003 CFL004 CFL006 LED0035 LED0040




JC147



JC147




JC148






JC148



JC169



JC169


Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JC147	I	20	21	E27	40w	•	•	•
JC148	I	20	21	E27	40w	•	•	•

Recommended décor lamps to compliment above fittings:



CFL003 CFL004 CFL006 LED0035 LED0040

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC169	I	20	21	E27	40w	•




PF0003CH • PF0003RG
PF0003W

PF0003
PF0004
F 16



PF0001




PF0003CH • PF0003RG
PF0003W




PF0002CH • PF0002RG
PF0002W

PF0002 • PF0005
F 16




PF0001



PF0002CH • PF0002RG
PF0002W




PF0004CH • PF0004RG
PF0004W







PF0004CH • PF0004RG
PF0004W







PF0005CH • PF0005RG
PF0005W




PF0005CH • PF0005RG
PF0005W

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base 	Max			
PF0003CH	I	20	20	E27	2 x 60w		•	
PF0003RG	I	20	20	E27	2 x 60w			•
PF0003W	I	20	20	E27	2 x 60w	•		
PF0004CH	I	20	20	E27	3 x 60w		•	
PF0004RG	I	20	20	E27	3 x 60w			•
PF0004W	I	20	20	E27	3 x 60w	•		

Metal body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base 	Max			
PF0002CH	I	20	20	E27	60w		•	
PF0002RG	I	20	20	E27	60w			•
PF0002W	I	20	20	E27	60w	•		
PF0005CH	I	20	20	E27	8 x 60w		•	
PF0005RG	I	20	20	E27	8 x 60w			•
PF0005W	I	20	20	E27	8 x 60w	•		




JC135



JC135




JC166




JC166

JC135 Metal body with glass shade							
JC166 Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black/white	Black
JC135	II	20	21	E27	60w		•
JC166	I	20	21	E27	1 x 40w	•	




JC139



JC139





JC141




JC141


Metal shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	Black
JC139	II	20	21	E27	60w	•
JC141	II	20	21	E27	60w	•




PRT0022




PRT0025

Metal body with aluminium shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PRT0022	II	20	24	 E27	60w	• Black

Metal body with aluminium shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PRT0025	II	20	24	 E27	60w	• Black




JC143




JC143




PF17



PF17




PRT0026



PRT0026




JG09



JG09

Metal body with grid cover						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JC143	I	20	21	E27	60w	•
PF17	I	20	21	E27	60w	•

PRT0026 Metal body with wood and aluminium shade						
JG09 Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PRT0026	II	20	24	E27	60w	•
JG09	I	20	21	E27	60w	•




F13

JJ60


G65

JJ61 • JJ62

JJ64



JJ64




F13

JE40







G64

JE41

JE43




JE43

Metal body with alabaster glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JJ64	I	20	21	E27	5 x 60w		
JE43	I	20	21	E27	3 x 60w		




JP0001-BLR









JP0001-BLR



JP199 / POOL




JP199

JP0001-BLR Metal body plus rope							
JP199 Metal body with frosted glass shades							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP0001-BLR	I	20	21	E27	1 x 40w		
JP199	I	20	21	E27	3 x 60w		



PRT0023




PRT0023

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PRT0023	II	20	24	E27	60w	•




PRT0020



PRT0020



PRT0021




PRT0021

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PRT0020	II	20	24	E27	60w	•
PRT0021	II	20	24	E27	60w	•




PF125



PF125



PF120




PF120

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF125	I	20	21	GU10 PAR16	4 x 35w	•
PF120	I	20	21	GU10 PAR16	1 x 35w	•




PF90 / GLACE



PF90




PF91 / GLACE




PF91

Metal body with crystal glass shades							
Code	Class	IP	QC	Base	Lamp/s	Transformer included (electronic)	Colour/s
					Max		Chrome body Clear crystal
PF90	I	20	11	G4	1 x 20w	•	•
PF91	I	20	11	G4	4 x 20w	•	•




PF92 / GLACE



PF92



JH185 / RIB




JH185

Metal body with crystal glass shades							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included (electronic)	Colour/s
PF92	I	20	11	G4	8 x 20w	•	•

Metal body with glass shade						
Code	Class	IP	QC	Base	Lamp/s Max	Colour/s
JH185	I	20	21	E27	2 x 40w	•




JH186 / CIRCLE



JH186



JH184 / ISLAND



JH184


JH184 • JH187
 F 25



JH181




JH189 / CIRCLE



JH189



JH187 / ISLAND



JH187

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH186	I	20	21	E27	2 x 40w	•
JH189	I	20	21	E27	3 x 40w	•

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH184	I	20	21	E27	1 x 40w	•
JH187	I	20	21	E27	2 x 40w	•




JH190 / ISLAND

F 25




JH181



JH190




JH148 / SUPREME



JH148



JH149 / SUPREME




JH149

Metal body with glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH190	I	20	21	E27	3 x 40w	•

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH148	I	20	20	E14	4 x 40w	•
JH149	I	20	20	E14	7 x 40w	•




KTM004



KTM004



KTM005




KTM005

Crystal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
KTM004	I	20	21	E14	3 x 40w	•

Crystal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
KTM005	I	20	21	E14	6 x 40w	•




KD63 / TONI



KD63




KD64 / TONI



KD64



KA51 / TROFFER




KA51

KD63 Aluminium and plastic body with plastic lens								
KD64 Aluminium and plastic body with plastic grill								
Code	Class	IP	QC	Base Fluorescent tube T8	Lamp/s Max	Ballast included	Colour/s Satin silver White	
KD63	I	20	32	G13	2 x 36w	•	•	
KD64	I	20	32	G13	2 x 36w	•	•	•

Aluminium body and reflector											
Code	Class	IP	QC	Base Fluorescent tube T5	Lamp/s Max	Ballast included	Mounting option/s As surface As pendant		Accessories Joiner ZJNR001 TP Track & accessories D.2		Colour/s Aluminium
KA51	I	20	20	G5	1 x 80w	•	•	•	•	TP001	•



KD66 / MONRO



KD66




Colour options for KD66


Aluminium body with plastic lens								
Code	Class	IP	QC	Base Fluorescent tube tube T5	Lamp/s Max	Ballast included (electronic)	Colour/s	
							Satin silver body Blue strip	Satin silver body White strip
KD66	I	20	32	G5	1 x 28w	•	•	•




KD65 / MONRO



KD65




KD67 / FUZZI



KD67

Colour options for KD67






KD65 Aluminium body with plastic lens											
KD67 Aluminium and plastic body with plastic lens											
Code	Class	IP	QC	Base Fluorescent tube tube T5	Lamp/s Max	Ballast included (electronic)	Colour/s				
							Satin silver	Satin silver body Blue lens	Satin silver body Green lens	Satin silver body Red lens	Satin silver body White lens
KD65	I	20	32	G5	2 x 28w	•	•				
KD67	I	20	32	G5	1 x 28w	•		•	•	•	•



CHANDELIERS






Metal body with acrylic crystal shades							
Code	Class	IP	QC	Voltage	Lamp/s	Lumen	Colour/s
					LED (Factory fitted) 3200K		Chrome body/ Clear acrylic crystal shades
JP815	I	20	21	230	9 x 5w	3600	•

Metal body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						Chrome body/ Clear crystals
JP307	I	20	22	G9	4 x 40w	•
JP308	I	20	22	G9	3 x 40w	•




JDF0001



JDF0001




JDF0003



JDF0003




JDF0002



JDF0002



JDF0004




JDF0004

Metal and chrome body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JDF0001	I	20	21	E14	7 x 40W	•
JDF0002	I	20	21	E14	4 x 40W	•

Metal and chrome body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JDF0003	I	20	21	E14	6 x 40W	•
JDF0004	I	20	21	E14	12 x 40W	•




PF39 / SWIRL





PF39






PF74 / BELL




PF74

Metal body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF39	I	20	20	 GU10 PAR16	12 x 50w	 Chrome body Clear crystal droplets

Metal and stainless steel body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF74	I	20	20	 GU10 PAR16	9 x 50w	 Chrome body Clear crystal droplets




PF25 / CASCADE





PF25





PF103




PF103

Metal body with crystal beads and drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF25	I	20	21	 GU10 PAR16	10 x 50w	 Chrome body/ Clear crystals

Metal body with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF103	I	20	20	 GU10 PAR16	5 x 50w	 Chrome body/ Clear crystals




PF47





PF47






PF79




PF79

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF47	I	20	20		4 x 50w	 Chrome body/ Clear crystals


Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF79	I	20	20		12 x 50w	 Chrome body/ Clear crystals




PF76





PF76





PF77




PF77

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF76	I	20	20		7 x 50w	 Chrome body/ Clear crystals

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF77	I	20	20		7 x 50w	 Chrome body/ Clear crystals




PF84





PF84





PF86




PF86

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF84	I	20	20		10 x 50w	• 



Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF86	I	20	20		7 x 50w	• 



PF87




PF87

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF87	I	20	20	 GU10 PAR16	9 x 50w	 Chrome body/ Clear crystals




PF93





PF93



PF300




PF300

Metal body with clear crystals						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF93	I	20	20	 GU10 PAR16	7 x 50w	•
PF300	I	20	20	 GU10 PAR16	7 x 50w	•




PF106



PF106




PF104



PF104




PF101



PF101




PF40




PF40

PF106 Metal body with crystal drops						
PF101 Metal body with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF106	I	20	20	GU10 PAR16	9 x 50w	•
PF101	I	20	20	GU10 PAR16	9 x 50w	•

PF104 Metal body with clear bubble glass							
PF40 Metal body with crystal droplets							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Chrome body/clear (bubble) glass	Chrome body/Clear crystals
PF104	I	20	20	GU10 PAR16	5 x 50w	•	
PF40	I	20	20	GU10 PAR16	3 x 50w		•



PF100




PF100

Steel body with glass shade							
Code	Class	IP	QC	Lamp/s		Transformer included (not dimmable)	Colour/s
				Base	Max		
PF100	I	20	22	G4	10 x 10w	•	•



PF97 / ECLIPSE ROUND




PF97

Metal body, acrylic shade with crystal drops							
Code	Class	IP	QC	Lamp		Colour/s	
				Base	Max		
PF97	I	20	21	E14	5 x 60w	•	




PF81 / ARBRE




PF81


PF81 • PF82
PF83




PF80




PF82 / ARBRE



PF82



PF83 / ARBRE




PF83

Metal body with crystal shade and beads								
Code	Class	IP	QC	Lamp/s		Transformer		Colour/s
				Base	Max	Included	Not dimmable	
PF81	I	20	21	G4	8 x 20w	•	•	•
PF82	I	20	21	G4	12 x 20w	•	•	•

Metal body with crystal shade and beads								
Code	Class	IP	QC	Lamp/s		Transformer	Feature	Colour/s
				Base	Max			
PF83	I	20	21	G4	12 x 20w	•	•	•



JH116 / BODIUM



JH116

Metal body with crystal droplets							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included (not dimmable)	Colour/s
JH116	I	20	20	G4	18 x 20w	•	•




JP430 / MADLYN




JP428 - JP429

JP430 - JP431
JP432
F 26




JP430

Metal body with white glass shades						
Code	Class	IP	QC	Base	Lamp/s Max	Colour/s
JP430	I	20	21	E14	3 x 60w	•



JP431




JP432



JH80 • JH81
JH82
F 28



JH78 • JH79




JH80

Metal body with white glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP431	I	20	21	E14	6 x 60w	•
JP432	I	20	21	E14	9 x 60w	•

Metal body with opal glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH80	I	20	11	E14	3 x 40w	•




JH81 / TULIP



JH81




JP436 / SASHA



JP436




JH82 / TULIP



JH82



JP437 / SASHA



JP437

JP436 • JP437

F 27




JP435

Metal body with opal glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH81	I	20	11	E14	6 x 40w	•
JH82	I	20	11	E14	9 x 40w	•




Metal body with glass shade/s						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP436	I	20	21	E14	3 x 40w	•
JP437	I	20	21	E14	5 x 40w	•



JH110 / TELLUS




JH110

Metal body with PVC or fabric shade								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JH110	I	20	21	E14	9 x 60w	•	•	•



JP241 / BALI



JP241

JP241 • JP242


 F 19





JP240






JP242 / BALI






JP242

Wrought iron body								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JP241	I	20	21	E14	6 x 60w	•		
JP242	I	20	21	E14	8 x 60w	•	•	



Wrought iron body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
				 E14		 Antique bronze
JP243	I	20	21	E14	12 x 60w	•




Metal and polyresin body, alabaster glass shade with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
				 E27		 Bronze body Amber glass Clear crystal
JP072	I	20	21	E27	6 x 60w	•
JP073	I	20	21	E27	8 x 60w	•



JP074 / REAL

JP074 • JP075




JP070 • JP071

JP074 • JP075




JJ46



JP074



JP075 / REAL



JP075


Metal and polyresin body, alabaster glass shade with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP074	I	20	21	E27	12 x 60w	•
JP075	I	20	21	E27	21 x 60w	•



Bronze body
Amber glass
Clear crystal




JP058 / OPERA



JP058



JP059 / OPERA



JP059


Metal body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP058	I	20	21	E27	6 x 60w	•
JP059	I	20	21	E27	9 x 60w	•



Antique bronze body
Amber glass




JP152 / FIRL

JP152 • JP153
 F 21




JP150 • JP151



JP152



JP153 / FIRL




JP153

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP152	I	20	21	E27	3 x 60w	•

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP153	I	20	21	E27	5 x 60w	•




JP154 / FIRL




JP154




JP441 / EBELE



JP441

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP154	I	20	21	E27	9 x 60w	 Antique bronze body Cream glass

Metal body with glass shade/s						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP441	I	20	21	E27	3 x 60w	 Black body Cream glass




JP442 / EBELE

JP442 • JP443
F 23




JP440



JP442



JP443 / EBELE



JP443

Metal body with glass shade/s						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP442	I	20	21	E27	5 x 60w	•
JP443	I	20	21	E27	9 x 60w	•




JP0006-BL

JP0006
JP0007
F 17




JP0009-BL



JP0006-BL



JP0007-BL



JP0007-BL

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP0006-BL	I	20	21	E27	3 x 40w	•
JP0007-BL	I	20	21	E27	5 x 40w	•




JP0008-BL

F 17



JP0009-BL



JP0008-BL




JP0010-BL

F 17



JP0013-BL



JP0010-BL

Metal body							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP0008-BL	I	20	21		8 x 40w	•	
JP0010-BL	I	20	21		5 x 40w	•	




JP0011-BL

JP0011
JP0012

F 17




JP0013-BL



JP0011-BL



JP0012-BL




JP0012-BL

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP0011-BL	I	20	21		3 x 40w	•
JP0012-BL	I	20	21		8 x 40w	•




JP0014-BL



JP0014-BL



JP0015-BL



JP0015-BL




JP425 / BEAU

F 23



JP424




JP425

Metal body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP0014-BL	I	20	21	E14	3 x 40w	• Black
JP0015-BL	I	20	21	E14	6 x 40w	•

Metal body with alabaster glass shades							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP425	I	20	21	E27	3 x 60w	• French white body White glass shades	• Antique bronze body White glass shades



JP426 / BEAU



JP426


JP426 - JP427
F 23









JP424



JP427 / BEAU



JP427

Metal body with alabaster glass shades							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
JP426	I	20	21	E27	5 x 60w		
JP427	I	20	21	E27	9 x 60w		




JP421 / ALBERTO



F 24



JP420



JP421

Metal body with clear glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP421	I	20	21	E14	4 x 40w	 Brown body Clear glass




JP422 / ALBERTO

JP422 • JP423
F 24



JP420



JP422




JP512

JP512 • JP513
F 30




JP510



JP512




JP423 / ALBERTO



JP423



JP513



JP513


Metal body with clear glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP422	I	20	21	E14	6 x 40w	•
JP423	I	20	21	E14	8 x 40w	•

Metal body with clear glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP512	I	20	21	E27	3 x 40w	•
JP513	I	20	21	E27	5 x 40w	•





JP514

JP510




JP514

Metal body with clear glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Black body/ Clear glass
JP514	I	20	21	E14	9 x 40w	•



JP516



JP516

JP516 - JP517


F 30





JP515



JP517




JP517

Metal body with clear glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Black body/ Clear glass
JP516	I	20	21	E27	3 x 40w	•
JP517	I	20	21	E27	5 x 40w	•





JP519

JP515



JP519


Metal body with clear glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Black body/ Clear glass
JP519	I	20	21	E27	9 x 40w	•



JP194 / ARUM




JP191 - JP192





JP194



JP195 / ARUM




JP195

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
						 Charcoal body Frosted glass shade
JP194	I	20	21	E27	3 x 60w	•
JP195	I	20	21	E27	5 x 60w	•



JP196 / ARUM



JP196


JP196 • JP197
F 22



JP191 • JP192



JP197 / ARUM



JP197

Metal body with frosted glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP196	I	20	21	E27	9 x 60w	•
JP197	I	20	21	E27	21 x 60w	•




JH102 / SCROLL

F 25



JH100 • JH101




JH102

Metal body with crackle glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH102	I	20	21	E14	3 x 60w	•



JH103 / SCROLL



JH103


JH103 - JH104
F 25



JH100 - JH101



JH104 / SCROLL




JH104

Metal body with crackle glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JH103	I	20	21	E14	5 x 60w	•
JH104	I	20	21	E14	8 x 60w	•



JP160 - JP161

JP162 / CALICE



JP162

Metal body with alabaster glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP162	I	20	21	E27	3 x 60w	•




JP163 / CALICE

JP163 • JP164

F 29




JP160 • JP161



JP163



JP164 / CALICE




JP164

Metal body with alabaster glass shades						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP163	I	20	21	E27	6 x 60w	•
JP164	I	20	21	E27	9 x 60w	•




JP503

F 32




JP504



JP503




JP506




JP506


Metal body with K9 crystal drops							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black body/ Clear glass	Antique bronze
JP503	I	20	31	E14	8 x 40w	•	
JP506	I	20	31	E14	11 x 40w		•



JP171




JP172




PF42

Metal body with crystal trim						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP171	I	20	31	E14	6 x 40w	•
JP172	I	20	31	E14	8 x 40w	•

Metal body with glass teardrop beads						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF42	I	20	21	G4	14 x 10w	•




PF33 / ENERGY




PF33




PF71 / HELIX



PF71




PF34 / ENERGY



PF34




PF72 / HELIX




PF72

Metal body with crystal beads							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included (electronic)	Colour/s
PF33	I	20	21	G4	25 x 10w	•	•
PF34	I	20	21	G4	40 x 10w	•	•

Metal body with crystal trim							
Code	Class	IP	QC	Base	Lamp/s Max	Transformer included	Colour/s
PF71	I	20	21	G4	18 x 10w	•	•
PF72	I	20	21	G4	24 x 10w	•	•




PF73 / HELIX



PF73



PF49 / ROSSE




PF49

Metal body with crystal trim								
Code	Class	IP	QC	Lamp/s				Colour/s
				Base	Max	Transformer included	Transformer not dimmable	
PF73	I	20	21	G4	30 x 10w	•	•	•

Metal body with clear crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
PF49	I	20	20	G9	5 x 40w	•




JPC001



JPC001




JPC002



JPC002



JPC003




JPC003

Metal body with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JPC001	I	20	21	E14	6 x 40w	•
JPC002	I	20	21	E14	8 x 40w	•
JPC003	I	20	21	E14	6 x 40w	•




JPC004



JPC004



JPC005




JPC005

Metal body with crystal drops							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Rose gold body/ amber crystal	Matte bronze body/ clear crystal
JPC004	I	20	21	E14	15 x 40w	•	
JPC005	I	20	21	E14	6 x 40w		•




JP500 / ASH




JP500




JP502 / ASH




JP502

Metal body with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP500	I	20	21	E14	18 x 40w	 Chrome body/clear crystal

Metal body with crystal drops						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP502	I	20	21	E14	18 x 40w	 Black body/clear crystal




JP315 / PANACHE



JP315




JP316 / PANACHE



JP316



JP317 / PANACHE




JP317

Metal and crystal body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP315	I	20	20	E14	3 x 40w	•
JP316	I	20	20	E14	5 x 40w	•


Metal and crystal body with crystal droplets						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP317	I	20	20	E14	8 x 40w	•

JP217 / DREAM







JP217

JP091 / RICHMOND




JP091

Crystal body with metal trim								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max			
JP217	I	20	21	E14	18 x 40w	•	•	•

Crystal body with metal trim						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	 Chrome trim Clear crystal
JP091	I	20	31	E14	5 x 40w	•




JP024 / TOLEDO



JP024



JP026 / TOLEDO



JP026




JP211 / TOLEDO

F 34




JP211



JP211

Crystal body with metal trim						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
JP024	I	20	21	E14	8 x 40w	•
JP026	I	20	21	E14	12 x 40w	•

Crystal body with metal trim									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	Brass trim Clear crystal	Chrome trim Black crystal	Chrome trim Clear crystal	Chrome trim Red crystal
JP211	I	20	21	E14	5 x 40w	•	•	•	•




JP212 / TOLEDO

JP212 • JP213
 F 34




JP210



JP212



JP213 / TOLEDO




JP213

Crystal body with metal trim								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Chrome trim Black crystal	Chrome trim Clear crystal	Chrome trim Red crystal
JP212	I	20	21	E14	8 x 40w	•	•	•


Crystal body with metal trim								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Chrome trim Black crystal	Chrome trim Clear crystal	Chrome trim Red crystal
JP213	I	20	21	E14	12 x 40w	•	•	•

FOOT LIGHTS






KJ36A



KJ36A




KJ36G



KJ36G




KJ37A



KJ37A




KJ37G



KJ37G




KJ34A



KJ34A




KJ34G



KJ34G




KJ35A



KJ35A



KJ35G




KJ35G

Die-cast aluminium body, stainless steel cover with plastic lens & wall box									
Code	Class	IP	QC	Lamp/s	Amperage	Cutout	Features	Lumen	Colour/s
				LED (Factory fitted) 5000K	20mA	(mm)	Spring clips supplied for dry-wall installation		Stainless steel
KJ36A	I	54	33	1.93w	•	101 x 36	•	117	•
KJ36G	I	54	33	1.93w	•	101 x 36	•	117	•
KJ37A	I	54	33	2.73w	•	160 x 55	•	215	•
KJ37G	I	54	33	2.73w	•	160 x 55	•	215	•

Die-cast aluminium body, stainless steel cover with plastic lens & wall box									
Code	Class	IP	QC	Lamp/s	Amperage	Cutout	Features	Lumen	Colour/s
				LED (Factory fitted)	20mA	(mm)	Spring clips supplied for dry-wall installation		Stainless steel
KJ34A	I	54	33	2w	•	64 x 64	•	105.9	•
KJ34G	I	54	33	2w	•	64 x 64	•	105.9	•
KJ35A	I	54	33	2.85w	•	96 x 96	•	231	•
KJ35G	I	54	33	2.85w	•	96 x 96	•	231	•




KJ38



KJ38




KJ40



KJ40




KH26



KH26




KH27






KH27






KH28




KH28

Plastic base and UV stabilized polycarbonate diffuser						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3000K	Lumen 	Colour/s  Dark grey
KJ38	II	65	23	4w	270	•
KJ40	II	65	23	4w	270	•

Die-cast aluminium body, glass lens with plastic sleeve										
Code	Class	IP	QC	Base	Lamp/s	Cutout	Colour/s			Coastal use
				 Compact fluorescent	Max		 Ballast included (electronic)	(mm)	 Black	
KH26	I	54	23	4-pin	18w	•	215 x 75	•	•	•
KH27	I	54	23	4-pin	18w	•	215 x 75	•	•	•
KH28	I	54	23	4-pin	18w	•	215 x 75	•	•	•




KH29



KH29




KH43




KH43




KH24



KH24



KH44




KH44

Die-cast aluminium body with glass lens										
Code	Class	IP	QC	Lamp/s			Cutout (mm) (1 brick)	Colour/s		
				Base	Max	Ballast included		Black	Silver grey	White
KH29	I	54	23	G9	40w		215 x 75		•	
KH24	I	54	22	G23	7w	•		•	•	•

KG43 Die-cast aluminium body, anodised aluminium reflector with glass lens										
KG44 Die-cast aluminium body with anodised aluminium reflector										
Code	Class	IP	QC	Lamp/s			Cutout (mm)	Colour/s Silver grey	Accessories	
				Base	Max	(mm)			SB01/SB06 Slab box L4 & 6	SL01 Slab lid L4
KG43	I	20	22	G9	25w		77 x 77	•	•	•
KG44	I	20	22	G9	25w		77 x 77	•	•	•




KG02



KG02




KG04



KG04



KH06



KH06

KG02 Die-cast aluminium body with glass lens											
KG04 Steel body with perspex lens											
Code	Class	IP	QC	Lamp/s		Max	Cutout	Colour/s			
				Base				Black	Satin brass	Satin chrome	White
KG02	I	20	12	Pigmy	E14	10w	Wall box	•	•	•	
KG04	I	20	12	Pigmy	E12	10w	4 x 4	•	•	•	


Die-cast aluminium body										
Code	Class	IP	QC	Lamp/s		Max	Colour/s			
				Base			Black	White		
KH06	I	20	22	R63	E27	60w	•	•		

OUTDOOR LIGHTING






LWT0001BL • LWT0002BL




LWT0001BL




LWT0002BL



LWT0003BL • LWT0004BL




LWT0003BL




LWT0004BL



LWT0001W • LWT0002W




LWT0001W




LWT0002W







LWT0003W • LWT0004W







LWT0003W




LWT0004W

PP base with with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White  Black	
LWT0001BL	II	65	21	10w	750		•
LWT0001W	II	65	21	10w	750	•	
LWT0002BL	II	65	21	18w	1350		•
LWT0002W	II	65	21	18w	1350	•	

PP base with with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  White  Black	
LWT0003BL	II	65	21	25w	1850		•
LWT0003W	II	65	21	25w	1850	•	
LWT0004BL	II	65	21	30w	2250		•
LWT0004W	II	65	21	30w	2250	•	




LS1891



LS1891




LS1893



LS1893




LWL014




LWL014



LWL015




LWL015



LS1701







LS1702










LS1701

LS1891 Stainless steel body								
LS1893 Die-cast aluminium body								
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 4000K	Feature/s Light direction	Lumen 	Colour/s Stainless steel/black Dark grey	
LS1891	I	54	21	24w	2-way	1240	•	•
LS1893	I	54	21	18.5w	2-way	1360	•	•

LWL014 - LWL015 Die-cast aluminium body									
LS1701 Aluminium body									
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 3000K 4000K	Feature/s Light direction	Lumen 	Colour/s White Dark grey		
LWL014	I	54	22	7w	2-way	412	•	•	•
LWL015	I	54	22	3w	1-way	168	•	•	•
LS1701	I	54	22	7w		357			•




Die cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black  White	
LSL0001BL	I	65	21	12w	100	•	
LKJ0001WH	II	65	21	1.5w	130		•

Die cast aluminium body and acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Lumen 	Colour/s  Matt black
LS0007BL	I	54	22	5w	220	•
LS0008BL	I	54	22	2 x 5w	450	•




LS0009BL



LS0009BL



LSL0003SST



LSL0003SST


LSL0003
LSL0004
K12



LSL0007SST




LS0010BL






LS0010BL






LSL0004SST



LSL0004SST

Die cast aluminium body and acrylic lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Lumen 	Colour/s  Matt black
LS0009BL	I	54	22	5w	240	•
LS0010BL	I	54	22	2 x 5w	480	•

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Stainless steel
LSL0003SST	I	44	21	10w	370	•
LSL0004SST	I	44	21	10w	370	•



LSL0005SST


LSL0003
LSL0004
K 12




LSL0008



LSL0006SST




LSL0005SST



LSL0006SST




LSL202






LSL202







LSL248




LSL248

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Stainless steel
LSL0005SST	I	44	21	10w	370	•
LSL0006SST	I	44	21	10w	370	•

Die-cast aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 3500K	Lumen 	Colour/s  Black  Off white	
LSL202	I	43	22	6w	380	•	•
LSL248	I	43	22	6w	380	•	•




LSL272



LSL272



LSL273




LSL273

Die-cast aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s	
				LED (Factory fitted) 3500K	380	Black	Off white
LSL272	I	43	22	6w	380	•	•
LSL273	I	43	22	6w	380	•	•




LSL0007SST



LSL0007SST









LSL0008SST






LSL0008SST

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s	Lumen	Colour/s
				LED (Factory fitted) 4000K	370	Stainless steel
LSL0007SST	I	44	21	10w	370	•
LSL0008SST	I	44	21	10w	370	•




Aluminium body							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Dark grey  White	
LS1702	I	54	22	7w	361	•	•

Die cast aluminium body with opal PC diffuser						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black
LSL0002BL	I	44	21	12w	1000	•




LSL0010BL



LSL0009BL




LSL0009BL



LSL0010BL




LGL0002AL






LGL0002AL







LGL0003BL




LGL0003BL

Aluminium + PC						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black
LSL0009BL	I	54	21	11.5w	535	•
LSL0010BL	I	54	21	30w	1600	•





LGL0002AL Plastic body and aluminium cover with plastic housing						
LGL0003BL Plastic body and stainless steel cover with PC housing						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Aluminium  Black
LGL0002AL	II	65	21	1.8w	60	•
LGL0003BL	II	65	21	2w	30	•



LS543/3




LS543/3

Stainless Steel (316) body and aluminium sleeve with 4.8m cable and driver unit							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Feature/s  Light direction	Lumen 	Colour/s  Stainless steel
LS543/3	III	65	33	1.2w	3-way	13	•

* Driver must be housed in a watertight junction box




LSP0001BL • LSP0002BL






LSP0001BL • LSP0002BL



LSL751




LSL751

LSP0001BL • LSP0002BL Die-cast aluminium body, plastic spike with glass lens							
LSL751 Die-cast aluminium body, plastic spike with glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Black	
				3000K 3500K 5000K			
LSP0001BL	I	65	21		7w	500	•
LSP0002BL	I	65	21	7w		500	•
LSL751	I	65	22	5.7w		280	•




LS780



LS780




LS782






LS782







LS784




LS784

Aluminium body with tempered glass lens						
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Colour/s  Aluminium/ Cool white LED
LS780	I	65	22	10w	654	•
LS782	I	65	22	50w	3674	•


Aluminium body with tempered glass lens							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Lumen 	Beam angle 	Colour/s  Aluminium
LS784	I	65	22	100w	7200	100°	•



LS724 • LS726




LS724




LS726









LS727 • LS728



LS727




LS728


Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Feature/s  Beam angle	Lumen 	Colour/s  Black  White  Dark grey		
LS724	I	65	22	10w	100°	800	•	•	
LS726	I	65	22	50w	100°	4000	•		
LS727	I	65	22	50w	100°	4000		•	•
LS728	I	65	22	30w	100°	2400	•	•	•




LS729 • LS730 • LS731









LS729



LS730




LS731


Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s  LED (Factory fitted) 6000K	Features  Beam angle	Lumen 	Colour/s  Black  White  Dark grey		
LS729	I	65	22	10w	100°	800	•	•	•
LS730	I	65	22	30w	100°	2400	•	•	•
LS731	I	65	22	50w	100°	4000	•	•	•




LS732 • LS733 • LS734



LS732




LS733



LS734



LSL112+S




LSL112+S 20W

Aluminium body with tempered glass lens									
Code	Class	IP	QC	Lamp/s LED (Factory fitted) 6000K	Features Beam angle	Lumen 	Colour/s		
							Black	White	Dark grey
LS732	I	65	22	10w	100°	800	•	•	•
LS733	I	65	22	30w	100°	2400	•	•	•
LS734	I	65	22	50w	100°	4000	•	•	•

Aluminium body with tempered glass lens, adjustable steel tripod and cable with plug								
Code	Class	IP	QC	Lamp/s LED (Factory fitted)	Features Switch Beam angle	Lumen 	Colour/s	
							Black	Yellow
LSL112+S	I	65	22	1 x 20w	• 100°	1449	•	•




LSL114+S








LSL114+S 20W






LHB008/A




LHB008/A

Aluminium body with tempered glass lens, adjustable steel tripod and cable with plug							
Code	Class	IP	QC	Lamp/s  LED (Factory fitted)	Features  Switch  Beam angle	Lumen 	Colour/s  Black/yellow
LSL114+S	I	65	22	2 x 20w	• 100°	2898	•

Aluminium body								
Code	Class	IP	QC	CRI	PF	Lamp/s  LED (Factory fitted) 4000K	Lumen 	Colour/s  Black
LHB008/A	I	65	22	>80	>0.95	200w	22 000	•




W01A



W01A




W02A



W02A




W01E



W01E




W02E



W02E




W01G



W01G



W02G




W02G

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
W01A	I	54	22	E27	60w	•	•
W01E	I	54	22	E27	60w	•	•
W01G	I	54	22	E27	60w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
W02A	I	54	22	E27	100w	•	•
W02E	I	54	22	E27	100w	•	•
W02G	I	54	22	E27	100w	•	•




WO20A



WO20A




WO21A



WO21A




WO20G



WO20G



WO21G




WO21G

Die-cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base ESL	Max	Black	White
WO20A	I	54	22	E27	1 x 60w	•	•
WO20G	I	54	22	E27	1 x 60w	•	•

Die-cast aluminium body with PC diffuser							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base ESL	Max	Black	Black
WO21A	I	54	22	E27	1 x 60w	•	•
WO21G	I	54	22	E27	1 x 60w	•	•




WTT01



WTT01




WT0001W



WT0001W




WO3E



WO3E



WT0002BL




WT0002BL

WTT01 Polycarbonate body and polycarbonate lens										
WO3E Die-cast aluminium body with glass lens										
Code	Class	IP	QC	Lamp/s			Colour/s			
				Base	Max	Black body/ Clear lens	White body/ Clear lens	Black	White	
WTT01	I	44	23	B22	60w	•	•			
WO3E	I	54	22	E27	60w			•	•	

Polycarbonate body and lens									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	White	Black		
WT0001W	I	55	24	E27	2 x 60w	•			
WT0002BL	I	55	24	E27	2 x 60w			•	




WT1A



WT1A




WT2A



WT2A




WT1E



WT1E




WT2E



WT2E




WT1G






WT1G






WT2G




WT2G

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 White
WT1A	I	54	22	E27	60w	•	•
WT1E	I	54	22	E27	60w	•	•
WT1G	I	54	22	E27	60w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 White
WT2A	I	54	22	E27	100w	•	•
WT2E	I	54	22	E27	100w	•	•
WT2G	I	54	22	E27	100w	•	•




WT35



WT35




WT36



WT36




WT6A



WT6A



WT6E




WT6E

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	Matt white
WT35	I	54	22	E27	1 x 60w	•	•
WT36	I	54	22	E27	2 x 60w		•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
WT6A	I	54	22	E27	60w	•	•
WT6E	I	54	22	E27	60w		•




WT13A



WT13A




WT13E



WT13E



WT13G




WT13G

Plastic body and lens							
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s Black White
WT13A	I	54	34	G24	1 x 26w	•	• •

Plastic body and lens							
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s White
WT13E	I	54	34	G24	1 x 26w	•	•
WT13G	I	54	34	G24	1 x 26w	•	•




WT42



WT42




WT44






WT44






LS840




LS840

Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base  ESL	Max	 Black	 Silver grey
WT42	I	54	22	E27	2 x 26w	•	•
WT44	I	54	22	E27	2 x 26w	•	•

Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base 	Max	 Black	 Silver
LS840	I	44	23	E27	40w	•	•




WQ07G



WQ07G




WQ07A



WQ07A




WQ08G



WQ08G




WQ08A



WQ08A




WQ09G



WQ09G



WQ09A




WQ09A

Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	Silver grey	White
WQ07G	I	44	22	E27	1 x 60w	•	•	•
WQ08G	I	44	22	E27	1 x 100w	•	•	•
WQ09G	I	44	22	E27	2 x 100w	•	•	•

Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	Silver grey	White
WQ07A	I	44	22	E27	1 x 60w	•	•	•
WQ08A	I	44	22	E27	1 x 100w	•	•	•
WQ09A	I	44	22	E27	2 x 100w	•	•	•




WT7E



WT7E




WT20



WT20




WT22



WT22



WT23




WT23

Die-cast aluminium body with plastic lens								
Code	Class	IP	QC	Base Compact fluorescent	Lamp/s Max	Ballast included	Colour/s	
							Black	White
WT7E	I	54	22	G23	2 x 9w	•	•	•

Plastic body and lens													
Code	Class	IP	QC	Base			Lamp/s			Colour/s			
				E27	230v Compact fluorescent 2D		Ballast included	230v Compact fluorescent		Ballast included (magnetic)	Black	White	
					2 pin	4 pin							
WT20	I	65	24		1 x 16w	1 x 16w	1 x 21w	Magnetic	1 x 9w	2 x 9w	1 x 11w	•	•
WT22	I	65	24	1 x 60w	1 x 16w	1 x 16w	1 x 21w	Electronic	1 x 9w	2 x 9w		•	•
WT23	I	65	24		1 x 16w	1 x 16w	1 x 21w	Electronic	1 x 9w	2 x 9w		•	•




WT23E



WT23E




WQ20



WQ20



WQ23




WQ23

Polycarbonate body and lens							
Code	Class	IP	QC	Lamp/s			Colour/s
				230v Compact fluorescent 2D 2 pin	230v CFL	Ballast included	White
WT23E	I	55	24	1 x 16w	2 x 9w	•	•

Plastic body and lens										
Code	Class	IP	QC	Lamp/s				Colour/s		
				230v Compact fluorescent 2D 2 pin	Ballast included (electronic)	230v Compact fluorescent 2 pin	Ballast included (magnetic)	Black	White	
WQ20	I	65	24			1 x 9w	2 x 9w	•		•
WQ23	I	65	24	1 x 16w	1 x 16w	•	1 x 9w	2 x 9w	•	•



WT16A




WT16A

Stainless steel body, die-cast aluminium base with frosted glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
WT16A	I	44	22	G9	25w	•




WT37A



WT37A



WT37G




WT37G

Die-cast aluminium body with PC lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	Grey	
WT37A	I	54	23	E27	2 x 20w	•	•	•
WT37G	I	54	23	E27	2 x 20w	•	•	•




LS378 / BEAM



LS378



LS379 / BEAM




LS379

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s		
				Base	Max		Black	Silver grey	Satin chrome (indoor only)
LS378	I	54	22	GU10 PAR16	1 x 50w	1-way	•	•	•
LS379	I	54	22	GU10 PAR16	2 x 35w	2-way	•	•	•




LS386 / BEAM



LS386




LS387 / BEAM



LS387




LS388 / BEAM



LS388



LS389 / BEAM




LS389

LS386 - LS387 Aluminium body with glass lens									
LS388 - LS389 Stainless steel body with glass lens									
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s		
				Base	Max		Aluminium	Stainless steel	
LS386	I	44	22	GU10 PAR16	1 x 35w	1-way	•		
LS387	I	44	22	GU10 PAR16	2 x 35w	2-way	•		
LS388	I	44	22	GU10 PAR16	1 x 35w	1-way		•	
LS389	I	44	22	GU10 PAR16	2 x 35w	2-way		•	




LS373 / BEAM-X



LS373




LS376 / BEAM-X



LS376




LS374 / BEAM-X



LS374




LS377 / BEAM-X



LS377



LS375 / BEAM-X




LS375

Aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s		Feature/s Light direction	Colour/s Aluminium
				Base	Max		
LS373	I	54	23	GU10 PAR16	1 x 35w	1-way	•
LS374	I	54	23	GU10 PAR16	1 x 35w	1-way	•
LS375	I	54	23	GU10 PAR16	2 x 35w	2-way	•

Aluminium body with frosted glass lens							
Code	Class	IP	QC	Lamp/s		Feature/s Light direction	Colour/s Aluminium
				Base	Max		
LS376	I	54	23	GU10 PAR16	1 x 35w	1-way	•
LS377	I	54	23	GU10 PAR16	2 x 35w	2-way	•




LS384 / BEAM



LS384




LS885



LS885




LS385 / BEAM



LS385



LS886




LS886

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s		
				Base	Max		Black	Silver grey	Satin chrome (indoor only)
LS384	I	54	22	GU10 PAR16	1 x 50w	1-way	•	•	•
LS385	I	54	22	GU10 PAR16	2 x 35w	2-way	•	•	•

Stainless steel and plastic body with plastic lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max		
LS885	II	43	22	E27	60w	•	
LS886	II	43	22	E27	60w	•	




LS887



LS887



LS888




LS888



LS454

LS455 / PICKET




LS455

Stainless steel and plastic body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base ESL	Max	
LS887	II	43	22	E27	60w	•
LS888	II	43	22	E27	60w	•

LS455 Die-cast aluminium body with polycarbonate lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	White	Silver
LS455	I	44	23	E27	60w	•	•	•



LS451 / SLATE



LS451


LS451 • LS452
K 99



LS450 • LS453



LS452 / SLATE




LS452

Stainless steel body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS451	I	44	22	E27	15w	•
LS452	I	44	22	E27	15w	•



LS0014SST



LS0014SST


LS0014
LS0015
K 98



LS0016 • LS0017



LS0015SST




LS0015SST

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0014SST	I	44	21	E27	40w	•
LS0015SST	I	44	21	E27	40w	•



LS460 / FAROL



LS460


LS460 - LS461
 K 105



LS462




LS461 / FAROL



LS461



LS871 / ALBA




LS871

Stainless steel body with clear glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS460	I	44	21	E27	60w	• Stainless steel
LS461	I	44	21	E27	60w	• Stainless steel

Stainless steel body with clear bubbled glass or opal plastic lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Stainless steel body Clear bubbled lens	Stainless steel body Opal lens
LS871	I	44	22	E27	60w	•	•




LS0001-SBK



LS0001-SBK




LS0002-SBK





LS0002-SBK




LS0003-SBK




LS0003-SBK

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0001-SBK	I	23	31		60w	•
LS0002-SBK	I	23	31		60w	•

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0003-SBK	I	23	31		2 x 40w	•




LS0004-SBK



LS0004-SBK




LS0005-SBK



LS0005-SBK






LS0006-SBK



LS0006-SBK

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0004-SBK	I	23	31	E14	2 x 40w	• Sand black

Metal and glass						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0005-SBK	I	23	31	E14	2 x 40w	• Sand black
LS0006-SBK	I	23	31	E14	2 x 40w	• Sand black




Die-cast aluminium body with opal plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS600	I	44	22	E27	60w	• Black

LS284 Die-cast aluminium body with glass lens						
LS0013BL Steel body with opal glass diffuser						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS284	I	44	22	E27	100w	•
LS0013BL	I	44	21	E27	60w	•



LS202 / CORSIA



LS202

LS202 - LS204
K 87



LS210


LS202 - LS204
K 92



LS208




LS204 / CORSIA



LS204



LS230 / THAMES



LS230

LS230 - LS232
K 88



LS242


LS230 - LS232
K 109-110



LS234 - LS236
LS238



LS232 / THAMES



LS232

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
LS202	I	44	22	E27	100w	•	•
LS204	I	44	22	E27	100w	•	•

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	
LS230	I	44	22	E27	100w	•	
LS232	I	44	22	E27	100w	•	



LS271 / UP/DOWN

K 86




LS482

K 112



LS484



LS271 UP/DOWN

K 89



LS481

K 86




LS483

K 112



LS485



LS275 UP/DOWN

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
						Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS271	II	44	23	E27	60w	•	•
LS275	II	44	23	E27	60w	•	•



LS486 / UP/DOWN

K 90



LS487

K 85




LS488

K 111




LS489



LS486 UP/DOWN




LS224



LS224



LS225




LS225

LS486 Polypropylene body and PC lens								
LS224 - LS225 Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	White	
						Black	White	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS486	II	44	23	E27	60w	•	•	•
LS224	I	44	22	E27	60w	•	•	
LS225	I	44	22	E27	60w	•	•	



LS272 / DOLCE



LS272


LS272 • LS273
K 88



LS274



LS273 / DOLCE



LS273




LS280 / TAGUS

K 87



LS282



LS280


K 108



LS0012BL



LS0011BL




LS0011BL

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	White
LS272	I	44	22	E27	100w	•	•
LS273	I	44	22	E27	100w	•	

Die-cast aluminium body with glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Matt black	Black
LS280	I	44	22	E27	100w		•
LS0011BL	I	44	22	E27	60w	•	




LS214



LS214



LS216




LS216

Die-cast aluminium body with glass lens									
Code	Class	IP	QC	Lamp/s		Colour/s			
				Base	Max	Black	Green	Rust	White
LS214	I	44	22	E27	1 x 60w	•			•
LS216	I	44	22	E27	1 x 60w	•	•	•	•




LS218



LS218



LS220



LS220


Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		
				Base	Max	Black	White	
LS218	I	44	22	E27	1 x 100w	•		•
LS220	I	44	22	E27	2 x 60w	•		•



LS590 / LENNOX




LS591




LS590



LS911 / SANDY




LS911



LS792



LS790 / OSMO



LS790




LS910

LS590 Die-cast aluminium body with PC shade							
LS790 Die-cast aluminium body and glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	
				Base	Max	Black	Dark grey body Opal diffuser
LS590	I	44	22	E27	18w		•
LS790	I	44	22	E27	60w	•	

Die-cast aluminium body with PC shade							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS911	I	54	23	E27	60w	Black	• Except high corrosion or accidic areas. 3 year warranty against corrosion.




LS852 / SPHERE



LS852




LS853 / SPHERE



LS853




LS856 / BASKET



LS856




LS857 / BASKET



LS857




LS854 / SPHERE



LS854




LS855 / SPHERE



LS855




LS858 / BASKET



LS858



LS859 / BASKET




LS859

LS852 • LS853 Electro-galvanised steel body with polycarbonate lens														
LS856 • LS857 Die-cast aluminium and electro-galvanised steel body with polycarbonate lens														
Code	Class	IP	QC	Lamp/s		Lamp/s			HID lamp/s			Colour/s		
				E27	230v E27 Mercury blended	Compact fluorescent	Ballast included	HPS	Mercury vapour	Gear included	Black	Green	White	
LS852	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w		•	•	•
LS853	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•
LS856	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS857	I	44	22	150w	160w	2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•

LS852 • LS853 Electro-galvanised steel body with polycarbonate lens														
LS858 • LS859 Die-cast aluminium and electro-galvanised steel body with polycarbonate lens														
Code	Class	IP	QC	Lamp/s		Lamp/s			HID lamp/s			Colour/s		
				E27	230v E27 Mercury blended	Compact fluorescent	Ballast included	HPS	Mercury vapour	Gear included	Black	Green	White	
LS854	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS855	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS858	I	44	22	100w		2 x 9w	1 x 26w	2 x 26w	•	70w	80w	•	•	•
LS859	I	44	22	150w	160w	2 x 9w	1 x 26w	2 x 26w	•	70w	125w	•	•	•




LS864E



LS864E




LS864A



LS864A




LS864EPB



LS864EPB



LS864P



LS864P

Polycarbonate body & accessories								
LS864E • LS864EPB Polycarbonate body and lens								
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use	
				Base	Max			
				CFL	ESL	White sphere Black basket	Except high corrosion or acidic areas. 3 year warranty against corrosion.	
LS864E	II	44	24		E27	60w	•	•
LS864EPB	II	44	24	E27		60w	•	•

Polycarbonate body & accessories			
LS864A Arm only for LS864E/EPB Econo			
LS864P Post only for LS864E/EPB Econo			
Code	QC	Colour/s	Coastal use
		Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS864A	24	•	•
LS864P	24	•	•




LS864 / SPHERE


LS860 / SPHERE

LS861 / SPHERE


LS865 / SPHERE




LS864



LS860




LS861



LS865




LS862 / BASKET



LS862



LS863 / BASKET



LS863

Polycarbonate gallery and lens. Pole sold separately

Code	Class	IP	QC	Lamp/s		Lamp/s		Colour/s	Accessories
				Base	Max	Compact fluorescent	Ballast included		
LS864	I	44	22	E27	60w			•	PS76 Pole K 116
LS860	I	44	22	E27	100w	1 x 26w	2 x 26w*	•	•
LS861	I	44	22	E27	100w	1 x 26w	2 x 26w	•	•
LS865	I	44	22	E27	150w	1 x 26w	2 x 26w	•	•


* LS860 - 2 x 26w compact fluorescent lamps only suitable for PS76 pole accessory

Die-cast aluminium body with polycarbonate lens. Pole sold separately

Code	Class	IP	QC	Lamp/s		Lamp/s			Ballast included	Colour/s			Accessories
				Base	Max	Compact fluorescent	Black	Green		White			
LS862	I	44	22	E27	100w	2 x 9w	1 x 26w	2 x 26w	•	•	•	•	•
LS863	I	44	22	E27	150w	2 x 9w	1 x 26w	2 x 26w	•	•	•	•	•




LS802 / LARGO



LS802


Polycarbonate body and lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	Green	
LS802	II	65	23	E27	60w	•	•	•




LS601 / TRIAD



LS910 / SANDY



LS601



LS910

LS601 Die-cast aluminium body with opal plastic lens							
LS910 Die-cast aluminium body and glass shade							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS601	I	22	12	E27	60w	•	•
LS910	I	54	23	E27	60w	•	•



LS488




LS486



LS487



LS489



LS488




LS482



LS271



LS484



LS482



LS483




LS275



LS481



LS485



LS483

Polypropylene body and PC lens						
Code	Class	IP	QC	Lamp/s		Coastal use
				Base	Max	
LS488	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS482	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.	
LS483	II	44	23	E27	60w	Black Except high corrosion or acidic areas. 3 year warranty against corrosion.	



LS210 / CORSIA

K 67




LS202

K 92



LS208




LS210



LS242 / THAMES

K 68




LS230 • LS232

K 109-110



LS234 • LS236
LS238



LS242




LS282

K 72



LS280




LS282




LS274 / DOLCE

K 71




LS272 • LS273



LS274

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS210	I	44	22	E27	100w	•
LS282	I	44	22	E27	100w	•

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS242	I	44	22	E27	100w	•
LS274	I	44	22	E27	100w	•



DMC Body and glass lens								
Code	Class	IP	QC	Lamp/s		Colour/s		Coastal use
				Base	Max	Black	White	
LS481	II	44	23	E27	60w	•	•	•




Polypropylene body and PC lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS487	II	44	23	E27	60w	•	•



LS792 / OSMO



LS790




LS792

Die-cast aluminium body and glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS792	I	44	22	E27	60w	• Black




LS208 / CORSIA



LS210



LS202




LS208

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS208	I	44	22	E27	100w	• Black




LS831



LS831



LS832




LS832

Aluminium body with polycarbonate lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS831	I	54	23	E27 ESL	18w	Aluminium

Aluminium body with frosted glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS832	I	54	23	GU10 PAR16	35w	Aluminium




LS833





LS833






LS828




LS828

Aluminium body with polycarbonate lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS833	I	54	23	 ESL  Aluminium	60w	•

Aluminium body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS828	I	54	23	 E27  Aluminium	60w	•



LS829




LS829

Aluminium body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS829	I	54	23	E27	60w	• Aluminium




LS0016SST



LS0016SST



LS0017SST



LS0017SST

LS0016
LS0017
K 58




LS0014 • LS0015

Stainless steel + opal PC						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0016SST	I	44	21	E27	60w	• Stainless steel
LS0017SST	I	44	21	E27	60w	• Stainless steel




LS453 / SLATE



LS453


LS450 - LS453
K 57




LS451 - LS452



LS450 / SLATE




LS450



LS591 / LENNOX



LS590




LS591

Stainless steel body with plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base ESL	Max	
LS453	I	44	22	E27	40w	•
LS450	I	44	22	E27	40w	•

Die-cast aluminium body with PC shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base CFL	Max	
LS591	I	44	22	E27	18w	•




LS406



LS406



LS418



LS418

Die-cast aluminium body, aluminium pole with high impact acrylic lens												
Code	Class	IP	QC	Lamp/s		HID lamp/s			Colour/s			
				Base	Max	HPS	Mercury vapour	Gear included	Black	Grey	Green	White
LS406	I	44	33	E27	100w	70w	80w	•	•	•	•	•


Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	Black
LS418	I	44	22	E27	60w	•




LS436



LS435



LS436



LS435


DMC							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS436	II	44	24	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS435	II	44	24	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.



LS454 / PICKET




LS455



LS454


Die-cast aluminium body with polycarbonate lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS454	I	44	23	E27	60w	Black	Except high corrosion or acidic areas. 3 year warranty against corrosion.




LS462 / FAROL



LS460 • LS461



LS462




LS602 / TRIAD





LS600





LS601



LS602

Stainless steel body with clear glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS462	I	44	22		60w	 Stainless steel

Die-cast aluminium body with opal plastic lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS602	I	44	22		60w	 Black

LS286 • LS287




LS284




LS286 / RHINE



LS287 / RHINE



LS286



LS287

LS0012




LS0011BL



LS0012BL



LS794




LS0012BL



LS792



LS790




LS794

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS286	I	44	22	E27	1 x 100w	•
LS287	I	44	22	E27	2 x 100w	•


LS0012BL Die cast aluminium body and glass lens						
LS794 Die-cast aluminium body and glass shade						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS0012BL	I	44	22	E27	2 x 60w	•
LS794	I	44	22	E27	3 x 60w	•




LS234 / THAMES



LS242



LS230 • LS232



LS234



LS238 / THAMES




LS242




LS230 • LS232




LS236 / THAMES





LS236



LS238

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS234	I	44	22		100w	• Black

Die-cast aluminium body with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
LS238	I	44	22		2 x 100w	•
LS236	I	44	22		100w	•



LS489

K 70



LS486

K 90




LS487

K 85



LS488



LS489

K 69



LS271

K 86



LS482



LS485



K 69



LS275

K 89



LS481


K 86




LS483



LS484



LS484



LS485


Polypropylene body and PC lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS489	II	44	23		60w	Black	 Except high corrosion or acidic areas. 3 year warranty against corrosion.

DMC Body and glass lens							
Code	Class	IP	QC	Lamp/s		Colour/s	Coastal use
				Base	Max		
LS485	II	44	23		60w	Black	 Except high corrosion or acidic areas. 3 year warranty against corrosion.
LS484	II	44	23		60w	Black	 Except high corrosion or acidic areas. 3 year warranty against corrosion.



LS901


Excludes pole



LS901


Die-cast aluminium body, anodised aluminium heatshield with high impact acrylic lens. Pole sold separately

Code	LS901	
Class	I	
IP	55	
QC	32	
Lamp/s		
E27	1 x 100w	
230v Compact fluorescent	2 x 26w	
Ballast included	•	
HID lamp/s		
HPS E27	1 x 70w	
Metal halide E27	1 x 70w	
	1 x 100w	
	1 x 150w	
Mercury vapour E27	1 x 80w	
	1 x 125w	
Gear included	•	
Colour/s		
Black	•	
Green	•	
Grey	•	
White	•	
Accessories		
Pole K 116	PS76	



LS850

Excludes pole




LS850

Die-cast aluminium body, anodised aluminium heat shield (for clear and smokey lenses) with polycarbonate lens. Pole sold separately

Code	LS850	
Class	I	
IP	55	
QC	32	
Lamp/s		
E27	1 x 100w	
Lamp/s		
230v Compact fluorescent	2 x 26w	
Ballast included	•	
HID lamp/s		
HPS E27	1 x 70w	
Mercury vapour E27	1 x 80w	
	1 x 125w	
Gear included	•	
Colour/s		
Black body	•	
Green body	•	
White body	•	
Clear body	•	
Opal body	•	
Smokey lens	•	
Accessories		
Pole K 116	PS76	




LS900
Excludes pole




LS900


Die-cast aluminium body, anodised aluminium reflector with glass lens. Pole sold separately	
Code	LS900
Class	I
IP	55
QC	22
HID lamp/s	
HPS E27	1 x 70w
E40	1 x 100w
	1 x 150w
Mercury vapour E27	1 x 80w
	1 x 125w
Metal halide E27	1 x 100w
Metal halide 230v G12	1 x 70w
	1 x 150w
Gear included	•
Colour/s	•
Black	•
Accessories	
Pole	PS76




PS60 P planting




PS76 M surface mount



PS76 MS surface mount with stabilising step



PS76 P planting



PS76 PS planting with stabilising step

Pole lengths		Lengths (mm)						
Code		1000	1500	2000	2500	3000	3500	4000
PS60 P		•	•	•	•	•		
PS76 M			•	•	•	•	•	
PS76 MS					•	•	•	•
PS76 P				•	•	•	•	•
PS76 PS					•	•	•	•


PS76



Hot dipped galvanised steel mounting pole		
Code	PS60	PS76
Available options		
Stabilising step S		•
Planting base P	•	•
Surface base M		•
Feature		
Access door		•
Colour/s		
Black	•	•
Green	•	•
White	•	•
Accessories for pole mount options	LS864	LS222
	LSL100	LSL100
		LS850
		LS860-3
		LS865
		LS900-1




LS118



LS118



LS119




LS119

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Base CFL	Lamp/s Max	Ballast included	Colour/s Black
LS118	I	55	22	G24	2 x 18w	•	•

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Base CFL	Lamp/s Max	Ballast included	Colour/s Silver grey White
LS119	I	65	32	G24	2 x 26w	•	•




LS174



LS174




LS102



LS102



LS104




LS104

Die-cast aluminium and plastic body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	HID lamp/s		Gear	Colour/s
				Base	Max		
				HPS	Metal halide	Included	Black
LS174	I	55	22	E40	E40	400w	•

Die-cast aluminium and plastic body, anodised aluminium reflector with glass lens								
Code	Class	IP	QC	Lamp/s		Feature	Colour/s	
				Base	Max		Black	White
				Halogen Q1		Infra red movement sensor		
				78mm	118mm			
LS102	I	44	12	Rx7s	500w	•		
LS104	I	44	12	Rx7s	150w	•		•




LS176



LS176




LS177



LS177




LS178





LS178







LS108




LS108

DMC plastic body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Lamp/s Base	Max	Colour/s	
				 ESL			Black
LS176	II	65	33	E40	85w	•	
LS177	II	65	33	E27	45w	•	
LS178	II	65	33	E27	32w	•	

Die-cast aluminium body, anodised aluminium reflector with glass lens							
Code	Class	IP	QC	Lamp/s Base	Max	Colour/s	
				 Halogen QI 78mm			
LS108	I	65	22	Rx7s	1 x 150w	•	•
							




LS300






LS300





LS810




LS810

Plastic body and spike, aluminium reflector with 1900mm cable							
Code	Class	IP	QC	Base	Lamp/s		Colour/s
					Max		
				Fluorescent tube T5		Ballast included	Black
LS300	II	65	34	G5	14w	•	•

Die-cast aluminium body, plastic spike with glass lens						
Code	Class	IP	QC	Base	Lamp/s	Colour/s
					Max	
				E27		Black
LS810	I	44	22	E27	60w	•




LS750



LS750




LS751



LS751



LS751P




LS751P

Die-cast aluminium body, plastic spike with glass lens										
Code	Class	IP	QC	Lamp/s			Transformer required	Colour/s		Accessories
				Base	Max			Black	Green	
				230v open dichroic	12v open dichroic					LSBOX2 Junction box K 132
LS750	III	54	22		GU5,3 MR16	50w	•	•		•
LS751	I	54	22	GU10 PAR16		50w		•	•	

Plastic body and spike with glass lens						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base	Max	
				230v open aluminium		Black
LS751P	II	54	24	GU10 PAR16	35w	•




LS333



LS333



LS506



LS506




LS511

Spike view




LS511



LS511



LS755 • LS756




LS755 • LS756

LS333 Fiber glass head, plastic spike with glass lens												
LS506 Die-cast aluminium body with glass lens												
Code	Class	IP	QC	Lamp/s		Lamp/s	Cable	Feature/s			Colour/s	
				Submerged	Not submerged			Transformer required	Submersible maximum	Tolerates chemicals	Black	Green
LS333	II	54	24		12v GU5,3 halogen MR16 dichroic	100w					•	
LS506	III	68	22	50w	20w		2 metre	1 metre	No		•	•

LS511 Plastic body and spike, anodised aluminium reflector with glass lens												
LS755 - LS756 Fiber glass head, 304 stainless steel bracket with glass lens												
Code	Class	IP	QC	Lamp/s		Transformer required	Lamp/s	Cable	Feature/s			Colour/s
				12v GY6,35 halogen	12v MR16 50w - Submerged 20w - Not submerged				230v PAR16 50w	Submersible maximum	Tolerates chemicals	
LS511	III	68	24	50w		•		5 metre	1 metre	Yes	•	
LS755	III	68	22			•			1 metre		•	
LS756	I	55	22								•	




LS322



LS322




LS324



LS324




LS323



LS323



LS326




LS326

Plastic body and spike						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base PAR38	Max	
LS322	II	44	14	E27	1 x 80w	•
LS323	II	44	14	E27	2 x 80w	•

Plastic body						
Code	Class	IP	QC	Lamp/s		Colour/s
				Base PAR38	Max	
LS324	II	44	24	E27	1 x 80w	•
LS326	II	44	24	E27	2 x 80w	•




LS328




LS328




LS723



LS723



LSBOX2



LSBOX2

LS328 Plastic body								
LS723 Die-cast aluminium body with glass lens								
Code	Class	IP	QC	Base	Lamp/s	Max	Feature/s	Colour/s
				 230v open dichroic	 PAR38		 Infra red movement sensor	 Black
LS328	II	43	24		E27	2 x 80w	•	•
LS723	I	20	22	GU10 PAR16		50w		•


LSBOX2 Aluminium box	
Code	LSBOX2
QC	22
Accessories for spike lights	LS750
Colour/s	
Black	•
Green	•



LS520



LS521




LS520 • LS521




LS531



LS533



LS531




LS533

Die-cast aluminium body, stainless steel covering							
Code	IP	QC	Lamp/s			Transformer required	Colour/s
			Base	Max			
LS520	65	23	230v open dichroic (Class I)	12v dichroic (Class III)	50w	•	•
LS521	65	23	GU10 PAR16	GU5,3 MR16	50w	•	•

Stainless steel body, anodised aluminium reflector, glass lens with plastic sleeve								
Code	Class	IP	QC	Lamp/s			Ballast included	Colour/s
				Base	Max			
LS531	I	67	23	Halogen QI 118mm	150w			
LS533	I	65	23	G24d1	13w	•	•	




LS574



LS574




LS535



LS535



LS536



LS536

Stainless steel body, anodised aluminium reflector, glass lens with plastic sleeve									
Code	Class	IP	QC	Base Metal halide	HID lamp/s Max	Gear included	Feature/s Tilt Beam angle	Colour/s Stainless steel	
LS574	I	54	23	Rx7s	150w	•	20° Wide	•	


Stainless steel ring, die-cast aluminium body, anodised aluminium reflector, glass lens with plastic sleeve									
Code	Class	IP	QC	Base Metal halide	HID lamp/s Max	Gear included	Feature/s Asymmetrical lighting	Colour/s Stainless steel	
LS535	I	65	33	Rx7s	70w	•	•	•	
LS536	I	65	33	Rx7s	150w	•	•	•	

ACCESSORIES






XLED06/3



XLED06/3




XLED09/2



XLED09/2



XS050/01



XS050/01

Electronic driver unit with plastic housing							
Code	Class	IP	Driver Current 350mA	Wattage W	Temperature Ambient (ta)	Case (tc)	Life (hours)
XLED06/3	II	20	350mA	3-6.3w	50°	75°	30 000
XLED09/2	II	20	700mA	6-9w	50°	75°	30 000


Constant current fittings need to be wired in series.

The length of wire from the output to luminaire should be less than 2m

Wire wound slimline transformer								
Code	Class	IP	Output load	Voltage		Temperature	Cutout	Dimmable
				Output (secondary)	Input (Primary)	Max ambient (ta)	(mm)	
XS050/01	I	20	50W	12v	230v	40°C	60	•



XE060/03




XE060/03


Electronic transformer	
Code	XE060/03
Class	II
IP	20
Load operating range	20-50w
Output voltage (Secondary)	12v
Input voltage (Primary)	230v
Max ambient temperature (ta)	50°C
Max case temperature	80°C
Dimming trailing edge	•
For cutout (mm)	Ø 48
Protection (Overload/Short circuit)	•




SB01 SLAB BOX




SB01



SL01 SLAB LID




SL01

Galvanised steel		
Code	SB01	SL01
Function Cover plate for Slab box		SB01 • SB02
Junction Box for concrete and brick installations to house Downlight*	•	
Transformer	XE060/03	
Accessory  Slab lid	SL01	
Cutout for Downlight		•
Footlight*	•	•
Recess base*	•	•
Cutout options		•
Ø 25mm*		•
Ø 40mm*		•
Ø 60mm		•
Ø 65mm		•
Ø 70mm		•
Ø 75mm		•
Ø 80mm		•
Ø 85mm		•
Ø 95mm		•
Ø 100mm		•
Ø 110mm		•
75 x 75mm		•
82 x 72mm		


*Where indicated throughout the catalogue
 With transformer installations use aluminium coated lamp




SB04 SLAB BOX



SB04




SL04 SLAB LID




SL04



SB06 SLAB BOX




SB06

Galvanised steel		
Code	SB04	SL04
Junction Box for concrete and brick installations to house Downlight*	•	
Function Cover plate for slab box		SB04
Cutout for Downlight		•
Footlight*	•	
Recess base*	•	•
Transformer preferable to use aluminium coated lamp	•	
Features	•	
Replaces concrete block	•	
Accessory		
 Slab lid	SL04	
Ø 60mm		•
Ø 65mm		•
Ø 70mm		•
Ø 75mm		•
Ø 80mm		•
Ø 85mm		•
Ø 90mm		•

*Cutout too small for transformer access and maintenance

*Where indicated throughout the catalogue

With transformer installations use aluminium coated lamp



SB04 Installation diagram

Galvanised steel	
Function Box for concrete and brick installations to house Footlights	KG41 - KG46
Transformer	XE060/03






HH100



HH200



HH201




HH100 Ceramic lampholder with PTFE leads		
HH200 - HH201 Ceramic lampholder with silicon leads		
Code	Lampholder type	Lead length
	230v   G9 GZ10	
HH100	•	150mm
HH200	•	150mm
HH201	•	500mm




HH900



HH901

Ceramic lampholder with metal pin clamps and silicon leads		
Code	Lampholder type	Lead length
	12v   G4 GU4 GY6,35 GU5,3	
HH900	•	250mm
HH901	•	300mm

SPECIAL APPLICATION





LN353 • LN354 • LN355





Code	Length (m)	Power cord : Required (IP65) LN356
LN353	1	•
LN354	2	•
LN355	5	•

Controls and accessories are sold separately




LN356

Related products
LN353
LN354
LN355

LN353 • LN354 • LN355 Flexible 230v LED 2wire rope light. Power cord sold separately						
LN356 230v LED strip light power cord. (Strip light sold separately)						
Code	Class	IP	Lamp/s  LED (factory fitted)	Lumen 	Roll  Length	Life  (hours)
LN353	II	65	5w (4200K)	400	1m	25 000
LN354	II	65	10w (4200K)	800	2m	25 000
LN355	II	65	24w (4200K)	2000	5m	25 000
LN356	II	65			0.5m	




LN346



LN346




LN347






LN347



LN1756










LN1756

Flexible PCB board with adhesive mounting strip and SMD LEDs									
Code	Class	IP	Lamp/s		Driver included (not dimmable)	Roll		Lumen 	Life  (hours)
			 LED (factory fitted)			Length	Cutting intervals		
LN346	II	65	5.4w (4000K)	3000K	•	3m		380	25000
LN347	II	65	RGB		•	3m			25000
LN1756	III	65	20	72w		5m	100mm	600	




LN100 / STARLIGHT









Fibre optic tails, aluminium housing for LED driver unit with power cord and plug										
Code	Class	IP	QC	Lamp/s			Lighting effects	Application effect/s	Specification	
				 LED (factory fitted)	 Driver unit included (electronic)	 Driver unit (not dimmable)	 RGB	 Starlight		
									Qty	Length
LN100	II	20	31	3w	•	•	•	•	100	1.5m



LN103 / STARLIGHT



Fibre optic tails, aluminium control box with power cord and plug										
Code	Class	IP	QC	DC lamp/s			Lighting effects	Application effect/s	Specification	
				 12v GU5,3 halogen MR16 mirror	 Driver unit included (electronic)	 Driver unit (not dimmable)	 Colour wheel continuous rotation	 Starlight		
									Qty	Length
LN103	I	20	31	50w	•	•	•	•	100	2m



ELECTRICAL





FA2LSW • FA2SSW



SW2TH



LEDDIM04



CH2892

Code	Product description	Features - LEDDIM04
FA2LSW	Canopy pull switch (on/off)	Slim design
FA2SSW	Fan speed pull switch (high/medium/low)	Able to operate from 2 watt up to 500 watt Radiant dimmable LED's
SW2TH	Slimline through switch (black/white)	Flicker free
		No neutral required
		To be used in conjunction with any Bell push dimmer switch
		To be used with Radiant dimmable LED's only
		Will not interfere with any harmonics of any household appliances

Code	Product description	Supply voltage	Load		Dimension/s (mm)	Dimmer module (Included)	Leading/Trailing Edge dimmable	Termination Bi-directional	Dimming direction One way only	SABS Approved
			Max	Min						
LEDDIM04	Dimmer - for LED lamps	230v	500w	2w	-	•	Trailing edge	-	-	•

Features
120 meter operating distance
48 Musical tones
Adjustable volume
Durable PVC
Indoor & outdoor use
Stunning designs



SW2DN06L • SW2DN06S



SW2DNLS15



SW2DNLR50



SW2DNLS20



SW2DNLR100

Code	IP	Product description	Supply voltage	Cutout (mm) Ø	Max. load	Activation mode	
						On (±60 Lux)	Off (±80 Lux)
SW2DN06L	44	Long neck switch module	230v	8 x 27	0.6 Amp	•	•
SW2DN06S	44	Short neck switch module	230v	8 x 10	0.6 Amp	•	•
SW2DNLS15	44	Outdoor switch module (green)	230v		15 Amp	•	•
SW2DNLR50	44	10mm Neck switch module	230v		6 Amp	•	•
SW2DNLS20	44	Outdoor switch module (blue)	230v		20 Amp	•	•
SW2DNLR100	44	20mm Neck switch module	230v	20	16 Ana535	•	•



SE06



SE10



SE07



SE08



SE76

Code	Product description	Supply voltage	Sensing method	IP	Max. load		Detection		Adjustive Setting	Max. time delay
					Resistive	Inductive	Distance	Angle		
SE06	Wall mount – Outdoor	230v	PIR	44	3000w	750w	15m	120°	Time/Lux/Sensitivity	9min
SE10	Occupancy sensor 5.8GHz high frequency	230v	Microwave	20	1200w	300w	10m	360°	Time/Lux/Sensitivity	12min
SE07	Occupancy – Surface ceiling mount	230v	3 x PIR	20	1200w	300w	10m	360°	Time/Lux/Sensitivity	20min
SE08	Wall mount – Outdoor	230v	PIR	44	1200w	300w	12m	180°	Time/Lux	6min
SE76	Motion Sensor plug-in LED Indoor 4W	230v	PIR	20			5m	120°		3sec ± 30sec



SE90

Introduction

The SE90 combines motion censoring, emergency lighting, energy saving and portability all in one. The sensor triggers ON the LED once human infrared movement is detected and switches OFF after a time delay. The SE90 will automatically switch ON once there is a power failure. With the use of LED lamps this unit draws minimal energy and uses wireless inductive charging to recharge from the docking station that is plugged into the wall socket. Over and above all these innovative features this unit can be used as an LED flashlight.

Torch

Remove from the base to operate as a flashlight/ night light.

Night Light

Automatically activates for 25 seconds when movement is sensed.

Emergency Light

The SE90 will automatically switch on in the event of a power failure.

Specification

AC230V 50Hz 0.015A 3.7V 500mAH li-ion battery
 (Top) 2x0.5W LED 40 Lumen (Side) 25pcs 28LED 35 Lumen
 Run time: 1W LED > 1.5 hours 25pcs LED > 1.5 hours
 Sensor distance: 2-3m Sensor time: 25 +/- 5s
 Charge time: 8-10 hours

Caution

Do not use outdoor or in moist environments.
 Charge for 8 hours before first use.



SW2030 / GEYSER TIME SWITCH



SW0001



SW0002



SW0003

Code	Product description	Mounting	Programming	Input voltage	Max. load		Setting		Number of cycles On/Off
					Resistive	Inductive	Min	Max	
SW2030	Switch Time Digital Weekly Programmable 30A Din Rail	Din Rail	Electronic	230v	30 Amp	15 Amp	1min	7days	17 On /17 Off

Features - SW0001 • SW0002
Programming the timer is a simple and quick procedure
Switches loads of up to 3500 Watts
Time duration of the required working time of home appliance can be set by pushing in the joint slices
Real time can be set by turning the disc in the direction of the arrow until the marked point indicates the current time
IEC60730 Safety Standard

Features - SW0003
8 buttons for easy operation
Large LCD display with real time display
24 hours and 7 days programming with reset function for switching loads up to 3500W
Built-in rechargeable Ni-MH battery so as to maintain the real time clock and programmed times when there is a power failure
IEC60730 Safety Standard



CO7003



RE31010



CO8005



RE71010



PT216A



PT216AR



CO916P



PT2DED



CO916R

Code	Product description	10 Amp socket	16 Amp socket	Continental	Switched	Overload protected	Colour/s
	Cord set						
CO7003	3m 6 Amp – White only (luminaire cable)						White
	Extension cords						
CO8003P#	3m 10 Amp – Double socket	•					White
CO8005	5m 10 Amp – Double socket	•					White
CO80055	5m 16 Amp – Double socket		•				White
CO8010	10m 10 Amp – Double socket	•					White
CO80105	10m 16 Amp – Double socket		•				White
CO8015	15m 10 Amp – Double socket	•					White
CO80155	15m 16 Amp – Double socket		•				White
CO8020	20m 10 Amp – Double socket	•					White
CO80205	20m 16 Amp – Double socket		•				White
	Reelers						
RE31010	15/20/25m 2 x 10 Amp, 1 x conti + cable – Medium	x1	x2		•	•	Black
RE71010	Steel reel 2 x 10 Amp, 1 x conti + cable		x2	•	•	•	Silver

Code	Product description	Colour/s
PT216A	16 Amp Standard 3pin - Radi Plug	Black, white, red, green, blue, yellow, orange
PT216AR	16 Amp Rubber 3pin	Black
CO916P	Janus 16 Amp double polyprop	Black, white
PT2DED	16 Amp Dedicated 3pin	Red, black, blue
CO916R	Janus 16 Amp double rubber	Black



CO6NOR • CO6MID



CO61503/1 • CO61505
CO61510 • CO61512
CO63012



EX510B • EX510W
EX610B • EX610W



EX710F

Flat



EX710

3 Phase

Code	Product description	Standard Packaging
CO6NOR	Normal screw – Porcelain	400 per pack
CO6MID	Midget screw – Porcelain	400 per pack
CO61503/1	3 Amp 12 way strip	400 per pack
CO61505	6 Amp 12 way strip	400 per pack
CO61510	10 Amp 12 way strip	800 per pack
CO61512	16 Amp 12 way strip	500 per pack
CO63012	30 Amp 12 way strip	300 per pack
	Mini gel cable joints	
EX510B	2 & 3 core cabtyre (black)	
EX510W	2 & 3 core cabtyre (white)	
	Resin cable joints	
EX610B	2 & 3 core cabtyre (black)	
EX610W	2 & 3 core cabtyre (white)	
EX710F	Flat mini resin joint kit 32 AMP up to 5 x 8.5mm Core (Waterproof IP68)	
EX710	3 Phase joint kit 16 AMP up to 8.5 x 16mm Core (Waterproof IP68)	



GL2PI



GL2UNI

Code	Product description	Standard Packaging
GL2PI	20mm Universal push-in PVC compression	600 per box
GL2UNI	20mm Universal screw-in PVC compression (black/white)	600 per box



CO4001 • CO40015



CO4120 • CO4123



CO4126 • CO4126/1



CO4002A



CO41265



CO4002 • CO40025



CO4002U

Code	Product description
CO4001	20mm 1 way box
CO40015	25mm 1 way box
CO4120	20mm Saddles
CO4123	25mm Saddles
CO4126	20mm Male adaptor
CO4126/1	25mm Male adaptor
CO4002A	20mm 2 way angled box
CO41265	20mm Female adaptor
CO4002	20mm 2 way box
CO40025	25mm 2 way box
CO4002U	20mm 2 way "U" box



CO4130 • CO41305
CO41307



CO4003 • CO40035



CO4004 • CO40045



CO4140



CO4145



CO4150S



CO4150 • CO4153



CO4014 • CO4018



CO4155



CO4011 • CO40115

Code	Product description
CO4130	20mm Coupling
CO41305	25mm Coupling
CO41307	32mm Coupling
CO4003	20mm 3 way box
CO40035	25mm 3 way box
CO4004	20mm 4 way box
CO40045	25mm 4 way box
CO4140	20mm Inspection elbow
CO4145	20mm Inspection bend
CO4150S	20mm Plain bend – Short
CO4150	20mm Plain bend
CO4153	25mm Plain bend
CO4014	20mm 4 Knock out loop-in box
CO4018	20mm 8 Knock out loop-in box
CO4155	20mm Inspection "T"
CO4011	50mm Box lid
CO40115	85mm Oversize box lid



BB20F • BB25F • BB32F



BB20M • BB25M • BB32M



LN20 • LN25 • LN32



SA220G • SA225G • SA232G



SA220GH • SA225GH • SA232GH

Code	Product description
BB20F	20mm Bush – Female
BB20M	20mm Bush – Male
BB25F	25mm Bush – Female
BB25M	25mm Bush – Male
BB32F	32mm Bush – Female
BB32M	32mm Bush – Male
	Locknut
LN20	20mm Locknut – Galvanised hexagon
LN25	25mm Locknut – Galvanised hexagon
LN32	32mm Locknut – Galvanised hexagon
	Saddle
SA220G	20mm Saddle – Galvanised
SA225G	25mm Saddle – Galvanised
SA232G	32mm Saddle – Galvanised
SA220GH	20mm Saddle – Galvanised zinc alloy hospital
SA225GH	25mm Saddle – Galvanised zinc alloy hospital
SA232GH	32mm Saddle – Galvanised zinc alloy hospital



WB40204E



WB40404E



WB40204EC



WB40404EC



WB40204EP



WB40404EP



WB41240G



WB41404G



WB41240P



WB41404P

Code	Product description	Box qty
WB40204E	100 x 50mm Open back (steel)	120
WB40204EC	100 x 50mm Closed back (steel)	120
WB40204EP	100 x 50mm Closed back (PVC)	100
WB40404E	100 x 100mm Open back (steel)	90
WB40404EC	100 x 100mm Closed back (steel)	90
WB40404EP	100 x 100mm Closed back (PVC)	70
	Wall Boxes	
WB41240G	100 x 50mm (galvanised)	240
WB41240P	100 x 50mm (PVC)	150
WB41404G	100 x 100mm (galvanised)	120
WB41404P	100 x 100mm (PVC)	100



SO2100



PVC TRUNKING

Code	Product description	Standard Packaging
SO2100	2 x 6 Amp Click duo luminaire surface mount socket	
TR21616	16 x 16mm x 3m Mini PVC	40 per bundle
TR21616/2	16 x 16mm x 2m Mini PVC	40 per bundle
TR21625	16 x 25mm x 3m Mini PVC	25 per bundle
TR22540	25 x 40mm x 3m Mini PVC	10 per bundle
TR24040	40 x 40mm x 3m Mini PVC	10 per bundle
TR240100	100 x 40mm x 3m PVC	4 per bundle



TA2020

Code	Product description	Feature/s		Colour/s					
		Thickness (mm)	Width (mm)	Black	Blue	Green	Red	White	Yellow
TA2020	No. 21 Nitto 20m	0.20	18	•	•	•	•	•	•



LD200042


Flat indoor decorative fireplace




LD2000DD5

Curved indoor decorative fireplace

Features - LD2000DD5 & LD200042
1. 1800W, 230V, 50HZ alternative
2. Flame decoration options
3. With overheating protector, for safe use
4. Heat setting, built-in thermostat
5. Fully remote control, wall-mount only
6. Simple two screw installation
7. With LED light, long lasting and power saving
8. Tinted front glass
9. Wall mount only




HE0001



HE0002

Features - HE0001, HE0002		
Aluminium and iron body		
Code	HE0001	HE0002
Input	230v~50Hz	230v~50Hz
Power consumption	1200W	1500W
Colour	Silver	Silver



HE2037



Remote control

Code	Product description	IP	Voltage (V)	Power consumption	Dimensions (mm)	Weight (kg)	Infrared receiving angle	Control distance (m)	Battery type Remote included	Switch
HE2037	Wall mounted heater infrared	65	230V~, 50Hz	Max 2000W	630 x 100 x 77	2,5	60°±5°	6	AAA size 1.5V 2 pieces	On/Off



FA2CE200



FA2CF200 • FA2CF250



Closed shutter

FA2EX200



FA2EX250 • FA2EX300

Code	Product description	Class	IP	Cutout (mm)	Feature/s			Thermal fused	Colour/s
					Extractor fan	Fan air flow	Motor wattage (w)		
FA2CE200	Ceiling fan 200mm square	I	20	240 x 240	•	183m ³ /h	22	•	•
FA2CF200	Ceiling fan 200mm round	I	20	Ø 240	•	600m ³ /h	23	•	•
FA2CF250	Ceiling fan 250mm round	I	20	Ø 287	•	720m ³ /h	29	•	•
FA2EX200	Window fan with closing shutter 200mm	I	20	Ø 200	•	380m ³ /h	25	•	•
FA2EX250	Wall fan complete with louvre 250mm	I	20	300 x 300	•	912m ³ /h	28	•	•
FA2EX300	Wall fan complete with louvre 300mm	I	20	350 x 350	•	1160m ³ /h	36.5	•	•



JX0001BL



JX0002BL



Metal and aluminium body								
Code	Class	IP	QC	Feature/s		Switch control (included)	Motor wattage (w)	Colour/s
				3 Speed	Swivel option	Wall mount		Black
JX0001BL	I	20	21	•	•	•	220	•
JX0002BL	I	20	21	•	•		220	•



HD140SSTM



HD140SSTP



HD141SSTM



HD141SSTP

TECHNICAL SPECIFICATIONS	
HD140SSTM	Stainless steel matt
HD140SSTP	Stainless steel polished
Stainless steel	304
Input Voltage	230V AC
Wind Speed	65W m/s
Heater power	800W
Motor power	550W
Motor	Brush
Sensing Distance	12 – 20cm
IP	X1
Operation Temperature	10 - 40°C

TECHNICAL SPECIFICATIONS	
HD141SSTM	Stainless steel matt
HD141SSTP	Stainless steel polished
Stainless steel	304
Input Voltage	230V AC
Wind Speed	68W m/s
Heater power	650W
Motor power	500W
Motor	Brush
Sensing Distance	15 – 20cm
IP	X1
Operation Temperature	10 - 40°C



HD142SSTM



HD142SSTP



HD143SSTM



HD143SSTP



HD0001W

TECHNICAL SPECIFICATIONS	
HD142SSTM	Stainless steel matt
HD142SSTP	Stainless steel polished
Stainless steel	304
Input Voltage	230V AC
Wind Speed	68W m/s
Heater power	650W
Motor power	500W
Motor	Brush
Sensing Distance	15 – 20cm
IP	X1
Operation Temperature	10 - 40°C

TECHNICAL SPECIFICATIONS	
HD143SSTM	Stainless steel matt
HD143SSTP	Stainless steel polished
Stainless steel	304
Input Voltage	230V AC
Wind Speed	68W m/s
Heater power	650W
Motor power	550W
Motor	Brush
Sensing Distance	15 – 20cm
IP	X1
Operation Temperature	10 - 40°C

TECHNICAL SPECIFICATIONS	
HD0001W	ABS body
Input Voltage	230v
Wind Speed	105 m/s
Output	1400-1650W
Heating power	800-950W
Sensing Distance	9 - 15cm
IP	X 1
Operation Temperature	10 - 40°C



FS0001

Can be used with insect killers



FS8RT111



FS8FSU

Code	Product description
FS0001	4-22w 110v to 220v series starter
FS8RT111	Fluorescent Starter 4-80 Watt RT-111 Superior Quality
FS8FSU	4 – 80w FS-U Fluorescent starter



**LH3BR2210 • LH3BR2212
LH3BR2220**



LH3BR2210E



LH3BR22CG



LH3BRBAT53 • LH3BRBAT63



LH3BR22PB



LH3NY22



LH3NYB22

Code	Product description
LH3BR2210	B22 10mm Entry
LH3BR2210E	B22 10mm Entry + Earth
LH3BR2212	B22 12mm Entry
LH3BR2220	B22 20mm Entry
LH3BR22CG	B22 Cordgrip entry
LH3BRBAT53	B22 Standard
LH3BRBAT63	B22 50mm
LH3NY22	B22 Nylon 10mm (black/white)
LH3NYB22	B22 Nylon holder 50mm batten (black/white)



LH3P22SKR



LH3P27USKR



LH3P40UF

Code	Product description
LH3P22SKR	B22 Porcelain skirted
LH3P27USKR	E27 Porcelain unskirted
LH3P40UF	E40 Porcelain flange unskirted + bracket



FH4G10



FH4G13



FH4START



GA206



GA208



GA206P

Code	Product description
FH4G10	G10 Circline with starter socket + Clip
FH4G13	G13 Tombstone slide-on
FH4START	Starter holder with pins
	Galleries
GA206	6" Fibre glass + B22 Porcelain – Econo shape
GA206P	Gallery 6" PVC with B22 Nylon Holder
GA208	8" Fibre glass + B22 Porcelain – Econo shape



BO2160 • BO2200



BO2160S • BO2200S



FA2100



FA2140

Code	Product description
BO2160	160mm (6") Bowl – Screw neck - amber
BO2160S	160mm (6") Semi-iced bowl – Screw neck - amber
BO2200	200mm (8") Bowl – Screw neck - amber
BO2200S	200mm (8") Semi-iced bowl – Screw neck - amber
FA2080	80mm (3") Fan glass 1 light (opal)
FA2100	100mm (4") Fan glass 1 light (opal)
FA2140	55mm (2") Fan glass 4 light (acid)



BO100Z



BO300E#



BO100E#

Code	Product description
BO100Z	Radi Bowl 6" with Gallery (no lamp) B22
BO300E#	Eco Bowl 6" with Gallery and 7w A60 LED lamp 5000K B22
BO100E#	Radi Bowl 6" with Gallery and 14w CFL Lamp B22



SC9962



SC3843



SC9968



HL60




06LHL0001




TC0001


Code	Product description
SC9962	12 Piece Tool set 1000v including voltage tester
SC3843	7 Piece screwdriver set 1000v including voltage tester
SC9968	8 Piece screwdriver set 1000v including voltage tester
HL60	Hand lamp + 7m Cable + Plug top
06LHL0001	LED hand lamp 4W IP20 6000k, 300 lumen
TC0001	Collapsible LED safety cone



SP220 • SP225



FT30 • FT60



FT33N



Code	Product description
SP220	20mm Conduit bending spring – Nickel plated
SP225	25mm Conduit bending spring – Nickel plated
	Fish Tapes
FT30	30m Steel + Plastic case
FT33N	30m Nylon + Plastic case
FT60	60m Steel + Plastic case

Our Electrical Office Systems are uniquely designed to suit individual customer needs. We supply a variety of socket, data, telephone, VGA, HDMI, RCA, video, USB outlets and USB charging units customized to your specific requirements and needs.

Please contact us for more information.

